

THE
PRACTICAL MINER'S GUIDE.

LONDON :
Printed by A. SCOTTISWOODE,
New-Street-Square.



Yours respectfully
John Budg.

THE
PRACTICAL MINER'S GUIDE:
COMPRISING A SET OF
TRIGONOMETRICAL TABLES,
ADAPTED TO ALL PURPOSES OF
OBLIQUE OR DIAGONAL, VERTICAL, HORIZONTAL, AND TRAVERSE
DIALLING,

WITH THEIR APPLICATION TO THE DIAL EXERCISE OF
SHAFTS, ADITS, DRIFTS, LODES, SLIDES, LEVELLING,
INACCESSIBLE DISTANCES, HEIGHTS, &c.
ALSO,
A TREATISE ON THE ART AND PRACTICE OF ASSAYING SILVER,
COPPER, LEAD, AND TIN,
WITH TABLES WHICH EXHIBIT AT ONE VIEW THE VALUE OF ASSAYED ORES:
RULES FOR CALCULATING THE POWER OF STEAM AND WATER ENGINES:
A DISCOURSE ON THE QUALITY, MANUFACTURE, AND CHOICE OF CORDAGE
FOR MINE SERVICE:

TOGETHER WITH A COLLECTION OF
Essential Tables, Rules, and Illustrations,
EXCLUSIVELY APPLICABLE TO
MINING BUSINESS.

THE WHOLE INTRODUCED AND EXEMPLIFIED IN THE MOST PLAIN AND
PRACTICABLE MANNER.

BY J. BUDGE.

SECOND EDITION, CONSIDERABLY ENLARGED.

LONDON:
PRINTED FOR
LONGMAN, BROWN, GREEN, AND LONGMANS,
PATERNOSTER-ROW.
1845.

TO
BENJAMIN TUCKER, ESQ.
SURVEYOR-GENERAL OF THE DUCHY OF CORNWALL,
AND
JOHN TAYLOR, ESQ.
DIRECTOR OF BRITISH AND FOREIGN MINING INSTITUTIONS.

GENTLEMEN,

THE propriety of composing an address under this head did not, until of late, occur to my imagination, and with much trepidity and circumspection do I now attempt the difficult task. My apprehensions arise from a consciousness of the extreme delicacy of the undertaking, and the danger I have to encounter, arising from the probability of a misconstruction being put on the sentiments I may advance; nevertheless I feel an enlivening hope, springing up as I proceed, that I shall not be unhappy enough to make an insertion of a single

sentence but what you will either approve or palliate, and this point secured, I shall be comparatively indifferent of all other consequences.

The succeeding remarks will prove explanatory of my motives, and I trust will be deemed a satisfactory apology for my adventuring into the dedicatory labyrinth, from whence but few escape without considerable loss in the estimation of the most discerning part of their readers.

It is a prevalent opinion that gentlemen sometimes allow authors to make an ostentatious display of their influential names in the front of their works, while at the same time they possess not the slightest knowledge of the composition, or of ever having seen a line thereof, until a finished copy has been formally presented them, adorned with their illustrious names and the writer's adulatory compliments; but further, it is notorious that composers, not unfrequently, take the unwarrantable franchise of introducing the honourable names of eminent persons for this purpose without ever obtaining, or even soliciting, their permission for so doing.

These considerations have induced me, with great diffidence, and contrary to my preconception of the matter, to frame this respectful address; for after mature deliberation I have been led to conclude, that it would be doing an act of injustice to

you, to myself, and to those who may be interested in the contents of this volume, were I to forbear giving publicity to the fact, that it was not until you had investigated the most essential parts of the manuscript, and felt assured that it was calculated to answer the end designed, and thereby prove advantageous to the mining interest, that you consented to honour it with your countenance, and allow your respected names to be introduced in a patronal capacity.

Without fear of the imputation of flattery, I may with confidence remark, that your great experience, knowledge, celebrity, and interest in mining affairs, are calculated to inspire a reasonable hope, that, through your support and precedent, success will attend my humble efforts, and I shall ultimately obtain a fair pecuniary remuneration for my labours; but, necessitous as I am, the animating thought of my exertions becoming instrumental in yielding an important benefit to a considerable and most useful class of my fellow-men, is by far the greatest cause of my exultation.

It now only remains for me to acknowledge the obligations I feel, not for mere nominal patronage, but for the actual assistance I have received at your hands, whereby I have been enabled to overcome the formidable obstacles which presented themselves against the accomplishment of this dif-

ficult and embarrassing enterprise. And at the same time I would not dare neglect to return my unfeigned thanks, in the most undisguised and solemn manner, to that supreme and gracious Power whose benign and omnipotent influence has been manifestly exercised in my behalf throughout the arduous undertaking.

Possibly this digression may be condemned as unseasonable, unsuitable, and *unfashionable*, by those who fancy themselves too wise and independent to allow it to be obligatory upon them openly to acknowledge the aid of Divine Providence in all their successful engagements; but desirous as I am of giving universal satisfaction, far rather will I endure the scorn and sarcasms of such individuals, than avoid their contumely at the expense of an approving conscience, and the approbation of the truly wise and honourable.

In conclusion, I sincerely beg excuse for the almost unprecedented latitude I have unintentionally taken for this subject, and allow me most cordially to congratulate you on the high degree of respectability as well as the national utility and importance the mining system of Great Britain has recently acquired, and to which, it is generally acknowledged, your example and instrumentality have materially contributed.

That you may live long and prosperously, and that uninterrupted success may attend your every endeavour to promote your own and the public welfare, is the sincere and hearty desire of,

Gentlemen,

Your most grateful,

Most obedient,

and very humble Servant,

THE AUTHOR.

P R E F A C E.

THROUGHOUT this volume the benefit of the Practical Miner has been constantly kept in view; and although the Tables may be successfully used on other occasions, yet we have professedly the mining interest solely for our object.

It is hoped that the curious examiner will find no flagrant violation of the rules of composition or mathematical order; but to any who may be disposed to search for defects we beg to state, that the work has been prosecuted and accomplished amidst numerous disadvantages, among which, the frequent interruptions arising from the almost incessant duties of a mining avocation have not been the least perplexing. But notwithstanding all this, we feel it incumbent on us to state, in defence of the calculations, that so far as Hutton's celebrated Logarithms, compared with those of other eminent authors, can be relied on as a foundation, together with the utmost care in, and repetition of, every single operation, supported by numerous subsequent proofs, both theoretical and practical, we are warranted in alleging our conviction, that the Tables may be received and applied to the most difficult and important operations in dialling, with the utmost confidence.

We now take a transient, but submissive leave of the Mine Agent, and respectfully address ourselves to persons in the capacity of Schoolmasters in mining districts.

To that respectable class of men this work is also recommended, as a fit subject for the study of those youths committed to their instruction, who appear designed for a mining occupation; and having ourselves had some years' experience in public teaching, we presume to declare our persuasion, that it is capable of being rendered extremely useful, by the prudent tuition of skilful preceptors. And why, we would inquire, should not the theory of the essential art of mining be taught in the seminaries of England, as well as in Mexico? (where, we understand, the colleges or schools of mines are among the most noble establishments of the empire;) but especially in Cornwall, where the principal support of the county depends on the prosperity of the mines, and where much of that prosperity depends on the judicious management of those persons to whom the superintendency thereof is committed.

In conclusion we beg to remark, that we have generally used such terms as are common, and, in some cases, almost peculiar to mining business; believing that this phraseology will render the work far more intelligible and acceptable to the majority of those for whose use it is designed, than if we had confined ourselves to a precise mathematical mode of expression.

CONTENTS.

PART I.

	Page
INTRODUCTION - - - -	1
Explanation and Use of the Tables - - -	6
Decimated Arithmetic—Reduction - - -	11
Addition - - -	12
Subtraction - - -	13
Multiplication - - -	13
Division - - -	14
Aliquot Parts of a Fathom - - -	14
Preliminary Chapter - - -	16
Definition of Right-angled Triangles - -	17
Introductory Examples - - -	21
Plane Trigonometry - - -	23
CASE 1.—Given the Angle and Hypothenuse to find the Base and Perpendicular by the first Table -	23
by Construction - - -	24
CASE 2.—Given the Angle and Perpendicular to find the Base and Hypothenuse by the Second Table -	24
by Construction - - -	25
CASE 3.—Given the Angle and Base to find the Hy- pothenuse and Perpendicular by the Third Table -	25
by Construction - - -	26
Diagonal Shafts - - -	27
Perpendicular ditto - - -	28
Cross-cuts - - -	29
When a Lode has changed the Underlay - -	30
When a Lode has reversed the Underlay -	32
When a Shaft has been sunk in Error - -	35
To find the Junction of Lodes that underlie in the same Direction - - -	37
To find the Junction of Lodes that underlie toward each other - - -	41
Shafts and Adits - - -	44
Drifts - - -	47
Drifts and Intersections - - -	48
Slide—Lode thrown up - - -	49
Lode thrown down - - -	51

	Page
Horizontal Dialling - - -	55
Vertical Dialling - - -	58
Miscellaneous Examples - - -	61
TABLE I.—Hypothénuse Radius - - -	67
TABLE II.—Perpendicular ditto - - -	75
TABLE III.—Base ditto - - -	83
Levelling - - -	85
Traverse Dialling - - -	87

PART II.

Introduction - - -	99
Assay of Silver Ore - - -	101
Copper Ore - - -	104
Lead Ore - - -	108
Tin Ore - - -	109
Method of extracting Silver from Copper Ore - - -	110
Smelting Silver Ore - - -	110
Lead and Silver Ore - - -	110
Silver Assay Table - - -	111
Method of computing the Value of Lead and Silver Ore - - -	115
Copper Ore - - -	116
Rule for discovering the Power of Steam Engines - - -	117
Water Engines - - -	119
Table of the Square Inches in a Cylinder - - -	123
Table of the Weight of Water in a Pump, &c. - - -	125
Treatise on Cordage - - -	126
Table showing the Number of Threads in a Rope - - -	135
Length of Rope to an Hundred-weight - - -	136
Weight of Ropes 100 Fathoms long - - -	137
Observations on capstan Machinery - - -	139

SUPPLEMENT, OR THIRD PART.

Introduction - - -	145
Traverse Dialling - - -	149
Table for converting Angles into Bearings - - -	165
Plans and Sections of Mines - - -	190
Miscellaneous - - -	203
Geology - - -	206
EXPLANATION OF TERMS - - -	217

EXPLANATION OF THE DIAGRAMS.

TABLE I. Page 66.

IN this scheme the hypotenuse is made radius, consequently the other sides are the sine and cosine of the included angle.

Corollary. Suppose one end of the line AB to remain at A while the other end B is moved round from e to f ; then it is evident that the base CB will continue to increase, and the perpendicular BD to decrease, until the whole quadrant has been swept off.

At 45° , or the middle of the quadrant, the base and perpendicular are equal, and from that point to 90° the base will increase in the same ratio as the perpendicular decreased from 1° to 45° ; hence the propriety of the arrangement of this table in counting the degrees backward from 45 to 90.

TABLE II. Page 74.

Here the perpendicular is made radius, therefore the hypotenuse AC will be the secant, and the base BC the tangent of the angle A . On this principle it is clear that as the angle increases the base and hypotenuse will continue (throughout the whole quadrant) to increase in proportion.

TABLE III. Page 82.

In this diagram the base is made radius, therefore by mathematical demonstration the perpendicular AC is the co-tangent, and the hypotenuse BC the co-secant, of the angle C ; and here it will be plain, that as the angle C is increased, the hypotenuse and perpendicular will, proportionably, be diminished.

ILLUSTRATION OF THE CHARACTERS.

+ *plus*, or *more*, the sign of addition ; signifying that the numbers or quantities between which it is placed are to be added together.

− *minus*, or *less*, the sign of subtraction ; denoting that the lesser of the two quantities between which it is placed is to be taken from the greater.

× *into*, the sign of multiplication ; signifying that the quantities between which it is placed are to be multiplied together.

÷ *by*, the sign of division ; signifying that the former of the two quantities between which it is placed is to be divided by the latter.

: *as*, or *to*, :: *so is*, the sign of an equality of ratios ; denoting that the quantities between which they are placed are proportional to each other.

Thus, $2 : 3 :: 4 : 6$, denotes that 2 is to 3 as 4 is to 6.

= *equal to*, the sign of equality ; signifying that the quantities between which it is placed are equal to each other.

Thus, $6 + 4 = 10$, shews that 6 added to 4 is equal to 10.

∠ *Angle*.

° *Degrees*.

′ *Minutes*.

A given line is represented by a stroke or dash (—) as the base A B in the triangle on page 26., and a required line by a cipher (0), as in the legs of the same triangle.

ABBREVIATIONS.

Deg.	Degrees.	E.	East.
Min.	Minutes.	W.	West.
Fath.	Fathoms.	Prob.	Problem.
Ft.	Feet.	Ex.	Example.
In.	Inches.	Ansr.	Answer.
Hyp.	Hypothenuse.	Dia.	Diameter.
Perp.	Perpendicular.	Cwt.	Hundred-weight.
Comp.	Complement.	Qr.	Quarter.
Tab.	Tabular.	Lbs.	Pounds.
Dec.	Decimals.	Oz.	Ounces.
N.	North.	Dwt.	Pennyweight.
S.	South.	Grs.	Grains.

THE PRACTICAL MINER'S GUIDE.

INTRODUCTION.

It is an acknowledged fact, that dialling, in all its varieties, is the most difficult and momentous part of the duty of practical mine agents: to assist them in that important operation, is the chief design in giving publicity to these Tables.

Notwithstanding the great improvements which of late years have been made in the art of dialling, the most intelligent miners universally admit, that the practice is still very imperfect; nay, so far are they from any determinate and general system, that two persons can scarcely be found who precisely adopt the same method; consequently some plain scheme, founded on pure mathematical principles, is a great mining desideratum.

Aware of the opposition which is so apt to arise against all attempts at innovation of an old and established habit, (which however faulty in itself, custom may have stamped with an imaginary perfection,) it may be necessary to make a few observations in support of this work, and endeavour to prove its advantages over all the preceding

modes of performing a dialling operation in every respect.

Not many years ago the customary way of ascertaining the perpendicular and horizontal lines corresponding with a diagonal shaft, was by the very uncertain, expensive, and tardy practice of dropping a plumb line from the back to the bottom, there fixing a sollar or platform, and repeating the process from the brace to the foot of the shaft: this usage is largely explained in "Pryce's Treatise on Mines and Mining," (a celebrated work, published by subscription, about the year 1776,) and therein described as the only system then known.

It is true this most objectionable measure is now exploded, but not without great reluctance by many of its old practitioners, who were long before they could be prevailed on to abandon it, notwithstanding its glaring inconveniences, accompanied with the loss of time, waste of property, and hazard of their lives.

By inserting this defectibility of our predecessors, we have no other design than of cautioning our mining countrymen to guard against the too prevalent propensity of rejecting any new system, merely because it is *new*, or its utility not discerned at first sight; and to induce them to give the subject an impartial investigation, before they pass a conclusive judgment thereon.

The use of mathematical instruments is now partially known in the mining world; and, certainly, those agents who are well acquainted therewith, possess a decided advantage over others who are

not; for, doubtless, this science has the pre-eminence, in a high degree, over every other method heretofore employed in dialling. But without intending to undervalue instrumental operation, we appeal to the experience of our scientific readers for support, in avouching that the process is ever liable to errors of considerable extent, and which are prone to slide in unaccountably: but it is a palpable fact, that in pointing or sweeping off the angles, an almost imperceptible deviation will create a serious departure from truth; and even in the course of bisecting, trisecting, inscribing, describing, and circumscribing; also in drawing parallels, raising or demitting perpendiculars, the operation, even with the greatest care, is exposed to considerable mistakes: and so sensible are all professional men of this defect, that instrumental operation is never resorted to, or relied on in any case where great accuracy is required. But when we reflect on the laborious duties of the practical mine agent, and how much these duties are calculated to disqualify him for performing a geometrical plan with that delicacy and precision, which the operation so indispensably demands, we then become established in our opinion of the necessity of a work of this kind, and of its superiority over every other system hitherto introduced in dialling.

Should any be yet disposed to advocate the existing practice, and to contend that it is fully adequate to the desired purpose, we beg permission to inquire of such persons, why it is that mistakes

so commonly occur in sinking shafts and driving levels in most of our mines? That irreparable errors do frequently happen, is a truth too notorious for contradiction or dispute, and sometimes even under the superintendence of men, whose knowledge, circumspection, and experience, no one presumes to call in question; consequently a more convincing proof than this cannot be adduced of the fallibility of the best modern practice, and the necessity for the introduction of a more perfect system.

Should it be inquired wherein the merit of this work is considered to consist, we answer, First — *Accuracy*; and it will be discovered at a glance, that every operation of the principal tables is wrought out to five places of decimals, or the *ten thousandth part of an inch*! consequently we may affirm, without fear of confutation, that, in this property, we outvie every other system.

Secondly — *Plainness*. Of this quality our expert readers will be convinced at first sight, and will need no instruction for enabling them to apply the numbers readily; but we do not hesitate to say, that, by the help of the rules and examples, a common school-boy will find no insurmountable difficulty in solving the most abstruse problems relevant to dialling.

Thirdly — *Despatch*. To this desirable property no other system has an equal claim, or can, with any chance of success, enter into competition with our method; inasmuch as an answer, in most cases, may be obtained by the tables in less time than is

necessary to make a preparation for performing the operation in any other way.

And now having briefly endeavoured to set forth the work in a true light, we commit it to the judgment of a liberal and discerning people; and should it be instrumental in happily preventing the grievous errors which are so prevalent in mining operations (and which, we are bold to say, must, in the nature of things, continue to take place by the present day practice); or should it only help to relieve the minds of faithful superintendents from that painful anxiety and suspense which never fail to harass them during the progress of any considerable work, whereby a heavy responsibility rests on them for the accuracy of their dialling, or should it in any other way have the happy tendency of promoting the interest of mining, we shall not regret the labour, pain, expense, privation, trouble, and perplexity, it has cost us, even though we should never receive any other compensation.

EXPLANATION AND USE

OF THE

T A B L E S.

AFTER so many preliminary observations, it will be necessary to say but little under this head, having already anticipated several things by way of introduction, which properly belong here.

The reader will observe that the work is composed of three distinct tables, for the obvious reason of making each side of the triangle radius; and certainly without such an arrangement it would have been incomplete.

In each case the radius, or given side, is one fathom, being the most convenient and familiar proportion that could have been introduced.

The principal calculations include every quarter, or fifteen minutes of a degree, and extend from 1 to 89 degrees, being sufficiently extensive and minute for mining purposes (the angle of any intermediate division not being distinguished or required); and here, it must be observed, that the divisions are expressed by 15, 30, and 45 minutes, which numbers represent $\frac{1}{4}$, $\frac{1}{2}$, and $\frac{3}{4}$ of a degree.

The first and most essential table is that wherein the hypotenuse, or longest side, is made radius,

extending nearly throughout the quadrant, and every calculation wrought out to five decimal places of an inch, hereby giving a direct answer, in exact ratio to six feet of the given side, to the ten thousandth part of an inch.

Perhaps there may be a little difficulty at first, with persons unacquainted with mathematical order, in reading the first table. It must be remarked, that from 1° to 45° , or the middle of the quadrant, the degrees and parts are all on the left-hand side descending, the base stands in the adjoining columns, and the perpendicular on the same line to the right; but beyond that point the degrees will be found on the right-hand side ascending, and then it must be specially noted that the perpendicular and base will have changed their positions, the base now standing on the right hand, and the perpendicular on the left hand, side.

In the second table the perpendicular is given and the angles extend to 60° . One valuable mining property of this table is, that it gives at sight the underlay in a fathom of every angle within the range of 60° including the divisions: so that if it is required to know the underlay in a fathom on any degree, or quarter of a degree, between 1 and 60, it will be immediately discovered by an inspection of the base in the column adjoining the given angle in this table.

In the third and last table the base is given, and as the application of this part of the work is not so general as the preceding, the angles have been given in degrees only: nevertheless this table is in-

dispensable on some occasions, especially in levelling or driving adits. It will be found, like the second table, to extend from 1 to 60 degrees.

Having thus briefly stated the nature of the work under each separate head, it only remains for us, after a few general observations, to recommend the learner to the inspection of the following examples; for we believe that one practical operation will do more towards giving him a clear understanding or comprehension of the subject, than a volume written expressly thereon, confined to mere speculative description.

It may be remarked that, in almost every instance, the geometrical construction of the figure is introduced, with the calculation, which will tend to the satisfaction of the practitioner, and improvement of the beginner.

In conclusion we would remark, that the same attention must be paid in taking the angle, and measuring the given line, when these tables are used, as if the operation was performed any other way.

It is a common practice in mining to take the angle of underlaying shafts with the cover of the dial and a plumb-line; and in short drafts, with great care, this method may answer well enough: but when any very important work is to be performed, we would strongly recommend the application of a more perfect instrument for ascertaining the angle; for it is well known, that if this part of the process should not be correct, the result of the whole work must be erroneous as a matter of course; and in-

deed it is next to impossible to distinguish the minutia of an angle, with any tolerable degree of certainty, by the foregoing method. There doubtless are instruments much better adapted to the work, both for speed and accuracy, than the dial; and it is matter of surprise that they have not been more generally introduced in our mines: of these instruments the Theodolite certainly stands unrivalled for taking both horizontal and vertical angles.

It is not our design to enter into controversy on this subject; those who imagine the sextant or quadrant graduated on the cover of the dial well calculated for the purpose, let them continue to use it; only we would especially note, that should an error ensue, it ought by all means to be attributed to the real cause, and to that only: for, as in all trigonometrical questions, the angle and side are always given to find the other parts of the triangle, consequently the sum of the one, and length of the other, are presupposed to have been correctly ascertained, previous to the commencement of any other operation.

Finally, for the learner's sake, we observe, that as the tables exhibit only the relative proportions to the radius of one fathom, or six feet, and are wrought out to five places of decimals to an inch, it becomes necessary that every one who would use this work successfully should have some knowledge of decimated arithmetic; because he will have, in most cases, to multiply for the whole numbers, and take parts for the fraction of the fathom. For example: suppose the given side to be the hypotenuse, mea-

asuring 16 fathoms, 3 feet, and 6 inches, he will then have to take out the numbers opposite the given angle in the tables, and multiply them by 16, for the base and perpendicular respectively, then divide half the tabular measure for the 3 feet, and one sixth of the remainder for the 6 inches, and add them together for the sum of the required sides of the triangle. We have therefore introduced the following rules and examples in decimals, which are sufficient to enable any one, hitherto unacquainted with this branch of arithmetic, to use the tables with the greatest facility.

REDUCTION OF DECIMALS.

RULE.—Multiply the decimal by the number of parts in the next less denomination, and cut off as many places to the right hand as there are places in the given decimals.

EXAMPLE.

What is the value of $\cdot 75014$ of a fathom ?

$$\begin{array}{r} 6 \\ \hline 4 \cdot 50084 \\ 12 \\ \hline 6 \cdot 01008 \end{array}$$

ft. in.
Answer 4 6·01008

What is the value of $\cdot 93862$ of a yard ?

$$\begin{array}{r} 3 \\ \hline 2 \cdot 81586 \\ 12 \\ \hline 9 \cdot 79032 \end{array}$$

ft. in.
Answer 2 9·79032

What is the value of $\cdot 27734$ of a foot ?

$$\begin{array}{r} 12 \\ \hline 3 \cdot 32808 \end{array}$$

in.
Answer 3·32808

fath. ft. in.
Reduce 5 4 6·32 to feet, inches, and decimals.

6
— in.
Answer 34 6·32

ADDITION OF DECIMALS.

RULE.—Place the numbers so that the decimal points may stand directly under each other, add up as in simple addition, and cut off for decimals, as many figures to the right as there are decimals in the greatest given number.

EXAMPLE.

What is the sum of 3·72 and 14·7368 and 146·2 and ·728 and 5·034 ?

$$\begin{array}{r}
 3\cdot72 \\
 14\cdot7368 \\
 146\cdot2 \\
 \cdot728 \\
 5\cdot034 \\
 \hline
 170\cdot4188
 \end{array}$$

What is the sum of $\begin{array}{cc} \text{ft.} & \text{in.} \\ 2 & 11\cdot9942 \end{array}$ and $\begin{array}{cc} \text{ft.} & \text{in.} \\ 1 & 4\cdot09658 \end{array}$?

$$\begin{array}{r}
 1 \quad 4\cdot09658 \\
 \hline
 4 \quad 4\cdot09078
 \end{array}$$

Add together the following measures ; viz.

fath.	ft.	in.	dec.
6	4		2·260
0	1		11·47298
19	0		3·087
64	5		9·9746
0	0		2·70643
91	0		5·50101

SUBTRACTION OF DECIMALS.

RULE.—Arrange and cut off the decimals as in addition.

EXAMPLE.

	fath.	ft.	in.
From	4	2	9.7824
Take	2	4	8.91773
	1	4	0.86467

MULTIPLICATION OF DECIMALS.

RULE.—Multiply as in whole numbers, and cut off as many figures from the product as there are decimals in the multiplier and multiplicand.

EXAMPLE.

	fath.	ft.	in.	
Multiply	2	4	7.92486	by 24
			6	
	16	3	11.54916	
			4	
	66	3	10.19664	

$$6 \times 4 = 24$$

	fath.	ft.	in.	
Multiply	9	3	1.4872	by 37
			6	
	57	0	8.9232	
			6	
	342	4	5.5392	
	9	3	1.4872	
	352	1	7.0264	

Here we multiply by 6 twice because 6 times 6 are 36, and add the given number which makes it equal to 37, or $6 \times 6 + 1 = 37$.

	ft.	in.	
Multiply	14	9.746	by 12
		12	
	177	8.952	

DIVISION OF DECIMALS.

RULE.—Divide as in whole numbers, and cut off as many figures in the quotient as the decimal places in the dividend exceed those of the divisor.

EXAMPLE.

$$\begin{array}{r}
 \text{Divide} \quad \begin{array}{ccc} \text{fath.} & \text{ft.} & \text{in.} \\ 2 & 4 & 3\cdot7 \end{array} \quad \text{by } 6 \\
 6 \overline{) 2 \quad 4 \quad 3\cdot7} \\
 \underline{0 \quad 2 \quad 8\cdot61}
 \end{array}$$

$$\begin{array}{r}
 \text{fath.} \quad \text{ft.} \quad \text{in.} \\
 7 \overline{) 4 \quad 2 \quad 10\cdot30994} \\
 \underline{0 \quad 3 \quad 10\cdot04427}
 \end{array}$$

$$\begin{array}{r}
 \text{fath.} \quad \text{ft.} \quad \text{in.} \\
 8 \overline{) 15 \quad 5 \quad 0\cdot3316} \\
 \underline{1 \quad 5 \quad 10\cdot5414}
 \end{array}$$

ALIUOT PARTS OF A FATHOM.

TABLE.

Parts.		Feet.	Inches.
$\frac{1}{2}$	of a fathom is	3	0
$\frac{1}{3}$	ditto	2	0
$\frac{1}{4}$	ditto	1	6
$\frac{1}{6}$	ditto	1	0
$\frac{1}{8}$	ditto	0	9
$\frac{1}{9}$	ditto	0	8
$\frac{1}{12}$	ditto	0	6
$\frac{1}{16}$	ditto	0	$4\frac{1}{2}$
$\frac{1}{18}$	ditto	0	4
$\frac{1}{24}$	ditto	0	3

REMARKS.

It has been observed that the radius in every case is 6 feet or 1 fathom, consequently the number of fathoms in the given side, whether that side be hypotenuse, perpendicular, or base, will be the multiplier of the tabular numbers, and should there be a fraction in the multiplier, the multiplicand must be divided by that fraction agreeably with the rule of practice. The table of aliquot parts of a fathom, in the adjoining page, will be found useful in facilitating this part of the process.

In some of the following examples the product has been obtained in fathoms and parts, but we would recommend the learner to carry on the work in *feet* (except in cases where the answer is required in fathoms), as he will find it more simple and expeditious; we speak of the *multiplicand* or number *multiplied*; the *multiplier* must invariably be fathoms, and should the given side be nominated in feet, it must be divided by 6, to bring it into fathoms, before the operation is begun by the foregoing cases.

It may be further noticed that when any of the given sides in the tables amount to 6 feet, they are expressed in fathoms, &c. but whenever it may be required to produce the answer in feet, &c. the numbers should be reduced to that measure before they are multiplied, and this can be done by mere inspection; viz.

		fath.	ft.	in.			ft.	in.
Table 2d,	{ Base	1	1	8.1560	} state {	Base	7	8.1560
$\angle 52^\circ$	{ Hyp.	1	3	9.6053		Hyp.	9	9.6053

PRELIMINARY CHAPTER
TO THE
PRACTICAL DIALLING EXAMPLES.

It must have been matter of regret to every reflecting, well-informed, and interested person, that (previous to the present work) nothing has ever been published with a design to assist the British miner in his subterraneous operations; and while the press has teemed with publications, distinctly and exclusively adapted to benefit the navigator, the architect, the sculptor, the surveyor, and even the mechanic and artisan, not a single effort has ever been made to extricate the miner from the disadvantages under which he has ever laboured, (solely for the want of a plain, concise, technical, and scientific treatise on dialling, accompanied with appropriate tables,) although his profession yields to none in importance and utility; in fact, it may be said, in a certain sense, to be the parent of every art and science in the world; the use of metallic substances, in some shape or other, being indispensable in every one of them: nevertheless this highly essential art has hitherto been totally disregarded by all classes of mathematicians, and while the famous invention of logarithms has caused the science of trigonometry to soar to the very skies, and traverse old ocean's vast and unfathomable expanse, the unsupported miner has

been left to struggle under the greatest disadvantages, with nearly as little obligation to geometrical science, as his antediluvian progenitors; and although he has done every thing that deep thought, strong natural understanding, unwearied perseverance, and inventive genius (unassisted by trigonometrical demonstration) could possibly accomplish, yet, for the want of mathematical light, his exertions have been ineffectual and insufficient to disentangle him from the difficulties with which he has been encircled; hence his avocation has, in general, been replete with toil, anxiety, apprehension, dissatisfaction, and disappointment.

How far the present work is adapted to answer the great end in contemplation, must be left for the judgment of the mining world to decide; and we doubt not but the defects (real or imaginary) which may be considered to exist in the application, will be passed over and excused by every liberal man, on the grounds already stated in the preface; having an unshaken confidence that the fundamentals of the work, comprised in the trigonometrical tables, will be found plain, true, and unexceptionable.

DEFINITION OF RIGHT-ANGLED TRIANGLES.

In order to use the following tables with due effect, there is no necessity that the reader should understand any thing of the science of trigonometry, that part of the work having been accomplished already to his hand; so that, by the help

of a few of the common rules of arithmetic, he may obtain, with the greatest ease and certainty, every thing required to be known in the geometrical part of mining.

Previous to an elucidation of the simple method of working by the tables, it may be satisfactory to introduce the operation by a few preliminary observations and extracts on the nature and properties of right-angled triangles.

Plane trigonometry is the art of measuring the sides and angles of triangles described on a plane surface, or of such triangles as are composed of straight lines.

The theory of triangles is the very foundation of all geometrical knowledge, for all straight-lined figures may be reduced to triangles. The angles of a triangle determine only its relative species, and are measured in degrees, minutes, and seconds; but the sides determine its absolute magnitude, and may be expressed in fathoms, yards, feet, or any other lincal measure.

THEOREMS.

A right-angled triangle (the only kind generally necessary to be treated of for mining purposes) is that which has one right angle in it; the longest side, or that opposite to the right angle, is called the hypotenuse, the other two are called the legs or sides, or the base and perpendicular: or, by Euclid's definition, "In a right-angled triangle, the side opposite to the right angle is called the

HYPOTHENUSE, and of the other sides, that upon which the figure is supposed to stand is called the BASE, and the remaining side the PERPENDICULAR."

The three angles of every triangle are together equal to two right angles, or 180 degrees.

The greater side of every triangle has the greater angle opposite to it.

The squares of two sides of a triangle are together double of the square of half the base, and of the square of a straight line drawn from the vertex to bisect the base.

The sum of the three angles of every plane triangle being equal to half a circle, or 180 degrees, it therefore follows that if either acute angle, in such triangle, be taken from 90° , the remainder will be the other acute angle, or the complement.

The supplement of any angle is what that angle wants of 180° ; hence the supplement of any one angle is always equal to the sum of the other two.

A few other properties of right-angled triangles may be worthy of notice, viz.: when the angle opposite the base is 30° , the hypotenuse is exactly double the length of the base.

When the angles are 45° , the base and perpendicular are equal.

When the angle opposite the base is 60° , the hypotenuse is double the length of the perpendicular.

APPLICATION.

To show how a knowledge of the foregoing theorems may be rendered useful in mining prac-

tices, suppose in the triangle $A B C$, on page 24, the base $B A$ represented a drift or cross-cut, and the side $A C$ a lode, making an angle with the base of $66^{\circ} 30'$; consequently the angle A must be $23^{\circ} 30'$, because it requires that number of degrees to constitute a right angle, the complement of the angle A , or 180° , the supplement of the triangle $A B C$.

Again, suppose the angle C of the diagonal shaft $C A$, page 25, was found to be $39^{\circ} 30'$, then the opposite angle A must contain $50^{\circ} 30'$.

We now approach towards the actual use of the tables, and have succeeded, we hope, in clearing all impediments out of the learner's way, so that he will find no difficulty in readily applying the numbers to dialling operations. We have previously set a few examples of the mere act of taking out the primes, and have studiously endeavoured to render every thing so perspicuous and comprehensible as the nature of the work would possibly admit. But should any one have gone thus far and still find an obscurity hang over him, so that he cannot penetrate into the nature of the subject as he would wish, or as he may have expected, yet let him not be discouraged; this will always be the case with every one who calculates on fully comprehending any thing connected with the mathematics by definition or description only. Let him steadily, attentively, and perseveringly proceed with the examples, and if he is properly interested in the matter, he will soon find the subject open with perspicuity and demonstration on his mind, and convey to him the incontrovertible assurance of the truth

of the calculations, as well as the correctness of his own views, ideas, or conceptions of the subject.

TABLE I.—EXAMPLE.

When the angle is 9° and the hypotenuse 1 fathom, what is the length of the other two sides of the triangle respectively?

(page 68.)

	in.		ft.	in.
Answer, Base	11·26328	Perp.	5	11·11356

EXAMPLE.

When the angle is $48^\circ 15'$, or $48\frac{1}{4}$ degrees*, and the hypotenuse 1 fathom, what are the lengths of the other sides?

(page 72.)

	ft.	in.		ft.	in.
Answer, Base	4	5·71613	Perp.	3	11·94348

TABLE II.—EXAMPLE.

When the angle is $35^\circ 45'$, or $35\frac{3}{4}$ degrees, and the perpendicular 1 fathom, what is the length of the hypotenuse and base respectively?

(page 78.)

	ft.	in.		fath.	ft.	in.
Answer, Base	4	3·8326	Hyp.	1	1	4·7165

* In this example, as the angle exceeds 45° , it will be found standing on the right hand side of the page (as already explained), and the denomination of the required sides will be found at the bottom. A little attention to this order will prevent the mistake, which may otherwise take place, by an inversion of the base and perpendicular.

EXAMPLE.

Given the angle $59^{\circ} 30'$, perpendicular 1 fathom, the other sides are required.

(page 81.)

	fath.	ft.	in.		fath.	ft.	in.
Answer, Base	1	4	2.2317	Hyp.	1	5	9.8612

TABLE III.—EXAMPLE.

Given the angle 5° , base 1 fathom, the hypotenuse and perpendicular are required.

(page 83.)

	fath.	ft.	in.		fath.	ft.	in.
Answer, Hyp.	11	2	10.10734	Perp.	11	2	6.96374

EXAMPLE.

Given the angle 30° , base 1 fathom, the other sides are required.

(page 83.)

	fath.	ft.	in.		fath.	ft.	in.
Answer, Hyp.	2	0	0	Perp.	1	4	4.70766

NOTE.—The foregoing examples serve only to exemplify the manner of taking out the primes from the tables, and as the given side is exactly one fathom, of course the tables give a direct answer. In the following examples the mode of taking out the tabular numbers is precisely as the foregoing, but the number of fathoms contained in the length of the given side, will be the multiplier of the other sides of the triangle.

PLANE TRIGONOMETRY.

BY THE TABLES.

CASE I.

WHEN THE HYPOTHENUSE IS GIVEN.

RULE—Look in the first table, and against the given angle stands the base and perpendicular, answering to one fathom of the hypotenuse; take out these numbers and multiply them respectively by the length of the hypotenuse.

EXAMPLE.

Given the angle $23^{\circ} 30'$, and hypotenuse 12 fathoms; the base and perpendicular are required.

OPERATION.

	BASE.
Feet	2 . 4.70993
	12
	<hr/>
	28 . 8.51916
	<hr/>


	PERPENDICULAR.
Feet	5 . 6.02833
	12
	<hr/>
	66 . 0.33996
	<hr/>

BY CONSTRUCTION.

PROCESS.

SCALE — 40 feet to an inch.

Draw the line AB of any length, make the angle $C = 23^\circ 30'$ by a scale of chords, or with a protractor; draw the hypotenuse $AC = 72$ feet from a scale of equal parts. From C let fall the perpendicular CB ; then ABC is the triangle required. AB , measured by the same scale of equal parts, will be 28 feet $8\frac{1}{2}$ inches, and BC will be 66 feet.



CASE II.

WHEN THE PERPENDICULAR IS GIVEN.

RULE—Look in the second table, and opposite the given angle will be found the base and hypotenuse corresponding to one fathom of the perpendicular; multiply these numbers separately by the length of the perpendicular.

EXAMPLE.

Given the angle $39^\circ 30'$, and perpendicular 9 fathoms 3 feet; the hypotenuse and base are required.

OPERATION.


	fath.	ft.	in.		fath.	ft.	in.
$3 \frac{1}{2}$	0	4	11.3522	$3 \frac{1}{2}$	1	1	9.3096
			9				9
	7	2	6.1698		11	3	11.7864
	0	2	5.6761		0	3	10.6548
Base	7	4	11.8459*	Hyp.	12	1	10.4412

* It has been before observed that it would be better to bring the answer out in feet than in fathoms, as in the last case.

BY CONSTRUCTION.

PROCESS.

Draw the line AB of a sufficient length, at any point B erect the perpendicular BC , which make equal to 57 feet by a scale of equal parts. At C make the angle $= 39^\circ 30'$ the complement of A . From C draw the hypotenuse, and it will cut the base AB in the point A ; then will AB measure 47 feet, and AC 73 feet 10 inches.



CASE III.

WHEN THE BASE IS GIVEN.

RULE—Look in the third table, and opposite the given angle (as in the former cases) the corresponding numbers to one fathom of base will be seen, which being multiplied by the given length of the base, produces the hypotenuse and perpendicular.

EXAMPLE.


Given the angle 20 degrees, and base 28 feet 9 inches; the hypotenuse and perpendicular are required.

$\angle 20^\circ$	ft.	in.		$\frac{1}{2}$	ft.	in.
	17	6.51392*	4		16	5.81837*
	70	2.05568			65	11.27348
	8	9.25696		$\frac{1}{3}$	8	2.90918
$\frac{1}{8}$	2	11.08565		$\frac{1}{8}$	2	8.96972
	2	2.31424			2	0.72729
Hyp.	84	0.71253		Perp.	78	11.87967

BY CONSTRUCTION.

PROCESS.

Draw the base AB which make = 28 feet 9 inches, from a scale of equal parts, at B erect the perpendicular BC , make the angle $A = 70^\circ$ and draw the hypotenuse AC to cut the perpendicular BC in the point C , then will AC measure 84 feet, and BC 78 feet, $11\frac{1}{2}$ inches.



* These numbers stand in the tables in fathoms, &c., the hypotenuse will be found 2 fathoms, 5 feet, 6 inches, &c., and the perpendicular 2 fathoms, 4 feet, 5 inches, &c.

APPLICATION OF THE TABLES

TO

DIAGONAL SHAFTS.

REMARKS.

As in the foregoing cases each side of the triangle is distinctly made radius, it follows that every problem in oblique dialling, &c., can be solved by one or the other of these cases; because in every instance, a side and the angles are always given.

GENERAL RULE.

When the hypotenuse is given, work by case the first.

When the perpendicular is given, work by case the second.

When the base is given, work by case the third.

EXAMPLE 1.


A diagonal shaft A B was found to measure 84 feet *, and the angle of declination observed to

* * When the given line is denominated in feet, it must be brought into fathoms by dividing it by 6, (the number of feet

be 48 degrees; required the base B C, and perpendicular A C.

BY CASE I.

	ft.	in.
∠ 48°	4	5·50643
		7
	31	2·54501
		2
Base	62	5·09002
	ft.	in.
	4	0·17740
		7
	28	1·24180
		2
Perp.	56	2·48360



EXAMPLE 2.


A perpendicular shaft B C, measuring 57 feet, was found to intersect an underlaying shaft A C, whose angle of acclivity was observed to be $50^{\circ} 30'$; required the length of the underlaying shaft A C, and the distance from the perpendicular at the surface A B.

in a fathom); thus in the above example the shaft being 84 feet is 14 fathoms, and therefore the numbers are multiplied by 7 and 2, which are equal to 14.

BY CASE II.

$\angle 50^\circ 30'$ Comp. $39^\circ 30'$	} Base	$\left \begin{array}{c} \frac{1}{2} \end{array} \right $	ft.	in.
			4	11·3522
				9
			44	6·1698
			2	5·6761
A B			46	11·8459


Hyp.	$\left \begin{array}{c} \frac{1}{2} \end{array} \right $	ft.	in.
		7	9·3096
			9
		69	11·7864
		3	10·6548
A C		73	10·4412



NOTE. — In the above example the angle having again been taken with the horizon, the operative angle will be $39^\circ 30'$, because $50^\circ 30' - 90^\circ = 39^\circ 30'$. We may also observe that the length of the shaft being 57 feet, the multiplier is $9\frac{1}{2}$, or 9 fathoms, 3 feet.

EXAMPLE 3.

A horizontal cross-cut B C from the foot of a diagonal B A to a perpendicular shaft C A was found to measure 224 feet 8 inches, and the angle of acclivity (taken at B, the foot of the shaft) 40° degrees; I require the respective lengths of the hypotenuse A B and perpendicular A C.



BY CASE III.

		ft.	in.			ft.	in.
$\angle 40^\circ$ Comp 50°	$\left. \begin{array}{c} \frac{1}{3} \\ \\ \\ \\ \frac{1}{3} \end{array} \right\}$	7	9.98932 *	$\left. \begin{array}{c} \frac{1}{3} \\ \\ \\ \\ \frac{1}{3} \end{array} \right\}$		5	0.41517
			12				12
		93	11.87184			60	4.98204
			3				3
		281	11.61552			181	2.94612
		7	9.98932			5	0.41517
		2	7.32977			1	8.13839
		0	10.44325			0	6.71279
A B		293	3.37786	A C		188	6.21247

EXAMPLE 4.


When a lode has changed its underlay.

RULE — Take out the numbers opposite the given angles, and work them by the former cases, then add their sums together respectively for the answer.

* It will be observed that this number stands in the table 1 fath. 1 ft. 9.98932 in., and the angle having been taken at the foot of the shaft, the complement of that angle (*i.e.* what it wants of 90°) must be used, therefore the above tabular numbers will be found in the column opposite 50° , being the complement of 40° .

PROBLEM.

In dialling a shaft sunk on a lode, it was found that the first draft B D measured 71 feet, on an



angle of $14^{\circ} 45'$, but from that depth to the foot of the shaft C the angle proved to be $40^{\circ} 15'$, and the length D C 54 feet ; required the distance from the brace of the diagonal B, where a perpendicular shaft ought to be sunk, in order to come down exactly at the foot of the underlay ; also the depth of the perpendicular A C.

OPERATION.

		BASE.			PERPENDICULAR.		
		fath. ft. in.			fath. ft. in.		
$\angle 14^\circ 45'$	1 $\frac{1}{6}$	0	1	6·33134	0	5	9·6273
				12			12
		3	0	3·97608	11	3	7·5276
		0	0	3·05522	0	0	11·6045
		3	0	0·92086	11	2	7·9231

		BASE.			PERPENDICULAR.		
		fath. ft. in.			fath. ft. in.		
$\angle 40^\circ 15'$	=	0	3	10·52093	0	4	6·95274
				9			9
		5	4	10·68837	6	5	2·57466

SUMMARY OF BASES.				SUMMARY OF PERPENDICULARS.			
fath. ft. in.				fath. ft. in.			
3	0	0·92086		11	2	7·9231	
5	4	10·68837		6	5	2·57466	
8	4	11·60923		18	1	10·49776	
6				6			
A B	52 feet	11 in.		A C	109 feet	10 in.	

EXAMPLE 5.

When a lode has changed or reversed its underlay from north to south, or east to west.


RULE—Add all the perpendiculars together, as in the last problem, but subtract the bases, made by the reverse or contrary shafts, one from the other, the remainder will be the true length of the base.

PROBLEM.

A diagonal shaft was found to incline and measure as follows, viz.

A B	-	54 feet	$18^{\circ} 45'$
B C	-	42 do.	$12^{\circ} 15'$
C D	-	69 do.	$25^{\circ} 0'$

throughout the above drafts, the declination or



underlay bore northerly, but from that depth *D* it made an angle of $7^{\circ} 30'$ in a southerly direction, and this last draft *D E* measured 96 feet. It is required to know the perpendiculars and bases of all the foregoing sides respectively and collectively.

OPERATION.

BASES NORTHERLY.

$$\begin{array}{r} \text{fath. ft. in.} \\ \angle 18^{\circ} 45' = 0 \quad 1 \quad 11 \cdot 14364 \\ \hline 9 \end{array}$$

$$\text{B a } 2 \quad 5 \quad 4 \cdot 29276$$

$$\begin{array}{r} \angle 12^{\circ} 15' = 0 \quad 1 \quad 3 \cdot 27680 \\ \hline 7 \end{array}$$

$$\text{C b } 1 \quad 2 \quad 10 \cdot 93760$$

$$\begin{array}{r} \angle 25^{\circ} 0' = 0 \quad 2 \quad 6 \cdot 42852 \\ \hline 11 \end{array}$$

$$4 \quad 3 \quad 10 \cdot 71372$$

$$0 \quad 1 \quad 3 \cdot 21426$$

$$\text{D c } 4 \quad 5 \quad 1 \cdot 92798$$

PERPENDICULARS.

$$\begin{array}{r} \text{fath. ft. in.} \\ 0 \quad 5 \quad 8 \cdot 17897 \\ \hline 9 \end{array}$$

$$\text{A a } 8 \quad 3 \quad 1 \cdot 61073$$

$$\begin{array}{r} 0 \quad 5 \quad 10 \cdot 36062 \\ \hline 7 \end{array}$$

$$\text{B b } 6 \quad 5 \quad 0 \cdot 52434$$

$$\begin{array}{r} 0 \quad 5 \quad 5 \cdot 25416 \\ \hline 11 \end{array}$$

$$9 \quad 5 \quad 9 \cdot 79576$$

$$0 \quad 2 \quad 8 \cdot 62708$$

$$\text{C c } 10 \quad 2 \quad 6 \cdot 42284$$

BASE SOUTHERLY.

$$\begin{array}{r} \text{fath. ft. in.} \\ \angle 7^{\circ} 30' = 0 \quad 0 \quad 9 \cdot 39789 \\ \hline 8 \end{array}$$

$$1 \quad 0 \quad 3 \cdot 18312$$

$$2$$

$$\text{E d } 2 \quad 0 \quad 6 \cdot 36624$$

$$\begin{array}{r} \text{fath. ft. in.} \\ 0 \quad 5 \quad 11 \cdot 38403 \\ \hline 8 \end{array}$$

$$7 \quad 5 \quad 7 \cdot 07224$$

$$2$$

$$\text{D d } 15 \quad 5 \quad 2 \cdot 14448$$

SUMMARY.

BASES.			PERPENDICULARS.		
	fath.	ft. in.		fath.	ft. in.
	2	5 4·29276		8	3 1·61073
	1	2 10·93760		6	5 0·52434
	4	5 1·92798		10	2 6·42284
North	9	1 5·15834		15	5 2·14448
South	2	0 6·36624		41	3 10·70239
	7	0 10·79210		6	
	6		F E	249 ft.	10 in.
F A	42 ft.	10 in.			

EXAMPLE 6.

When a shaft has been sunk in error *, or not exactly at right angles with the lode.

RULE I.

Work for the base and perpendicular as before, by Case I., then find the deviation by the following


RULE II.

Take out the base from the second table, standing opposite the angle of error, and multiply it by the length of the shaft.

* Underlying shafts are always intended to be sunk at right angles with the lode; that is, if the lode runs east and west, the horizontal bearing of the shaft will be either north or south, as the lode may happen to underlie. But it is sometimes the case, that through inattention of workmen or other causes, the shaft has declined from its true course and inclined toward the right or left, and as this is neither a trivial nor uncommon occurrence, and admits not of development by the ordinary mode of dialling, we have here introduced a rule which will hold good in all cases of the kind.

PROBLEM.

An oblique shaft A B was found to measure 89 feet 6 inches, on an angle of $53^{\circ} 15'$, and it was also observed that the shaft had declined $3^{\circ} 45'$ west from the intended right angle of the east and west lode: required the base C D and perpendicular C A, and how far the shaft has departed from its true course A D.



OPERATION.

		ft.		in.			ft.		in.
$\angle 53^{\circ} 15'$	3	$\frac{1}{2}$	4	9-69027	3	$\frac{1}{2}$	3	7-07937	
				7					7
			33	7-83189			25	1-55559	
				2					2
			67	3-66378			50	3-11118	
			2	4-84513			1	9-53968	
	2	$\frac{1}{3}$	1	7-23009	2	$\frac{1}{3}$	1	2-35979	
	0	$\frac{1}{4}$	0	4-80752	0	$\frac{1}{4}$	0	3-58994	
Base			71	8-54652	Perp.		53	6-60059	

THEN FOR THE DEVIATION.

		ft.	in.
Table 2nd. — $\sphericalangle 3^{\circ} 45'$ Base	$\frac{1}{2}$	0	4.7189
			7
	2	9.0323	
			2
	5	6.0646	
	0	2.3594	
	$\frac{1}{3}$	0	0.78
	$\frac{1}{4}$	0	0.19
	5	9.3940	

Thus it is clear that if the above shaft was sunk on an east and west lode and the angle of error inclined westerly, that the foot of the shaft B would be 5 feet, $9\frac{1}{2}$ inches, in that direction beyond its designed course A D.

EXAMPLE 7.

To find the perpendicular depth of the junction of lodes.

CASE I.


When two lodes underlay in the same direction.

RULE — Subtract the tabular number of the base of the lesser angle from the greater, then by direct proportion, say,

As this difference
Is to one fathom perpendicular,
So is the distance of the lodes at surface
To the junction of the lodes.

PROBLEM.

Two lodes were discovered at the surface, 12 fathoms apart from C to D, both underlaying north. The southernmost lode D B made an angle of $38^{\circ} 15'$: the other C B 23° . Required the perpendicular depth A B where these lodes will unite, supposing they both regularly continue their respective angles of declination.



OPERATION.

	ft.	in.
From $\angle 38^{\circ} 15' = 4$	8	7602
Take $\angle 23^{\circ} 0' = 2$	6	5622
	<u>2</u>	<u>2</u> ·1980

	ft.	in.		fath.	fath.
Then, As	2	2·198	:	1	:: 12
	12				6
	<hr/>				72
	26·198				12
				26·198)	864·000 (32·9
					78594
					<hr/>
					78060
					52396
					<hr/>
					256640
					235782
					<hr/>
					20858
					<hr/>
Answer	fath. 32	ft. 5	in. 4	A B	

DIAGONAL LODS.

If it is required to find the respective lengths of the lodes C B and D B, and the horizontal line D A, work by Case II., where the perpendicular is given.

TO FIND D B.

	fath.	ft.	in.
$\angle 38^\circ 15'$	$\frac{1}{9}$	1	1
			7.6831
			11
	14	0	0.5141
			3
	42	0	1.5423
	0	0	10.1870
D B	41	5	3.3553

Here we multiply by 33, and subtract from the product what the hypotenuse is minus of that measure, which being eight inches, is one-ninth of a fathom. This is the shortest method.

TO FIND C B AND D A, OR C A.

	BASE.		
	fath.	ft.	in.
$\angle 23^\circ 0'$	$\frac{1}{9}$	0	2
			6.5622
			11
	4	4	0.1842
			3
	14	0	0.5526
	0	0	3.3964
A	13	5	9.1580

	HYPOTHENUSE.		
	fath.	ft.	in.
$\frac{1}{9}$	1	0	6.2179
			11
	11	5	8.3969
			3
	35	5	1.1907
	0	0	8.6908
C B	35	4	4.4999

Then $CA + CD = DA$, or CA added to CD gives the line DA, 25 fathoms, 5 feet, 9 inches, &c.

EXAMPLE 8.

To find the perpendicular depth of the junction of lodes.


CASE II.

When two lodes, by their underlay, incline indirectly towards each other.

RULE—Add the tabular bases together, then find the depth by direct proportion as in the last example.

PROBLEM.

Two lodes were observed 36 fathoms apart at the surface from A to C, the northernmost lode A underlaying south $18^{\circ} 15'$, and the southernmost lode C underlaying north $31^{\circ} 45'$: required the



depth B D at which these lodes will intersect each other.

OPERATION.

		ft.	in.	
To	$\angle 18^\circ 15' = 1$			11·6220
Add	$\angle 31^\circ 45' = 3$			8·5550
		5		8·177
<hr/>				
	ft.	in.	fath.	fath.
Then, As	5	8·177	: 1	: : 36
	12			6
	<hr/>			
	68·177			216
				. 12
				<hr/>
			68·177)	2592·0000 (38·0
				204531
				546690
				545416
				<hr/>
				12740

Answer 38 fathoms.

If required to find the length of the lodes A D and C D and the distance of the shaft B from the lodes C and A at the surface, work by Case II. thus:

TO FIND A B AND A D.

BASE.				HYPOTHENUSE.			
	fath.	ft.	in.		fath.	ft.	in.
$\angle 18^\circ 15'$	= 0	1	11·622		1	0	3·8135
			6				6
	<hr/>				<hr/>		
	1	5	9·732		6	1	10·8810
			6				6
	<hr/>				<hr/>		
	11	4	10·392		37	5	5·2860
	0	3	11·244		2	0	7·6270
	<hr/>				<hr/>		
A B	12	2	9·636	A D	40	0	0·9130
	<hr/>				<hr/>		

TO FIND BC AND CD.


BASE.			HYPOTHENUSE.		
fath.	ft.	in.	fath.	ft.	in.
$\angle 31^{\circ} 45' = 0$	3	8.555	1	1	0.7008
		6			6
	3	4 3.330		7	0 4.2048
		6			6
	22	1 7.980		42	2 1.2288
	1	1 8.110		2	2 1.4016
B C *	23	3 1.090	C D	44	4 2.6304

* It may be observed that A B and B C added together do not make 36 fathoms, by something more than an inch: now this does not happen through any defect in the tables, but because the perpendicular has not been worked out—for if the remainder (12740) was prosecuted, the perpendicular would prove to be 38 fath. 0 ft. 1.3392 in., instead of 38 fathoms, which addition to multipliers would make up the exact deficiency.

PERPENDICULAR SHAFTS

LEVELS.

RULE. — When the angle of acclivity is given, take the complement (or what it wants of 90°) for the operative angle; in every other particular, work by the former cases.




EXAMPLE 1.

A perpendicular shaft having been sunk from the top of a hill at A, from whence the slope to C measured 330 feet: It is required to know the length an adit must be driven from the base of the hill at C to intersect the shaft at B, and what will be the depth of the shaft at that intersection, the angle of acclivity at C being 41 degrees.

BY CASE II.

PERPENDICULAR.			BASE.		
	ft.	in.		ft.	in.
Comp. of } 41° is 49° }	3	11·23625		4	6·33909
		9			9
	35	5·12625		40	9·05181
		6			6
	212	6·75750		244	6·31086
	3	11·23625		4	6·33909
	216	5·99375		249	0·64995



EXAMPLE 2.


An adit having been driven 75 fathoms from A to B, required to know how far up the hill from A I ought to measure in order that a perpendicular may be sunk to intersect the adit at x, 58 fathoms from the tail at A ; also the depth of the shaft C x, the angle of acclivity from A towards C being 33 degrees. Or thus : — Given the base 58 fathoms ; angle of acclivity 33°, of which the complement or angle of declivity is 57° ; required the hypothenuse and perpendicular.

BY CASE III.

	HYPOTHENUSE.		PERPENDICULAR.	
	ft.	in.	ft.	in.
Comp. \angle 33° is $57^\circ =$	7	1·85016	3	10·75735
		8		8
	57	2·80128	31	2·05880
		7		7
	400	7·60896	218	2·41160
	14	3·70032	7	9·51470
A C	414	11·30928	C x	225
				11·92630

EXAMPLE 3.

From the foot of a perpendicular shaft A B, 70



fathoms in depth, a cross-cut was driven south 14 fathoms 3 feet in length (C,) where a lode was discovered underlaying north, and the angle of ascension or elevation $72^{\circ} 45'$: required the length of this lode from the end of the drift C to the surface D; also the distance from the brace of the perpendicular shaft A to the back of the lode at grass (D,) supposing the lode to have a regular underlay.

BY CASE II.


	BASE. .			HYPOTHENUSE.		
	fath.	ft.	in.	fath.	ft.	in.
Comp. of $\angle 72^{\circ} 45'$ is $17^{\circ} 15'$ }	0	1	10·3560	1	0	3·3911
			7			7
	2	1	0·4920	7	1	11·7377
			10			10
	21	4	4·9200	73	1	9·3770
Add length of drift	14	3	0			
	36	1	4·92			

ANSWER.

	fath.	ft.	in.
Length of lode	73	1	$9\frac{1}{2}$
Distance from shaft at the surface }	36	1	5

EXAMPLE 4.

From the depth of 36 fathoms 4 feet, in an engine shaft A B, a cross-cut was driven which pierced a lode C, 14 fathoms 2 feet, from B. The lode was found to make an angle of 30 degrees, inclining towards the shaft. Required the depth at which the shaft will intersect the lode, and the length of the lode from C to the point of intersection o.



BY CASE III.

HYPOTHENUSE.				PERPENDICULAR.			
	fath.	ft.	in.		fath.	ft.	in.
$\angle 30^\circ$	$\frac{1}{3}$) 2	0	0	$\frac{1}{3}$) 1	4	4	70766
			2				2
	4	0	0		3	2	941532
			7				7
	28	0	0		24	1	590724
	0	4	0		0	3	5569
	28	4	0		24	4	1147624

ANSWER.

	fath.	ft.	in.
Depth from A to B	36	4	0
Depth from B to o	24	4	11.47624
Extreme depth	61	2	11.47624
Length from C to o	28	4	


SLIDES.

WHEN a lode has been thrown up by a slide, to find the base and perpendicular.

RULE.— Add the bases made by the segments of the lode together for the horizontal, and subtract the perpendicular made by the ascension of the slide from the sum of the others for the perpendicular.

EXAMPLE.

A shaft having been sunk on a lode 114 feet from A to B, on an angle of $54^{\circ} 30'$, at this place the lode was separated and thrown up by a slide, from B to C, 32 feet, the angle of elevation at B being 47° : at C the lode was again cut and prosecuted on an angle of 51° , from C to D, 73 feet. Required to know the length from A to E at surface, where a perpendicular shaft should be put down, that would intercept the lode at the foot of the diagonal C D; also the depth of the shaft E D.



THE FOREGOING EXAMPLE BY THE TABLES.

	BASE.	PERPENDICULAR.
	ft. in.	ft. in.
$\angle A 54^{\circ} 30' =$	4 10.61632	3 5.81062
	6	6
	29 3.69792	20 10.86372 (Multiplier)
	3	3 (19 faths.)
	87 11.09376	62 8.59116
	4 10.61632	3 5.81062
	92 9.71008	66 2.40178

	BASE. ft. in.	PERPENDICULAR. ft. in.
$\angle B 47^\circ 0'$	4 1·10388	4·65747
Comp. $43^\circ 0'$	5	5
	20 5·51940	21 11·28735 (Multiplier)
	1 4·36796	1 5·552 (5 fath. 2 ft.)
	21 9·88736	23 4·83935

	ft. in.	ft. in.
$\angle C 51^\circ 0' \mid \frac{1}{6}$	4 7·95451	3 9·31107
	12	12
	55 11·45412	45 3·73284 (Multiplier)
	0 9·32575	0 7·55184 (12 fa. 1 ft.)
	56 8·77987	45 11·28468

SUMMARY.

	BASES. ft. in.	PERPENDICULARS. ft. in.
	92 9·71008	$\angle A = 66 2·40178$
	21 9·88736	$\angle C = 45 11·28468$
	56 8·77987	112 1·68646
Answer E A =	<u>171 4·37731</u>	$\angle B = 23 4·83935$
		DE = 88 8·84711


NOTE. — Perpendiculars to strike B or C and their respective horizontal distances from A are shown by the sums of the first and second operation in the above calculations.

When a lode has been thrown down by a slide.

RULE. — Add the perpendiculars together for the depth, and subtract the base of the slide from the bases of the segments of the lode for the horizontal.

EXAMPLE.

A shaft A B having been sunk 77 feet on a lode, which made an angle of $34^{\circ} 45'$, it was there found that a slide had severed or disjoined the lode and



carried it downward from B to C 40 feet, on an angle of depression or declivity 59° . Here (at C) the lode was again discovered, and wrought 102 feet from C to D, on an angle of $42^{\circ} 15'$; required the depth of the vertical line D E, and length of the horizontal A E.

NOTE. — Should it be required to find the proper depth in the shaft DE from whence to drive a cross-cut to strike the end of the shaft AB, (where the slide first appeared) — the perpendicular of the first draft gives the depth, and the length of the cross-cut will be found by subtracting the base of the first draft from the horizontal line AE: and should it be necessary to make a drift from the shaft DE to the angle C, (where the lode was again discovered) the depth will be found by adding the perpendiculars of A and B together, and the bases of B and C will be the length of the drift.

THE FOREGOING EXAMPLE BY THE TABLES.

	BASE.		PERPENDICULAR.	
	ft.	in.	ft.	in.
$\angle A \ 34^{\circ} \ 45'$	$\frac{1}{2}$	3 5.03977	$\frac{1}{2}$	4 11.15858
		12		12
	41	0.47724	59	1.90296
	1	8.51988	2	5.57929
	$\frac{1}{3}$	1 1.67992	$\frac{1}{3}$	1 7.71952
		43 10.67704		63 3.20177

		ft. in.		ft. in.				
$\angle B \ 59^{\circ} \ 0'$	$\frac{1}{2}$	5	1.71605	$\frac{1}{2}$	3	1.08274		
			6			6		
			30	10.29630			18	6.49644
	$\frac{1}{3}$	2	6.85802	$\frac{1}{3}$	1	6.54137		
		0	10.28600		0	6.18045		
		34	3.44032			20	7.21826	

BASE.		PERPENDICULAR.	
	ft. in.		ft. in.
$\angle C$ $42^\circ 15'$	4 0·41041		4 5·2957
	<u>4</u>		<u>4</u>
	16 1·64164		17 9·1828
	<u>4</u>		<u>4</u>
	64 6·56656		71 0·7312
	<u>4 0·41041</u>		<u>4 5·2957</u>
	68 6·97697		75 6·0269

SUMMARY.

BASES.		PERPENDICULARS.	
	ft. in.		ft. in.
$\angle A$. . .	43 10·67704		63 3·20177
$\angle C$. . .	68 6·97697		20 7·21826
	<u>112 5·65401</u>		<u>75 6·0269</u>
$\angle B$. . .	34 3·44032		
Ans. A E =	<u>78 2·21369</u>	DE =	<u>159 4·44693</u>


HORIZONTAL DIALLING.

RULE. — Observe which side of the triangle is given, and work by the specified case.

When there is more than one draft in the operation, add the sums of the respective sides together for the answer.

EXAMPLE 1.

Being required to put down a shaft 618 feet due east of an engine shaft at A, I am prevented from



measuring in a direct line by intervening hills and wood: I therefore find it necessary, in order to

avoid these obstructions, to go on an angle of 27° south of east from the shaft A. What distance must I proceed in this direction before I come at right angles with, or due south of, the eastern extremity of the given line, and how far must I then measure in a northerly direction to come exactly on the required spot. Or the question may stand thus:—Given the perpendicular 618 feet, angle 27° ; the hypothenuse and base are required.

OPERATION.

	BASE.		HYPOTHENUSE.	
	ft.	in.	ft.	in.
$27^\circ =$	3	0·6858	6	8·8075
		10		10
	30	6·8580	67	4·0750
		10		10
(Multiplier)	305	8·5800	673	4·7500
(103 fath.)	9	2·0574	20	2·4225
	314	10·6374	693	7·1725


EXAMPLE 2.

It being required to find the distance between two shafts A and B, which are inaccessible to a direct measurement on account of a marsh or lake lying in the way: I consequently measure 352 feet on an angle of 63° south of west, from A to C; at this station (C) I can see the shaft B, which I find by observation bears 29° north of west, and the line from C to B measures 615 feet; how far are these

shafts apart in a right line? Or the question may stand simply thus:—

$$\left\{ \begin{array}{l} \text{Given angle } 63^\circ, \text{ hypotenuse } 352 \text{ feet.} \\ \text{Given angle } 29^\circ, \text{ hypotenuse } 615 \text{ feet.} \end{array} \right\}$$

The sum of the perpendiculars * are required.



OPERATION.

PERPENDICULAR.			PERPENDICULAR.		
	ft.	in.		ft.	in.
$\angle A 63^\circ$	$\frac{1}{2}$	2 8.68732	$\angle C 29^\circ$	$\frac{1}{2}$	5 2.97262
		11			10
(Multiplier 58 fa. 4 ft.)		29 11.56052			52 5.72620
		5			10
		149 9.80260			524 9.26200
		8 2.06196			10 5.94524
		1 4.34366			2 7.48631
	$\frac{1}{3}$	0 5.44788			
		159 9.65610			537 10.69355
SUM.					
	ft.	in.			
	159	9.65610			
	537	10.69355			
Ans. A B.	697	8.34965			


As in this instance the perpendicular only is wanted, there is no necessity for taking out the other side.

VERTICAL DIALLING;

OR THE

MENSURATION OF HEIGHTS.

RULE — Observe the given side and angle, and work by the respective cases as heretofore.



EXAMPLE 1.

From the bottom of a tower at B, I measured 200 feet in a direct line B A on an horizontal plane ; I then took the angle A 42° : required the height of the tower and staff B C.

OPERATION.

		. ft. in.
Complement of $\angle A$ } 42° is $\angle C$ 48° }	$\frac{1}{3}$	5 4·82909
		11
<hr/>		
59 5·11999		
3		
<hr/>		
178 3·35997		
(Multiplier)		1 9·60969
(53 fath. 2 ft.)		<hr/>
Ans. BC	180	0·96966

In operations of this nature the hypotenuse need not be regarded.

EXAMPLE 2.


Wanting to ascertain the height of an irregular hill, I proceed, from the several stations A, B, and C, to take the angles and measure the distances as follows, viz. :

From A to B $\angle 41^\circ$ 0' length 210 feet.

From B to C $\angle 22^\circ$ 0' length 216 feet.

From C to D $\angle 37^\circ$ 30' length 247 feet.

required the altitude E D.



OPERATION.

PERPENDICULAR.

ft. in.

$\angle A$ $41^{\circ} 0'$ Comp. $49^{\circ} 0'$

3 11.23625

7

6) 210 feet

27 6-65375

35 Multiplier

5

137 9-26875

 $\angle B \ 22^\circ \ 0' \text{ Comp. } 68^\circ \ 0'$

2 2-97167

6) 216

6

36 Multiplier

13 5.83002

6

80 10-98012

 $\angle C \ 37^\circ \ 30' \text{ Comp. } 52^\circ \ 30'$

16

3 7-83082

10

6) 247

36 6-30820

41 . 1 Multiplier

4

146 1-23280

3 7-83082

0 7-30513

150 4.36875

ft. in.

A 137 9.26875

B 80 10-98012

C 150 4.36875

Ans. height E D

369 0.61762

MISCELLANEOUS EXAMPLES IN THE FOREGOING RULES.

Given the hypotenuse 14 feet, 5 inches, angle 88°: required the base and perpendicular.*

$$\text{Answer } \begin{cases} \text{Base} = 14 & \text{ft.} & \text{in.} \\ \text{Perp.} = 0 & & 6\cdot03 \end{cases}$$

Given the perpendicular 100 feet, angle 60°: required the hypotenuse and base.

$$\text{Answer } \begin{cases} \text{Hyp.} = 200 & \text{ft.} & \text{in.} \\ \text{Base} = 173 & & 2\cdot428 \end{cases}$$

Given the base 118 feet, angle (Comp.) 23°: required the hypotenuse and perpendicular.

$$\text{Answer } \begin{cases} \text{Hyp.} = 301 & \text{ft.} & \text{in.} \\ \text{Perp.} = 278 & & 0\cdot02 \end{cases}$$

Given the angle 53°: required the underlay in a fathom.†

$$\text{Answer } \begin{matrix} \text{fath.} & \text{ft.} & \text{in.} \\ 1 & 1 & 11\cdot5472 \end{matrix}$$

Given the angle 36° 45': required the underlay in a fathom.

$$\text{Answer } \begin{matrix} \text{ft.} & \text{in.} \\ 4 & 5\cdot5650 \end{matrix}$$

* In single drafts, one or two figures of the decimal will be sufficient, the others may be rejected.

† It has been before observed, that the underlay is given in the base of the second table.

Given the angle $4^{\circ} 15'$: required the underlay in a fathom.

in.
Answer 5.3496.

A diagonal shaft having been sunk $8^{\circ} 30'$ out of its true course; what will be the extent of departure, supposing the length of the shaft 76 feet.

ft. in.
Answer 11 4.9577

Suppose a diagonal shaft was sunk as follows, viz.:

		ft.	in.
$\angle 87^{\circ}$	$0'$	$= 14$	5
$\angle 47$	0	$= 11$	2
$\angle 87$	30	$= 36$	3
$\angle 69$	30	$= 26$	2
$\angle 77$	30	$= 23$	2
$\angle 65$	30	$= 9$	2

Required the sum of the bases and perpendiculars.

Answer $\left\{ \begin{array}{ll} \text{Perp.} & 52 \quad 8.45944 \\ \text{Bases} & 169 \quad 6.90784 \end{array} \right.$

Wanting to know the distance between two shafts, inaccessible in a right line, I measured from the first shaft 126 feet, on an angle of $27^{\circ} 15'$ E. by N.; from this station to the second shaft the line measured 91 feet, on an angle of $42^{\circ} 30'$ N. by W.: how far are the shafts apart?

ft. in.
Answer 179 1.3

Wanting to know the altitude of a precipice, I measure off from its base 66 feet, and from thence I take the angle to the summit, which I find to be 42° , (and consequently the complement 48°): required the height.

ft. in.
Answer 59 5·91999

At the foot of a hill the angle to the summit was 36° , from this place an adit had been driven in a direct line 218 feet: how far must I measure up the hill to put down a perpendicular shaft on the end of the adit, and what will be the depth of the shaft?

Answer $\left\{ \begin{array}{ll} \text{Hyp. or slope} & 281 \quad 5\cdot54804 \\ \text{Perp. or shaft} & 158 \quad 4\cdot62816 \end{array} \right.$

At the foot of a diagonal shaft, 28 fathoms in length, sunk on a lode $27^\circ 45'$ underlaying north, another lode was cut making an angle $48^\circ 45'$ underlaying south: what is the distance from the brace of the shaft to the back of the north lode?

FIRST TABLE.

	BASE.		PERPENDICULAR.	
	ft.	in.	ft.	in.
$\angle 27^\circ 45'$	2	9·5	5	3·7
		7		7
	19	6·5	37	1·9
		4		4
	78	2·0	148	7·6

Divide this by 6 for the multiplier of the 2d angle,
fath. ft. in.
which will be 24 4 7·6

THEN--SECOND TABLE.

BASE.		ft.	in.
$\angle 48^\circ 45'$ Comp. $41^\circ 15'$	1	5	3.14
	2		6
		31	6.84
			4
		126	3.36
		2	7.57
	1	0	10.52
	3	0	5.26
	1	0	0.65
	2	130	3.36

ANSWER.


	ft.	in.
Base of north lode	78	2
Base of south lode	130	3
Required distance	208	5

A perpendicular shaft having been sunk 168 feet in the side of a mountain, the slope or declivity making an angle with the shaft of $54^\circ 15'$: required to know how far I must measure down the hill to get at the right spot for driving an adit to come in the exact depth of the shaft,—the length of the adit is also required.

	ft.	in.
Answer { Slope	287	8.58
Adit	233	4.40

A lode underlaying south was observed to make an angle of $17^\circ 15'$: required to know what distance from the back of the lode will be proper for sinking a perpendicular shaft that shall intersect the lode at the depth of 45 fathoms.

	ft.	in.
Answer	83	10.020



FIRST TABLE.

HYPOTHENUSE RADIUS,

ONE FATHOM.

ANGLE.		BASE.			PERPENDICULAR.				
Deg.	Min.	Feet.	Ins.	Decimals.	Feet.	Ins.	Decimals.	Deg.	Min.
	1	0	0	·02094	6	0		89	59
	2	0	0	·04189	6	0		89	58
	3	0	0	·06283	6	0		89	57
	4	0	0	·08387	6	0		89	56
	5	0	0	·10482	6	0		89	55
	6	0	0	·12576	6	0		89	54
	7	0	0	·14670	6	0		89	53
	8	0	0	·16765	6	0		89	52
	9	0	0	·18859	6	0		89	51
	10	0	0	·20943	6	0		89	50
	11	0	0	·23038	6	0		89	49
	12	0	0	·25132	6	0		89	48
	13	0	0	·27225	6	0		89	47
	14	0	0	·29319	6	0		89	46
	15	0	0	·31414	5	11	·99932	89	45
	30	0	0	·62831	5	11	·99726	89	30
	45	0	0	·94245	5	11	·99381	89	15
PERPENDICULAR.					BASE.			ANGLE.	

NOTE. — This page had no place in the former edition, but will be found useful in particular cases for long lines where the angle is required to be very minute. It will be seen that as there is but the thousandth part of an inch difference in one fathom between the hypotenuse and perpendicular on the first 15' or first $\frac{1}{4}$ of a degree, the introduction of the decimal at any less fraction would be useless.

ANGLE.		BASE.			PERPENDICULAR.					
Deg.	Min.	Feet.	Ins.	Decimals.	Feet.	Ins.	Decimals.	Deg.	Min.	
1		0	1	·25657	5	11	·98903	89		
	15	0	1	·57067	5	11	·98286		45	
	30	0	1	·88474	5	11	·97532		30	
	45	0	2	·19877	5	11	·96664		15	
2		0	2	·51276	5	11	·95614	88		
	15	0	2	·82666	5	11	·94249		45	
	30	0	3	·14060	5	11	·93147		30	
	45	0	3	·45442	5	11	·91708		15	
3		0	3	·76819	5	11	·90132	87		
	15	0	4	·08188	5	11	·88420		45	
	30	0	4	·39549	5	11	·86571		30	
	45	0	4	·70902	5	11	·84584		15	
4		0	5	·02246	5	11	·82461	86		
	15	0	5	·33581	5	11	·80201		45	
	30	0	5	·64905	5	11	·77805		30	
	45	0	5	·96219	5	11	·75272		15	
5		0	6	·27521	5	11	·72602	85		
	15	0	6	·58811	5	11	·69793		45	
	30	0	6	·90090	5	11	·66853		30	
	45	0	7	·21354	5	11	·63773		15	
6		0	7	·52605	5	11	·60558	84		
	15	0	7	·83842	5	11	·57205		45	
	30	0	8	·15063	5	11	·53718		30	
	45	0	8	·46269	5	11	·50093		15	
7		0	8	·77459	5	11	·46333	83		
	15	0	9	·08633	5	11	·42435		45	
	30	0	9	·39789	5	11	·38403		30	
	45	0	9	·70926	5	11	·34234		15	
8		0	10	·02046	5	11	·29930	82		
	15	0	10	·33147	5	11	·25490		45	
	30	0	10	·64228	5	11	·20914		30	
	45	0	10	·95288	5	11	·16203		15	
9		0	11	·26328	5	11	·11356	81		
	15	0	11	·57347	5	11	·06374		45	
	30	0	11	·88343	5	11	·01256		30	
	45	1	0	·19316	5	10	·96004		15	
10		1	0	·50267	5	10	·90616	80		
PERPENDICULAR.					BASE.			ANGLE.		

ANGLE.		BASE.			PERPENDICULAR.				
Deg.	Min.	Feet.	Ins.	Decimals.	Feet.	Ins.	Decimals.	Deg.	Min.
10	15	1	0	·81193	5	10	·85093		45
	30	1	1	·12096	5	10	·79435		30
	45	1	1	·42973	5	10	·73643		15
11		1	1	·73825	5	10	·67716	79	
	15	1	2	·04650	5	10	·61654		45
	30	1	2	·35449	5	10	·55458		30
	45	1	2	·66221	5	10	·49128		15
12		1	2	·96964	5	10	·42663	78	
	15	1	3	·27680	5	10	·36062		45
	30	1	3	·58365	5	10	·29331		30
	45	1	3	·89021	5	10	·22464		15
13		1	4	·19648	5	10	·15465	77	
	15	1	4	·50243	5	10	·08331		45
	30	1	4	·80807	5	10	·01062		30
	45	1	5	·11338	5	9	·93663		15
14		1	5	·41838	5	9	·86129	76	
	15	1	5	·72204	5	9	·72304		45
	30	1	6	·02736	5	9	·70663		30
	45	1	6	·33134	5	9	·62730		15
15		1	6	·63497	5	9	·54666	75	
	15	1	6	·93825	5	9	·46469		45
	30	1	7	·24116	5	9	·38139		30
	45	1	7	·54371	5	9	·29677		15
16		1	7	·84589	5	9	·21084	74	
	15	1	8	·14769	5	9	·12359		45
	30	1	8	·44910	5	9	·03502		30
	45	1	8	·75014	5	8	·94514		15
17		1	9	·05076	5	8	·85395	73	
	15	1	9	·35099	5	8	·76143		45
	30	1	9	·65082	5	8	·66762		30
	45	1	9	·95023	5	8	·57250		15
18		1	10	·24922	5	8	·47607	72	
	15	1	10	·54779	5	8	·37833		45
	30	1	10	·84594	5	8	·27931		30
	45	1	11	·14364	5	8	·17897		15
19		1	11	·44091	5	8	·07734	71	
	15	1	11	·73772	5	7	·97441		45
PERPENDICULAR.					BASE.			ANGLE.	


ANGLE.		BASE.			PERPENDICULAR.				
Deg.	Min.	Feet.	Ins.	Decimals.	Feet.	Ins.	Decimals.	Deg.	Min.
19	30	2	0	·03409	5	7	·87019		30
	45	2	0	·33000	5	7	·76467		15
20		2	0	·62545	5	7	·65787	70	
	15	2	0	·92043	5	7	·54977		45
	30	2	1	·21493	5	7	·44040		30
	45	2	1	·50895	5	7	·32973		15
21		2	1	·80249	5	7	·21779	69	
	15	2	2	·09554	5	7	·10457		45
	30	2	2	·38809	5	6	·99007		30
	45	2	2	·68013	5	6	·87429		15
22		2	2	·97167	5	6	·75724	68	
	15	2	3	·26270	5	6	·63892		45
	30	2	3	·55320	5	6	·51932		30
	45	2	3	·84320	5	6	·39847		15
23		2	4	·13264	5	6	·27635	67	
	15	2	4	·42156	5	6	·15297		45
	30	2	4	·70993	5	6	·02833		30
	45	2	4	·99776	5	5	·90243		15
24		2	5	·28503	5	5	·77528	66	
	15	2	5	·57176	5	5	·64686		45
	30	2	5	·85791	5	5	·51721		30
	45	2	6	·14350	5	5	·38631		15
25		2	6	·42852	5	5	·25416	65	
	15	2	6	·71295	5	5	·12077		45
	30	2	6	·99680	5	4	·98614		30
	45	2	7	·28006	5	4	·85027		15
26		2	7	·56272	5	4	·71317	64	
	15	2	7	·84479	5	4	·57483		45
	30	2	8	·12622	5	4	·43528		30
	45	2	8	·40708	5	4	·29448		15
27		2	8	·68732	5	4	·15247	63	
	15	2	8	·96692	5	4	·00923		45
	30	2	9	·24590	5	3	·86478		30
	45	2	9	·52424	5	3	·71911		15
28		2	9	·80195	5	3	·57223	62	
	15	2	10	·07902	5	3	·42413		45
	30	2	10	·35543	5	3	·27483		30
PERPENDICULAR.					BASE.			ANGLE.	

HYPOTHENUSE RADIUS.

71

ANGLE.		BASE.			PERPENDICULAR.					
Deg.	Min.	Feet.	Ins.	Decimals.	Feet.	Ins.	Decimals.	Deg.	Min.	
28	45	2	10	·63120	5	3	·12433		15	
29		2	10	·90630	5	2	·97262	61		
	15	2	11	·18073	5	2	·81972		45	
	30	2	11	·45450	5	2	·66561		30	
	45	2	11	·72759	5	2	·51031		15	
30		3	0	·00000	5	2	·35383	60		
	15	3	0	·27173	5	2	·19616		45	
	30	3	0	·54276	5	2	·03730		30	
	45	3	0	·81310	5	1	·87726		15	
31		3	1	·08274	5	1	·71605	59		
	15	3	1	·35168	5	1	·55366		45	
	30	3	1	·61990	5	1	·39009		30	
	45	3	1	·88740	5	1	·22536		15	
32		3	2	·15419	5	1	·05946	58		
	15	3	2	·42024	5	0	·89240		45	
	30	3	2	·68557	5	0	·72418		30	
	45	3	2	·95016	5	0	·55481		15	
33		3	3	·21401	5	0	·38428	57		
	15	3	3	·47711	5	0	·21261		45	
	30	3	3	·73946	5	0	·03978		30	
	45	3	4	·00105	4	11	·86581		15	
34		3	4	·26189	4	11	·69071	56		
	15	3	4	·52195	4	11	·51446		45	
	30	3	4	·78125	4	11	·33709		30	
	45	3	5	·03977	4	11	·15858		15	
35		3	5	·29750	4	10	·97894	55		
	15	3	5	·55445	4	10	·79819		45	
	30	3	5	·81062	4	10	·61632		30	
	45	3	6	·06598	4	10	·43333		15	
36		3	6	·32054	4	10	·24922	54		
	15	3	6	·57429	4	10	·06401		45	
	30	3	6	·82724	4	9	·87770		30	
	45	3	7	·07937	4	9	·69027		15	
37		3	7	·33068	4	9	·50176	53		
	15	3	7	·58117	4	9	·31214		45	
	30	3	7	·83082	4	9	·12144		30	
	45	3	8	·07965	4	8	·92965		15	
PERPENDICULAR.					BASE.			ANGLE.		

ANGLE.		BASE.			PERPENDICULAR.					
Deg.	Min.	Feet.	Ins.	Decimals.	Feet.	Ins.	Decimals.	Deg.	Min.	
38		3	8	·32763	4	8	·73678	52		
	15	3	8	·57476	4	8	·54282		45	
	30	3	8	·82105	4	8	·34779		30	
	45	3	9	·06649	4	8	·15168		15	
39		3	9	·31107	4	7	·95451	51		
	15	3	9	·55478	4	7	·75627		45	
	30	3	9	·79763	4	7	·55697		30	
	45	3	10	·03961	4	7	·35661		15	
40		3	10	·28071	4	7	·15520	50		
	15	3	10	·52093	4	6	·95274		45	
	30	3	10	·76026	4	6	·74923		30	
	45	3	10	·99871	4	6	·54468		15	
41		3	11	·23625	4	6	·33909	49		
	15	3	11	·47290	4	6	·13246		45	
	30	3	11	·70864	4	5	·92481		30	
	45	3	11	·94348	4	5	·71613		15	
42		4	0	·17740	4	5	·50643	48		
	15	4	0	·41041	4	5	·29570		45	
	30	4	0	·64250	4	5	·08396		30	
	45	4	0	·87365	4	4	·87122		15	
43		4	1	·10388	4	4	·65747	47		
	15	4	1	·33318	4	4	·44271		45	
	30	4	1	·56153	4	4	·22696		30	
	45	4	1	·78894	4	4	·01021		15	
44		4	2	·01540	4	3	·79247	46		
	15	4	2	·24092	4	3	·57374		45	
	30	4	2	·46547	4	3	·35403		30	
	45	4	2	·68906	4	3	·13335		15	
45		4	2	·91169	4	2	·91169	45		
PERPENDICULAR.					BASE.			ANGLE.		



SECOND TABLE.

PERPENDICULAR RADIUS,
ONE FATHOM.

ANGLE.		BASE.				HYPOTHEUSE.			
Deg.	Min.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals.
1		0	0	1	·2568	1	0	0	·0108
	15	0	0	1	·5710	1	0	0	·0171
	30	0	0	1	·8854	1	0	0	·0247
	45	0	0	2	·1998	1	0	0	·0335
2		0	0	2	·5143	1	0	0	·0432
	15	0	0	2	·8289	1	0	0	·0554
	30	0	0	3	·1435	1	0	0	·0684
	45	0	0	3	·4582	1	0	0	·0828
3		0	0	3	·7728	1	0	0	·0986
	15	0	0	4	·0882	1	0	0	·1159
	30	0	0	4	·4035	1	0	0	·1346
	45	0	0	4	·7189	1	0	0	·1544
4		0	0	5	·0328	1	0	0	·1757
	15	0	0	5	·3496	1	0	0	·1980
	30	0	0	5	·6664	1	0	0	·2171
	45	0	0	5	·9825	1	0	0	·2484
5		0	0	6	·2993	1	0	0	·2736
	15	0	0	6	·6168	1	0	0	·3024
	30	0	0	6	·9336	1	0	0	·3312
	45	0	0	7	·2497	1	0	0	·3636
6		0	0	7	·5672	1	0	0	·3960
	15	0	0	7	·8841	1	0	0	·4298
	30	0	0	8	·2008	1	0	0	·4658
	45	0	0	8	·5212	1	0	0	·5026
7		0	0	8	·8402	1	0	0	·5400
	15	0	0	9	·1584	1	0	0	·5803
	30	0	0	9	·4788	1	0	0	·6192
	45	0	0	9	·7992	1	0	0	·6624
8		0	0	10	·1189	1	0	0	·7056
	15	0	0	10	·4393	1	0	0	·7531
	30	0	0	10	·7604	1	0	0	·7992
	45	0	0	11	·0808	1	0	0	·8474

ANGLE.		BASE.				HYPOTHENUSE.			
Deg.	Min.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals.
9		0	0	11	·4034	1	0	0	·8971
	15	0	0	11	·7259	1	0	0	·9482
	30	0	1	0	·0485	1	0	1	·0008
	45	0	1	0	·3696	1	0	1	·0548
10		0	1	0	·6936	1	0	1	·1088
	15	0	1	1	·0176	1	0	1	·1664
	30	0	1	1	·3416	1	0	1	·2262
	45	0	1	1	·6692	1	0	1	·2859
11		0	1	1	·9954	1	0	1	·3476
	15	0	1	2	·3215	1	0	1	·4106
	30	0	1	2	·6484	1	0	1	·4750
	45	0	1	2	·9760	1	0	1	·5410
12		0	1	3	·3036	1	0	1	·6085
	15	0	1	3	·6326	1	0	1	·6775
	30	0	1	3	·9617	1	0	1	·7481
	45	0	1	4	·2914	1	0	1	·8202
13		0	1	4	·6219	1	0	1	·8939
	15	0	1	4	·9538	1	0	1	·9691
	30	0	1	5	·2857	1	0	2	·0459
	45	0	1	5	·6178	1	0	2	·1242
14		0	1	5	·9496	1	0	2	·2042
	15	0	1	6	·2858	1	0	2	·2857
	30	0	1	6	·6192	1	0	2	·3688
	45	0	1	6	·9576	1	0	2	·4535
15		0	1	7	·2888	1	0	2	·5399
	15	0	1	7	·6294	1	0	2	·6338
	30	0	1	7	·9670	1	0	2	·7174
	45	0	1	8	·3062	1	0	2	·8087
16		0	1	8	·6456	1	0	2	·9015
	15	0	1	8	·9858	1	0	2	·9961
	30	0	1	9	·3271	1	0	3	·0443
	45	0	1	9	·6695	1	0	3	·1902
17		0	1	10	·0126	1	0	3	·2898
	15	0	1	10	·3560	1	0	3	·3911
	30	0	1	10	·7003	1	0	3	·4941
	45	0	1	11	·0472	1	0	3	·5988
18		0	1	11	·3942	1	0	3	·7053
	15	0	1	11	·6220	1	0	3	·8135
	30	0	2	0	·0905	1	0	3	·9234
	45	0	2	0	·4204	1	0	4	·0352


ANGLE.		BASE.				HYPOTHENUSE.			
Deg.	Min.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals
19		0	2	0	·7916	1	0	4	·1487
	15	0	2	1	·1435	1	0	4	·2640
	30	0	2	1	·4965	1	0	4	·3811
	45	0	2	1	·8506	1	0	4	·5000
20		0	2	2	·2058	1	0	4	·6208
	15	0	2	2	·5622	1	0	4	·7434
	30	0	2	2	·9197	1	0	4	·8679
	45	0	2	3	·2783	1	0	4	·9942
21		0	2	3	·6262	1	0	5	·1224
	15	0	2	3	·9993	1	0	5	·2526
	30	0	2	4	·3615	1	0	5	·3846
	45	0	2	4	·7251	1	0	5	·5186
22		0	2	5	·0899	1	0	5	·6545
	15	0	2	5	·4560	1	0	5	·7924
	30	0	2	5	·8234	1	0	5	·9323
	45	0	2	6	·1921	1	0	6	·0741
23		0	2	6	·5622	1	0	6	·2179
	15	0	2	6	·9336	1	0	6	·3638
	30	0	2	7	·3065	1	0	6	·5117
	45	0	2	7	·6807	1	0	6	·6617
24		0	2	8	·0565	1	0	6	·8138
	15	0	2	8	·4336	1	0	6	·9679
	30	0	2	8	·8123	1	0	7	·1242
	45	0	2	9	·1924	1	0	7	·2826
25		0	2	9	·5741	1	0	7	·4432
	15	0	2	9	·9574	1	0	7	·6059
	30	0	2	10	·3422	1	0	7	·7708
	45	0	2	10	·7287	1	0	7	·9380
26		0	2	11	·1167	1	0	8	·1073
	15	0	2	11	·5065	1	0	8	·2789
	30	0	2	11	·8979	1	0	8	·4528
	45	0	3	0	·2910	1	0	8	·6290
27		0	3	0	·6858	1	0	8	·8075
	15	0	3	1	·0824	1	0	8	·9883
	30	0	3	1	·4808	1	0	9	·1714
	45	0	3	1	·8810	1	0	9	·3571
28		0	3	2	·2831	1	0	9	·5450
	15	0	3	2	·6870	1	0	9	·7354
	30	0	3	3	·0928	1	0	9	·9283
	45	0	3	3	·5005	1	0	10	·1232

ANGLE.		BASE.				HYPOTHENUSE.			
Deg.	Min.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals.
29		0	3	3	·9102	1	0	10	·3212
	15	0	3	4	·3219	1	0	10	·5220
	30	0	3	4	·7356	1	0	10	·7251
	45	0	3	5	·1514	1	0	10	·9303
30		0	3	5	·5692	1	0	11	·1384
	15	0	3	5	·9892	1	0	11	·3494
	30	0	3	6	·4112	1	0	11	·5625
	45	0	3	6	·8355	1	0	11	·7788
31		0	3	7	·2620	1	0	11	·9976
	15	0	3	7	·6907	1	1	0	·2192
	30	0	3	8	·1216	1	1	0	·4436
	45	0	3	8	·5550	1	1	0	·7008
32		0	3	8	·9906	1	1	0	·9008
	15	0	3	9	·4286	1	1	1	·1338
	30	0	3	9	·8691	1	1	1	·3696
	45	0	3	10	·3119	1	1	1	·6084
33		0	3	10	·7573	1	1	1	·8501
	15	0	3	11	·2053	1	1	2	·0949
	30	0	3	11	·6558	1	1	2	·3427
	45	0	4	0	·1088	1	1	2	·5937
34		0	4	0	·5646	1	1	2	·8477
	15	0	4	0	·9931	1	1	3	·1049
	30	0	4	1	·4842	1	1	3	·3653
	45	0	4	1	·9482	1	1	3	·6289
35		0	4	2	·4149	1	1	3	·8958
	15	0	4	2	·8846	1	1	4	·1660
	30	0	4	3	·3571	1	1	4	·4395
	45	0	4	3	·8326	1	1	4	·7165
36		0	4	4	·3111	1	1	4	·9969
	15	0	4	4	·7914	1	1	5	·2808
	30	0	4	5	·2772	1	1	5	·6819
	45	0	4	5	·5650	1	1	5	·8591
37		0	4	6	·2559	1	1	6	·1538
	15	0	4	6	·7501	1	1	6	·4520
	30	0	4	7	·2475	1	1	6	·7540
	45	0	4	7	·7483	1	1	7	·0597
38		0	4	8	·2526	1	1	7	·3693
	15	0	4	8	·7602	1	1	7	·6831
	30	0	4	9	·2834	1	1	8	·0000
	45	0	4	9	·7861	1	1	8	·3214

ANGLE.		BASE.				HYPOTHENUSE.			
Deg.	Min.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals.
39		0	4	10	·3044	1	1	8	·6467
	15	0	4	10	·8265	1	1	8	·9761
	30	0	4	11	·3522	1	1	9	·3096
	45	0	4	11	·8818	1	1	9	·6473
40		0	5	0	·4152	1	1	9	·9893
	15	0	5	0	·9525	1	1	10	·0956
	30	0	5	1	·4938	1	1	10	·6863
	45	0	5	2	·0392	1	1	11	·0413
41		0	5	2	·5886	1	1	11	·4009
	15	0	5	3	·1420	1	1	11	·7651
	30	0	5	3	·7002	1	2	0	·1338
	45	0	5	4	·2624	1	2	0	·5049
42		0	5	4	·8291	1	2	0	·8855
	15	0	5	5	·4002	1	2	1	·2686
	30	0	5	5	·9758	1	2	1	·6566
	45	0	5	6	·5705	1	2	2	·0496
43		0	5	7	·1411	1	2	2	·4476
	15	0	5	7	·7308	1	2	2	·8507
	30	0	5	8	·3254	1	2	3	·2591
	45	0	5	8	·9250	1	2	3	·6727
44		0	5	9	·5296	1	2	4	·0918
	15	0	5	10	·1393	1	2	4	·5163
	30	0	5	10	·7542	1	2	4	·9463
	45	0	5	11	·3744	1	2	5	·3820
45		1	0	0	·0000	1	2	5	·8234
	15	1	0	0	·6311	1	2	6	·2706
	30	1	0	1	·2677	1	2	6	·7237
	45	1	0	1	·9101	1	2	7	·1828
46		1	0	2	·5852	1	2	7	·6481
	15	1	0	3	·2122	1	2	8	·1195
	30	1	0	3	·8722	1	2	8	·5973
	45	1	0	4	·5382	1	2	9	·0814
47		1	0	5	·2105	1	2	9	·5721
	15	1	0	5	·8892	1	2	10	·0694
	30	1	0	6	·5742	1	2	10	·5735
	45	1	0	7	·2658	1	2	11	·0844
48		1	0	7	·9641	1	2	11	·6023
	15	1	0	8	·6692	1	3	0	·1273
	30	1	0	9	·3812	1	3	0	·6596
	45	1	0	10	·1003	1	3	1	·1991

ANGLE.		BASE.				HYPOTHENUSE.			
Deg.	Min.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals.
49		1	0	10	·8265	1	3	1	·7462
	15	1	0	11	·5601	1	3	2	·3009
	30	1	1	0	·3012	1	3	2	·8634
	45	1	1	1	·0498	1	3	3	·4337
50		1	1	1	·8062	1	3	4	·0122
	15	1	1	2	·5699	1	3	4	·5987
	30	1	1	3	·3430	1	3	5	·1936
	45	1	1	4	·1236	1	3	5	·7970
51		1	1	4	·9126	1	3	6	·4091
	15	1	1	5	·7101	1	3	7	·0300
	30	1	1	6	·5164	1	3	7	·6599
	45	1	1	7	·3316	1	3	8	·2990
52		1	1	8	·1560	1	3	8	·9474
	15	1	1	8	·9893	1	3	9	·6053
	30	1	1	9	·8322	1	3	10	·2729
	45	1	1	10	·6848	1	3	10	·9505
53		1	1	11	·5472	1	3	11	·6381
	15	1	2	0	·4197	1	4	0	·3360
	30	1	2	1	·3024	1	4	1	·0445
	45	1	2	2	·1956	1	4	1	·7636
54		1	2	3	·0995	1	4	2	·4937
	15	1	2	4	·0143	1	4	3	·2350
	30	1	2	4	·9403	1	4	3	·9876
	45	1	2	5	·8776	1	4	4	·7520
55		1	2	6	·8267	1	4	5	·5282
	15	1	2	7	·7876	1	4	6	·3165
	30	1	2	8	·7606	1	4	7	·1172
	45	1	2	9	·7458	1	4	7	·9306
56		1	2	10	·7444	1	4	8	·7570
	15	1	2	11	·7556	1	4	9	·6966
	30	1	3	0	·7801	1	4	10	·4497
	45	1	3	1	·8182	1	4	11	·3165
57		1	3	2	·8703	1	5	0	·1976
	15	1	3	3	·9365	1	5	1	·0932
	30	1	3	5	·0174	1	5	2	·0034
	45	1	3	6	·1131	1	5	2	·9287
58		1	3	7	·2241	1	5	3	·8697
	15	1	3	8	·3507	1	5	4	·8265
	30	1	3	9	·4933	1	5	5	·7994
	45	1	3	10	·6523	1	5	6	·7890

ANGLE.		BASE.				HYPOTHENUSE.			
Deg.	Min.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals.
59		1	3	11	·7281	1	5	7	·7955
	15	1	4	1	·0211	1	5	8	·8194
	30	1	4	2	·2317	1	5	9	·8612
	45	1	4	3	·4604	1	5	10	·9212
60		1	4	4	·7077	2	0	0	·0000



THIRD TABLE.

BASE RADIUS,

ONE FATHOM.

ANGLE.	HYPOTHENUSE.				PERPENDICULAR.			
Degrees.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals.
1	57	1	9	·50554	57	1	8	·87726
2	28	3	11	·06698	28	3	9	·81022
3	19	0	7	·72726	19	0	5	·84186
4	14	2	0	·16226	14	1	9	·64795
5	11	2	10	·10734	11	2	6	·96374
6	9	3	4	·80760	9	3	1	·03424
7	8	1	2	·79665	8	0	10	·39294
8	7	1	1	·34135	7	0	8	·30662
9	6	2	4	·25663	6	1	10	·59011
10	5	4	6	·63148	5	4	0	·33229
11	5	1	5	·34070	5	0	10	·40789
12	4	4	10	·30087	4	4	2	·73337
13	4	2	8	·06963	4	1	11	·86626
14	4	0	9	·61672	4	0	0	·77622
15	3	5	2	·18664	3	4	4	·70766
16	3	3	9	·21278	3	2	11	·09384
17	3	2	6	·26186	3	1	7	·50139
18	3	1	4	·99690	3	0	5	·59321
19	3	0	5	·15185	2	5	5	·10318
20	2	5	6	·51392	2	4	5	·81837
21	2	4	8	·91082	2	3	7	·56641
22	2	4	0	·20164	2	2	10	·20626
23	2	3	4	·26994	2	2	1	·62137
24	2	2	9	·01872	2	1	5	·71465
25	2	2	2	·36651	2	0	10	·40450
26	2	1	8	·24438	2	0	3	·62187
27	2	1	2	·59363	1	5	9	·30796
28	2	0	9	·36392	1	5	3	·41231
29	2	0	4	·51190	1	4	9	·89144
30	2	0	0	·00000	1	4	4	·70766
31	1	5	7	·79549	1	3	11	·82812
32	1	5	3	·86975	1	3	7	·22408

ANGLE.	HYPOTHENUSE.				PERPENDICULAR.			
Degrees.	Fath.	Feet.	Ins.	Decimals.	Fath.	Feet.	Ins.	Decimals.
33	1	5	0	·19765	1	3	2	·87028
34	1	4	8	·75699	1	2	10	·74439
35	1	4	5	·52817	1	2	6	·82666
36	1	4	2	·49371	1	2	3	·09950
37	1	3	11	·63809	1	1	11	·54722
38	1	3	8	·94738	1	1	8	·15579
39	1	3	6	·40913	1	1	4	·91260
40	1	3	4	·01211	1	1	1	·80626
41	1	3	1	·74622	1	0	10	·82652
42	1	2	11	·60231	1	0	7	·96410
43	1	2	9	·57201	1	0	5	·21055
44	1	2	7	·64807	1	0	2	·55818
45	1	2	5	·82338	1	0	0	·00000
46	1	2	4	·09178	0	5	9	·52959
47	1	2	2	·44758	0	5	7	·14108
48	1	2	0	·88555	0	5	4	·82909
49	1	1	11	·40094	0	5	2	·58864
50	1	1	9	·98932	0	5	0	·41517
51	1	1	8	·64669	0	4	10	·30445
52	1	1	7	·36931	0	4	8	·25256
53	1	1	6	·15377	0	4	6	·25589
54	1	1	4	·99689	0	4	4	·31106
55	1	1	3	·89577	0	4	2	·41494
56	1	1	2	·84768	0	4	0	·56461
57	1	1	1	·85016	0	3	10	·75735
58	1	1	0	·90084	0	3	8	·99060
59	1	0	11	·99760	0	3	7	·26196
60	1	0	11	·13844	0	3	5	·56922

LEVELLING.

RULE.— Add all the perpendiculars together for the base line or horizontal distance, and subtract the bases made by the angles of elevation and depression one from the other, for the perpendicular or difference of height.*

EXAMPLE.

Being required to level an irregular piece of ground, I measured in a S. W. direction 64 yards from A to B, on an angle of depression $9^{\circ} 45'$; from this

* The altitudes of irregular hills are generally ascertained by the assistance of a spirit level and perpendicular poles, and if the ground rise and descend alternately, the differences between the heights of the poles are added when ascending, and subtracted when descending, in order to determine the different elevations and depressions of the ground: the foregoing rule and method will be found far more correct and masterly, remembering always that the height of the instrument be accounted for, which may easily be done by taking the observation from a staff or target the same height as the instrument.



station I measured 120 yards from B to C, in the same cardinal direction, on an angle of elevation $16^{\circ} 30'$; and from thence to the extent of the ground the line on the same course measured 44 yards from C to D, and the angle of depression 7° : required the base line or horizontal distance from the place where the levelling was begun, to the point where it was ended; also, how much higher or lower the ground is at the place where the operation terminated, than where it commenced.

PERPENDICULARS.

	ft.	in.	fath.	ft.	in.
$\angle 9^{\circ} 45' = 5$	10.96004		$\times 32 = 189$	2.72128	
$\angle 16^{\circ} 30' = 5$	9.03502		$\times 60 = 345$	2.10120	
$\angle 7^{\circ} 0' = 5$	11.46333		$\times 22 = 131$	0.19326	
			3)665	5.01574	
			A E	221 yds. 2 ft. 5 in.	

BASES.

	ft.	in.	fath.	ft.	in.
$\angle 9^{\circ} 45' = 1$	0.19316		$\times 32 = 32$	6.18112	
$\angle 7^{\circ} 0' = 0$	8.77459		$\times 22 = 18$	1.04098	
				50	7.22210
$\angle 16^{\circ} 30' = 1$	8.44910		$\times 60 = 102$	2.94600	
			3) 51	7.72390	
			E D	17 yds. 0 ft. $7\frac{1}{2}$ in.	

ANSWER.

	yd.	ft.	in.
Horizontal distance A E	221	2	5
Elevation E D . . .	17	0	$7\frac{1}{2}$

HORIZONTAL

OR

TRAVERSE DIALLING.

PLANE sailing in navigation, and horizontal dialling in mining, are nothing more than the practice of right angled trigonometry, calling the hypotenuse the distance, the perpendicular the difference of latitude, the base the departure, and the angle opposite the base the course: consequently any range of dialling, however complicated and extensive, may be reduced into a single triangle, the perpendicular of which will either be the east and west, or north and south line, according to the main direction or bearing of the work; the hypotenuse will be the actual length of the dialling in a right line from the point of setting out to the termination; the base will be the distance the terminating point will fall right or left of the perpendicular; and the angle made by the hypotenuse with the perpendicular, will be the final course or direction of the work.

It therefore follows, that the general practice of repeating or retracing a course of underground dialling on the surface may be avoided, and thereby the difficulties and dangers arising from obstruc-

tions, irregular ground, and the attraction of the magnet by iron, which always abounds in the vicinity of a mine, be done away.

What is said of Mercator's sailing may, in the chief respect, be applied to horizontal dialling, viz.: "It is the art of finding on a plane surface the motion of a ship upon any assigned course by the compass, which shall be true in latitude, longitude, and distance sailed;" and certainly this includes the whole theory and practice of navigation; and if any method could be devised for measuring a ship's course and distance truly, nothing would be wanting:—also in dialling, it is only required to find a method for reducing the various windings and angles of a level or adit into a right line, and discovering the real extent and direction of that line, to complete the art.

But not to occupy the reader's time in telling him what he well knows already, we shall proceed to introduce the process for obtaining the length and bearing of a course of traverse dialling by the trigonometrical tables.

The first thing to be attended to is the statement of the work, or so placing the drafts that there may be no confusion in the operation, and that the perpendiculars and bases may fall on their proper sides.

In order to succeed in this essential matter, which may be considered the foundation of the work, note on which cardinal point the main direction of your dialling runs, whether east, west, north, or south, and reckon off your degrees right

or left from that line: thus — if your dialling runs easterly or westerly, let the equator, or east and west line, be the point for numbering off your angles — if northerly or southerly, the meridian or north and south line; consequently this line will be the perpendicular of every triangle in the operation that comes within the sweep of half the circle, or 180° ; and should any of the drafts return beyond the north or south points, or exceed 90° right or left of the east point, then the angle must be counted from the west toward the north or south, as the draft may happen to incline.

This being done it is evident that on a course of east and west dialling, the bases north and bases south must be subtracted one from the other, and the remainder will be the departure or base line, north or south as the dialling may have prevailed on this or that side, and if any of the drafts have gone westerly, then the perpendiculars west must be subtracted from the perpendiculars east, for the real length of the perpendicular; but if the dialling has prevailed most in a westerly direction, the perpendicular will lie on that side: in short, as a matter of course, either for the difference of latitude, or rather difference of longitude in this case, (the perpendicular) or for the departure, (the base) the lesser number must be taken from the greater, and the differences will show the sides on which the operation lies.

This process must all be performed by the first table, where the hypotenuse is given, because in every case the actual measured line will be the

longest side of the triangle, and after stating the work, as before directed, take out the numbers standing against the given angles in the table and multiply them respectively by the length of the hypotenuse, reduced into fathoms and parts (if any), and place them in their proper positions until the whole has been calculated; then take the sum of the bases north and south one from the other, and the sum of the perpendiculars east and west one from the other, the perpendicular remainders will show the east and west line, and the bases the distance the dialling has extended north or south of that line.

The work is now brought to that case where the difference of latitude and departure are given to find the course and distance, and in order to avoid the necessity of introducing extensive and intricate tables, used by navigators for this purpose, we shall have recourse to one simple act of instrumental operation, and as two sides of the triangle are given, the thing may be quickly and safely performed; thus — draw the base the given length by a scale of equal parts, raise the perpendicular on one end of the base, (and of course at right angles therewith) and mark off the given length, draw the hypotenuse, and the triangle will be complete: then, by the same scale, measure the hypotenuse, and it will be the actual length of the dialling in a right line, from beginning to end; then, with a protractor or scale of chords, measure the angle opposite the departure or base,


and it will be the true course, bearing, or direction of the extreme points.

The degrees on the miner's compass are generally graduated from 1 to 360, and are figured toward the left hand, consequently 90° stands at the west point, 180° at south, 270° at the east, and ends with 360° at the north; and when the same course is to be pursued, that is, when the angles are to be taken and the drafts measured again, there will be no necessity for finding the real direction of the line, for as the sights are always fixed, the dialler need only be careful to observe that the needle stands at the same degree as in the original course: but when the operation is to be plotted or trigonometrically proved, there will be a necessity for ascertaining the actual bearing of every draft in the work, and this may be done by the following rule.

RULE.

(SIGHTS FIXED NORTH AND SOUTH.)

When the needle rests on any degree	{	From 1 to 90 N. to W.	{	The direction of the sights or course of the dialling will be	{	E. of N. Comp. N. of E.
		From 90 to 180 W. to S.				S. of E. Comp. E. of S.
		From 180 to 270 S. to E.				W. of S. Comp. S. of W.
		From 270 to 360 E. to N.				N. of W. Comp. W. of N.



EXAMPLE 1.

It is required to sink a perpendicular shaft on the end of a level whose angles and drafts measured as follows, viz. :

	ft.	in.	fath.	ft.	in.
$\angle 16^{\circ} 30'$ E. of S.	53	6	or 8	5	6
$\angle 26^{\circ} 0'$ W. of S.	22	11	or 3	4	11
$\angle 19^{\circ} 0'$ E. of S.	58	0	or 9	4	0
$\angle 34^{\circ} 30'$ W. of S.	21	6	or 3	3	6
$\angle 57^{\circ} 30'$ W. of S.	53	8	or 8	5	8
$\angle 39^{\circ} 30'$ E. of S.	29	10	or 4	5	10

What distance is the end C (in the annexed plate), where the dialling was finished, from the engine shaft A where the dialling was begun, and what is the bearing of the line A C, or how many degrees are contained in the angle B A C?


OPERATION.

BASES.

	ft.	in.	fath.	ft.	in.	ft.	in.
E. of S. $16^{\circ} \frac{1}{2}$	= 1	8.44910	$\times 8$	5	6	= 15	2.33790
W. of S. 26°	= 2	7.56272	$\times 3$	4	11	= 10	0.53916
E. of S. 19°	= 1	11.44091	$\times 9$	4	0	= 18	10.58864
W. of S. $34^{\circ} \frac{1}{2}$	= 3	4.78125	$\times 3$	3	6	= 12	2.13235
W. of S. $57^{\circ} \frac{1}{2}$	= 5	0.72418	$\times 8$	5	8	= 45	3.18762
E. of S. $39^{\circ} \frac{1}{2}$	= 3	9.79763	$\times 4$	5	10	= 18	11.55815

	ft.	in.
Sum of bases W. of S.	67	5.85913
Sum of bases E. of S.	53	0.48469
Base or departure Westerly B C	= 14	<u>5.37444</u>

Scale 40 feet to an inch.



PERPENDICULARS.

	ft.	in.		fath.	ft.	in.	ft.	in.
$\angle 16^{\circ}\frac{1}{2} = 5$	9.03502	$\times 8$	5	6	= 51	3.56228		
$\angle 26^{\circ} = 5$	4.71317	$\times 3$	4	11	= 20	7.16851		
$\angle 19^{\circ} = 5$	8.07734	$\times 9$	4	0	= 54	10.06606		
$\angle 34^{\circ}\frac{1}{2} = 4$	11.33709	$\times 3$	3	6	= 17	8.62417		
$\angle 57^{\circ}\frac{1}{2} = 3$	2.68557	$\times 8$	5	8	= 28	10.05018		
$\angle 39^{\circ}\frac{1}{2} = 4$	7.55697	$\times 4$	5	10	= 23	0.04485		
Perpendicular or diff. of latitude, A B 196								3.51605

THEN—BY CONSTRUCTION.

Draw two lines at right angles, as A B and B C, and of an indefinite length, take 196 feet, $3\frac{1}{2}$ inches, in your compasses from a scale of equal parts, and with one foot in the right angle B, point off the distance B A for the perpendicular. Again take 14 feet, $5\frac{1}{4}$ inches from the same scale, and apply it to the other line B C for the base; draw the hypotenuse to join A C, which by the same scale will be found to measure 197 feet.

FOR THE ANGLE.

With the chord of 60° in your compasses and centre A, describe an arc ed cutting A B and A C in d and e ; then take the distance ed in your compasses, and setting one foot on the brass pin at the beginning of the chords on your scale, observe how many degrees the other foot reaches to, which will be $4^{\circ} 15'$ for the arc ed or angle B A C.

ANSWER.

197 feet, on an angle of $4^{\circ} 15'$ west of south.

EXAMPLE 2.

Given the following course of traverse dialling,
viz.:

Degrees at which the needle stood on the outer circle of the dial.	{	ft. in. fath. ft. in.					
		162°	=	∠ 18° 0' S. of E.	36	0 or	6 0 0
		143° $\frac{3}{4}$	=	∠ 36° 15' S. of E.	44	4 or	7 2 4
		16° $\frac{1}{2}$	=	∠ 73° 30' N. of E.	30	9 or	5 0 9
		257° $\frac{1}{4}$	=	∠ 12° 45' S. of E.	28	6 or	4 4 6
		45°	=	∠ 45° 0' N. of E.	17	10 or	2 5 10
		7° $\frac{3}{4}$	=	∠ 82° 15' N. of W.	15	3 or	2 3 3
		152° $\frac{1}{2}$	=	∠ 27° 30' S. of E.	72	0 or	12 0 0
		87° $\frac{1}{2}$	=	∠ 2° 30' N. of E.	16	0 or	2 4 0
		204° $\frac{1}{2}$	=	∠ 65° 30' S. of W.	73	0 or	12 1 0

Required the distance and bearing of the extreme
points A C.

OPERATION.

BASES SOUTHERLY.

	ft.	in.		fath.	ft.	in.		ft.	in.
18° 0' = 1	10.24922	×	6	0	0 =	11	1.49522		
36° 15' = 3	6.57429	×	7	2	4 =	26	2.57669		
12° 45' = 1	3.89021	×	4	4	6 =	6	3.44849		
27° 30' = 2	9.24590	×	12	0	0 =	33	29.5080		
65° 30' = 5	5.51721	×	12	1	0 =	66	5.12605		
						<u>143</u>	<u>3.59725</u>		

BASES NORTHERLY.

	ft.	in.		fath.	ft.	in.		ft.	in.
73° 30' = 5	9.03502	×	5	0	9 =	29	5.80448		
45° 0' = 4	2.91169	×	2	5	10 =	12	7.14507		
82° 15' = 5	11.34234	×	2	3	3 =	15	1.33685		
2° 30' = 0	3.14060	×	2	4	0 =	0	8.37150		
						<u>57</u>	<u>10.65790</u>		

			ft.	in.
From bases southerly	=	143	3.59725	
Subtract bases northerly	=	57	10.65790	
Departure B C		<u>85</u>	<u>4.93935</u>	

PERPENDICULARS EASTERLY.

	ft. in.		fath. ft. in.		ft. in.
18° 0' = 5	8·47607	×	6 0 0 =	34	2·85642
36° 15' = 4	10·06401	×	7 2 4 =	35	9·02851
73° 30' = 1	8·44910	×	5 0 9 =	8	10·80163
12° 45' = 5	10·22464	×	4 4 6 =	27	9·56704
45° 0' = 4	2·91169	×	2 5 10 =	12	7·14507
27° 30' = 5	3·86478	×	12 0 0 =	63	10·37736
2° 30' = 5	11·93147	×	2 4 0 =	15	11·81724
				<u>199</u>	<u>1·59327</u>

PERPENDICULARS WESTERLY.

	ft. in.		fath. ft. in.		ft. in.
82° 15' = 0	9·70926	×	2 3 3 =	2	0·67815
65° 30' = 2	5·85791	×	12 1 0 =	30	3·27124
				<u>32</u>	<u>3·94939</u>

	ft. in.
From perpendiculars east	= 199 1·59327
Subtract perpendiculars west	= 32 3·94939
A B	<u>166 9·64388</u>

	ft. in.
Perp. or east and west line, A B	166 9·64388
Base south of east C B	85 4·93935

Then by construction (as before) the hypotenuse A C will be found 187 feet, 3 inches, and the angle $p q$ 27 degrees, south of east.

THE
PRACTICAL MINER'S GUIDE.

PART II.

INTRODUCTION.

THE qualifications necessary to constitute an accomplished miner are more numerous and difficult of attainment than is generally imagined, even by persons deeply interested in mining affairs; and although it may not be expected that every one who fills a mining situation should be an adept in all the various branches of the art, yet it is certainly highly desirable that agents, who have the management of large adventures, should possess a general knowledge of every thing connected with the profession of a miner.

The following miscellaneous subjects are essential to the practical miner, and require no comment to set forth their utility; they may also be found useful and interesting to persons not immediately engaged in mining pursuits.

The first article consists in a description of the art of assaying silver; and as this has hitherto been a secret in the possession of but few persons,

it is expected that it will form an acceptable part of the work, especially as it will come abroad at a time, when foreign mining speculations (where the seat of action is principally among the precious metals) abound beyond all precedent.

The next part of the work contains a plain statement of the method of assaying copper, including the established process of one of the most experienced and respectable copper-assayers in the county of Cornwall.—Rules for assaying lead and tin follow in succession, and this part of the treatise concluded with a description of the manner of extracting silver from copper ore, or of discovering the quantity of silver it contains; and probably this article also may be productive of beneficial effects to the mining interest, as there is great reason to believe that a considerable proportion of silver is contained in the ores produced from many of our copper mines. The method is very simple, and the trial may be quickly and satisfactorily made.

The subsequent part of the work is described in the table of contents.

ASSAY OF SILVER ORE.

Sample—1 ounce avoirdupois, pulverised and sifted through a fine hair sieve, then well mixed in the scoop with the following flux, viz. :

Red lead *	-	-	2 oz.
Red tartar	-	-	5 dwts.
Nitre	-	-	9 dwts.
Borax	-	-	4 dwts.
Lime	-	-	$\frac{1}{4}$ oz.
Salt	-	-	2 oz.
Fluor spar (bruised)	-	-	$\frac{1}{4}$ oz.

Smelt the ore in a wrought-iron crucible; if this cannot be conveniently procured, and a stone pot used, add 1 ounce of iron. The sample will melt in a good heat in about 12 minutes, if the ore is tolerably free from sulphur and iron, otherwise it will require more time.

When the sample has become quite fluid, take it out and pour it in a mould prepared to receive it, having been anointed on the inside with grease or

* An ounce of red lead generally contains about 1-32d part of a grain of silver, or nearly 3 ounces of silver in a ton. Derbyshire lead ore is preferred, by some assayers, to red lead.

The proportion of silver contained in the flux must first be known, and the regular deduction made from the produce, in order to obtain a true assay.

oil; the process of taking out and pouring the sample must be done quickly, otherwise a degree of chill will take place, so that the metal will not run freely out of the crucible, and the assay will in consequence be imperfect.

If the operation has been properly managed, the lump will separate clean from the slag or dross by a slight blow; but if the metal and dross stick together, the assay is impure:—it is probable a little more nitre would remedy this defect.

Should the lump when broken display the metal disseminated throughout and uncombined among the slag, it is a proof the sample was not sufficiently flowed, or not kept time enough in the furnace.

If the heat is too strong, or the sample left too long time in the fire, it will set, or become dry and callous, and this change will take place to all appearance quite suddenly. Either the former circumstance of too low a heat, or this of too high, renders the assay irremediable.

Should the sample appear stubborn and refuse to melt in a brisk heat, add more nitre.

TESTING OR REFINING PROCESS.

The test or cupel should be composed of four fifths bone ashes to one fifth fern ashes, damped and well beat into an iron ring $2\frac{1}{2}$ inches deep, and 6 inches in circumference.

The test should be put in the fire an hour or more before the refining process is begun, other-

wise the silver will be apt to be agitated by the unsettled test, spring over, and consequently the assay be destroyed.

Should the assay set in refining before it has become pure, throw in about half an ounce of potter's lead. *

If the fire is permitted to get low, or too much air admitted into the furnace, the assay will be apt to turn to litharge; whenever this happens, increase the fire by putting in a few pieces of sea-coal instead of coke, at the same time sprinkle a little coal-dust on the test.

When the assay is thoroughly pure or fine it will assume a globular shape, set, or become fixed, and in a few moments will throw up sprouts or branches from the top. Take out the test, weigh the prillion, find in the table the produce or value per ton, and the work will be complete.

* The fire should be gradually increased toward the close of the process. A muffle or arched cover to the test would prevent the air from taking an unfavourable effect on the assay, while the furnace is opened for the purpose of increasing the fire, by adding coal, wood, or coke.

ASSAY OF COPPER ORE.

Sample—400 grains pounded well in a mortar and sifted through a fine hair sieve, put in an earthen crucible, and frequently stirred while in the furnace with an iron rod or paddle. The sulphur will be seen to go off in white fumes; the process must be continued until this evaporation ceases, or nearly so, which will generally occupy from one to two hours. Great attention must be paid during this operation in order that a standard regal may be obtained, which being done, there will be no danger of producing a true assay. The ore, during the process, must be kept in a free, sandy state, which will be effected by stirring, and constant regulation of the degree of heat. If the ore becomes moist and begins to stick or adhere to the crucible, it must be immediately taken out of the fire and stirred a short time till this effect has ceased, and then returned. When it has become tolerably free of sulphur, it may be discovered by the evaporation having nearly ceased.* This being observed, take it out of the fire, and let it gra-

* It is only some very stubborn ores, containing a mixture of metals, or semi-metals, which require to be so effectually roasted or calcined.

dually cool in the crucible ; and if, when cold, the upper part appears red or brown, and the under part black, it is a proof of its having been well calcined.

This being done, add standard flux; viz.

Borax	-	-	- 5 dwts.
Lime	-	-	- 1½ ladle.
Fluor spar (pulverised)			- 1 ladle.

Mix these together with the calcined ore in the crucible, and cover the whole with salt,—let it melt well, and a regal will be produced.

MARKS AND REMARKS.

A good or standard regal is brown, and full of cracks or fissures, and of a spherical shape. Should it come out flat, it is a mark of its not having been well calcined, and may be thrown back again with a small quantity of nitre.

Should a regal come out too low or coarse, (having, when broken, a cinder-like, or cellular appearance,) throw it back with additional nitre: if too high or fine, (having, when broken, a metallic appearance) return it to the crucible with a ladle of sulphur ; in either case let it work well together a short time, and in all probability a standard regal will be produced.

A regal may be considered good, which will produce from 8 to 12 in 20, and this quality is

* Common assaying ladle — diameter $\frac{3}{4}$ inch, depth $\frac{1}{2}$ inch.

easily known by inspection ; but if less than 8, or above 12, it would be better to reject it, and begin the process again with a new sample.

Grey, black, and green ores, require a proportion of sulphur, in order to throw them back, as they contain too little of this mineral in their composition to produce a good assay.

Should a regal be too fine, put less nitre with it in refining ; and therefore the coarser it is, the more nitre will be required.

FINING PROCESS.

Pound or pulverise the regal, put it in an earthen fining pot, and re-calcine it until perfectly sweet (*i. e.* free from sulphur), which may be discovered both by the appearance and fumigation. Then add

Nitre	- 3 dwts.	} Covered or sprinkled over with salt.
Red tartar	- 10 ditto.	
Borax	- 5 ditto.	
Salt	- 2 ladles	

This brings down the assay into coarse copper. Should it come out having a transparent or horn-like appearance, add 4 dwts. of nitre and a ladle of salt, letting it work well in the fire. Should the assay come out black, plate it, and if the black flies off in flakes or scales, it is a proof of its not having been sufficiently calcined ; if not, its colour may be attributed to lead, or a mixture of metals ; the former defect renders the assay hopeless.

Should it come out clean, put the assay in the pot without flux, and when fluid, take out the pot and shake it gently until the surface assumes an azure or blue appearance ; then put

Refining flux *	-	-	5 dwts.
(viz. 2 parts nitre, to 1 part white tartar)			
Salt	-	-	1 ladle.

Preparatory to pouring into the crucible, place the refining flux in the mouth or fore part of the scoop and the salt behind ; throw it in with the assay and let it melt until the flux settles well down, then pour the copper into one mould, and the slag or scoria into another ; return the slag into the same pot with 2 ladles of red tartar, and let it melt well down ; take out the prillion and weigh it with the lump for the produce, and the work will be completed.

* The refining flux should go through a calcining process before it is used ; it may be done by putting two parts nitre to one part white tartar in an iron mortar, to which apply a red-hot iron, and stir it therewith until the deflagration has ceased ; when cold, powder and sift it.

This operation will prevent any commotion during the refining, which otherwise may be so violent as to cause some of the metal to spring out of the crucible, and thereby the assay be spoiled.

ASSAY OF LEAD ORE.

Sample—1 oz. avoirdupois.

FLUX.

1	common ladle red tartar.	
1	ditto	spar.
2	ditto	salt.
$\frac{1}{2}$	ditto	borax.
$\frac{3}{4}$	ditto	nitre.
$\frac{1}{2}$	ditto	lime.

Mix the flux with the sample and put it in an iron crucible, stir it with an iron rod during the latter part of the process; in about five minutes, in a brisk heat, the sample will be down, provided the crucible was red-hot when the assay was thrown in, which should always be the case.

If the sample, to be tried, weighs four ounces, the proportionate quantity of flux must be added, agreeably with the above statement.

It may be discovered when the sample is ready, by the grating of the rod against the bottom of the crucible in stirring—it should then be immediately taken out and poured. The metal will separate clean from the slag in a good assay.

To assay lead ore for discovering the quantity or proportion of silver it contains, the foregoing method must first be used, and the assay then tested precisely the same way as described for refining a silver sample, page 101. The lead will go off in vapour, and the silver remain in the test.

ASSAY OF TIN ORE.

Sample—Two ounces black tin.

FLUX.

Culm	-	-	$\frac{1}{3}$ weight of sample.
Borax	-	-	4 dwts.

PROCESS.

If the ore contains a large proportion of iron, add more culm *; when the sample is properly down, or flowed, the surface of the assay in the crucible will be perfectly smooth and motionless; in a strong heat this will occur in about twelve minutes.

When taken out of the fire, stir it well with an iron rod before you pour it; afterwards scrape the crucible, pulverise the scrapings in a mortar, and then van or wash them on a shovel. The prillion of a standard sample will not exceed 2 in 20.

The criterion for the lump is its possessing a malleable quality, or bending to the hammer without breaking.

Grain tin may be treated in every respect as the above, except in the subsequent addition of culm, which will not be required.

* If the sample is very stubborn, add a small quantity of pulverised fluor, with the culm.

METHOD OF DISCOVERING THE PROPORTION OF SILVER
CONTAINED IN COPPER ORE.

Sample—One ounce.

FLUX.

1 ladle	red tartar.
1 ditto	nitre.
$\frac{1}{2}$ ditto	lime.
$\frac{1}{2}$ ditto	borax.
1 ditto	fluor.
1 ditto	red lead.

Well mixed with the ore and melted in a wrought-iron crucible *, about eight minutes, in a brisk heat, will be sufficient; the last five minutes the assay should be incessantly stirred with an iron rod: pour the sample and cool it, then break out the lump, and test it in the usual way.

REMARKS.

Soon as the assay begins to flow, the lead, by the power of affinity, will presently attract the silver, or the silver, by the same law, will attach itself to the lead, and this being effected, it only requires the process of refining, or burning off the inferior metals, to find the produce.

* If a stone crucible be used, one ounce of iron must be added to the flux.

A TABLE

SHOWING THE NUMBER OF OUNCES AND PARTS OF AN OUNCE OF SILVER CONTAINED IN A TON OF ORE, BY ASSAY PRODUCED FROM ONE OUNCE AVOIR-DUPOIS.

ASSAY.				ASSAY.				ASSAY.			
PER TON.				PER TON.				PER TON.			
grs.	oz.	dwt.	grs.	grs.	oz.	dwt.	grs.	grs.	oz.	dwt.	grs.
33	2	6	16	4	298	13	8	8	606	13	8
34	4	13	8	1	308	0	0	1	616	0	0
35	9	6	16	2	317	6	16	2	625	6	16
36	18	13	8	3	326	13	8	3	634	13	8
37	28	0	0	4	336	0	0	4	644	0	0
38	37	6	16	5	345	6	16	5	653	6	16
39	46	13	8	6	354	13	8	6	662	13	8
40	56	0	0	7	364	0	0	7	672	0	0
41	65	6	16	8	373	6	16	8	681	6	16
42	74	13	8	9	382	13	8	9	690	13	8
43	84	0	0	10	392	0	0	10	700	0	0
44	93	6	16	11	401	6	16	11	709	6	16
45	102	13	8	12	410	13	8	12	718	13	8
46	112	0	0	13	420	0	0	13	728	0	0
47	121	6	16	14	429	6	16	14	737	6	16
48	130	13	8	15	438	13	8	15	746	13	8
49	140	0	0	16	448	0	0	16	756	0	0
50	149	6	16	17	457	6	16	17	765	6	16
51	158	13	8	18	466	13	8	18	774	13	8
52	168	0	0	19	476	0	0	19	784	0	0
53	177	6	16	20	485	6	16	20	793	6	16
54	186	13	8	21	494	13	8	21	802	13	8
55	196	0	0	22	504	0	0	22	812	0	0
56	205	6	16	23	513	6	16	23	821	6	16
57	214	13	8	24	522	13	8	24	830	13	8
58	224	0	0	25	532	0	0	25	840	0	0
59	233	6	16	26	541	6	16	26	849	6	16
60	242	13	8	27	550	13	8	27	858	13	8
61	252	0	0	28	560	0	0	28	868	0	0
62	261	6	16	29	569	6	16	29	877	6	16
63	270	13	8	30	578	13	8	30	886	13	8
64	280	0	0	31	588	0	0	31	896	0	0
65	289	6	16	32	597	6	16	32	905	6	16

SILVER ASSAY TABLE.

ASSAY.	PER TON.			ASSAY.	PER TON.			ASSAY.	PER TON.		
grs.	oz.	dwt.	grs.	grs.	oz.	dwt.	grs.	grs.	oz.	dwt.	grs.
12	914	13	8	18	1390	13	8	25	1866	13	8
	924	0	0		1400	0	0		1876	0	0
	933	6	16		1409	6	16		1885	6	16
	942	13	8	19	1418	13	8		1894	13	8
	952	0	0		1428	0	0		1904	0	0
	961	6	16		1437	6	16		1913	6	16
13	970	13	8		1446	13	8		1922	13	8
	980	0	0		1456	0	0		1932	0	0
	989	6	16		1465	6	16	26	1941	6	16
	998	13	8		1474	13	8		1950	13	8
	1008	0	0		1484	0	0		1960	0	0
	1017	6	16	20	1493	6	16		1969	6	16
	1026	13	8		1502	13	8		1978	13	8
	1036	0	0		1512	0	0		1988	0	0
14	1045	6	16		1521	6	16		1997	6	16
	1054	13	8		1530	13	8		2006	13	8
	1064	0	0		1540	0	0	27	2016	0	0
	1073	6	16		1549	6	16		2025	6	16
	1082	13	8		1558	13	8		2034	13	8
	1092	0	0	21	1568	0	0		2044	0	0
	1101	6	16		1577	6	16		2053	6	16
	1110	13	8		1586	13	8		2062	13	8
15	1120	0	0		1596	0	0		2072	0	0
	1129	6	16		1605	6	16		2081	6	16
	1138	13	8		1614	13	8	28	2090	13	8
	1148	0	0		1624	0	0		2100	0	0
	1157	6	16		1633	6	16		2109	6	16
	1166	13	8	22	1642	13	8		2118	13	8
	1176	0	0		1652	0	0		2128	0	0
	1185	6	16		1661	6	16		2137	6	16
16	1194	13	8		1670	13	8		2146	13	8
	1204	0	0		1680	0	0		2156	0	0
	1213	6	16		1689	6	16	29	2165	6	16
	1222	13	8		1698	13	8		2174	13	8
	1232	0	0		1708	0	0		2184	0	0
	1241	6	16	23	1717	6	16		2193	6	16
	1250	13	8		1726	13	8		2202	13	8
	1260	0	0		1736	0	0		2212	0	0
17	1269	6	16		1745	6	16		2221	6	16
	1278	13	8		1754	13	8		2230	13	8
	1288	0	0		1764	0	0	30	2240	0	0
	1297	6	16		1773	6	16		2249	6	16
	1306	13	8		1782	13	8		2258	13	8
	1316	0	0	24	1792	0	0		2268	0	0
	1325	6	16		1801	6	16		2277	6	16
	1334	13	8		1810	13	8		2286	13	8
18	1344	0	0		1820	0	0		2296	0	0
	1353	6	16		1829	6	16		2305	6	16
	1362	13	8		1838	13	8	31	2314	13	8
	1372	0	0		1848	0	0		2324	0	0
	1381	6	16		1857	6	16		2333	6	16

ASSAY.	PER TON.			ASSAY.	PER TON.			ASSAY.	PER TON.		
grs.	oz.	dwt.	grs.	grs.	oz.	dwt.	grs.	grs.	oz.	dwt.	grs.
31	2342	13	8	37	2818	13	8	44	3294	13	8
	2352	0	0		2828	0	0		3304	0	0
	2361	6	16	38	2837	6	16		3313	6	16
	2370	13	8		2846	13	8		3322	13	8
32	2380	0	0		2856	0	0		3332	0	0
	2389	6	16		2865	6	16		3341	6	16
	2398	13	8		2874	13	8		3350	13	8
	2408	0	0		2884	0	0	45	3360	0	0
	2417	6	16		2893	6	16		3369	6	16
	2426	13	8		2902	13	8		3378	13	8
	2436	0	0	39	2912	0	0		3388	0	0
	2445	6	16		2921	6	16		3397	6	16
	2454	13	8		2930	13	8		3406	13	8
33	2464	0	0		2940	0	0		3416	0	0
	2473	6	16		2949	6	16		3425	6	16
	2482	13	8		2958	13	8	46	3434	13	8
	2492	0	0		2968	0	0		3444	0	0
	2501	6	16		2977	6	16		3453	6	16
	2510	13	8	40	2986	13	8		3462	13	8
	2520	0	0		2996	0	0		3472	0	0
	2529	6	16		3005	6	16		3481	6	16
34	2538	13	8		3014	13	8		3490	13	8
	2548	0	0		3024	0	0		3500	0	0
	2557	6	16		3033	6	16	47	3509	6	16
	2566	13	8		3042	13	8		3518	13	8
	2576	0	0		3052	0	0		3528	0	0
	2585	6	16	41	3061	6	16		3537	6	16
	2594	13	8		3070	13	8		3546	13	8
	2604	0	0		3080	0	0		3556	0	0
35	2613	6	16		3089	6	16		3565	6	16
	2622	13	8		3098	13	8		3574	13	8
	2632	0	0		3108	0	0	48	3584	0	0
	2641	6	16		3117	6	16		3593	6	16
	2650	13	8		3126	13	8		3602	13	8
	2660	0	0	42	3136	0	0		3612	0	0
	2669	6	16		3145	6	16		3621	6	16
	2678	13	8		3154	13	8		3630	13	8
36	2688	0	0		3164	0	0		3640	0	0
	2697	6	16		3173	6	16		3649	6	16
	2706	13	8		3182	13	8	49	3658	13	8
	2716	0	0		3192	0	0		3668	0	0
	2725	6	16		3201	6	16		3677	6	16
	2734	13	8	43	3210	13	8		3686	13	8
	2744	0	0		3220	0	0		3696	0	0
	2753	6	16		3229	6	16		3705	6	16
37	2762	13	8		3238	13	8		3714	13	8
	2772	0	0		3248	0	0		3724	0	0
	2781	6	16		3257	6	16	50	3733	6	16
	2790	13	8		3266	13	8		3742	13	8
	2800	0	0		3276	0	0		3752	0	0
	2809	6	16	44	3285	6	16		3761	6	16

ASSAY.				ASSAY.				ASSAY.			
PER TON.				PER TON.				PER TON.			
grs.	oz.	dwts.	grs.	grs.	oz.	dwts.	grs.	grs.	oz.	dwts.	grs.
50	3770	13	8	53	4013	6	16	57	4256	0	0
	3780	0	0		4022	13	8		4265	6	16
	3789	6	16	54	4032	0	0		4274	13	8
	3798	13	8		4041	6	16		4284	0	0
51	3808	0	0		4050	13	8		4293	6	16
	3817	6	16		4060	0	0		4302	13	8
	3826	13	8		4069	6	16		4312	0	0
	3836	0	0		4078	13	8		4321	6	16
	3845	6	16		4088	0	0	58	4330	13	8
	3854	13	8		4097	6	16		4340	0	0
	3864	0	0	55	4106	13	8		4349	6	16
	3873	6	16		4116	0	0		4358	13	8
52	3882	13	8		4125	6	16		4368	0	0
	3892	0	0		4134	13	8		4377	6	16
	3901	6	16		4144	0	0		4386	13	8
	3910	13	8		4153	6	16		4397	0	0
	3920	0	0		4162	13	8	59	4406	6	16
	3929	6	16		4172	0	0		4415	13	8
	3938	13	8	56	4181	6	16		4424	0	0
	3948	0	0		4190	13	8		4433	6	16
53	3957	6	16		4200	0	0		4442	13	8
	3966	13	8		4209	6	16		4452	0	0
	3976	0	0		4218	13	8		4461	6	16
	3985	6	16		4228	0	0		4470	13	8
	3994	13	8		4237	6	16	60	4480	0	0
	4004	0	0		4246	13	8				

METHOD OF COMPUTING THE VALUE OF LEAD AND SILVER ORE.

EXAMPLE.

Required the value of 16 tons, 10 cwt. 2 qrs. of lead and silver ore, the produce for lead being $8\frac{5}{8}$ in 20, and silver $3\frac{7}{8}$ grs. from a four-ounce sample. The price of lead 22*l.* per ton, and silver 5*s.* 3*d.* per oz. Returning charges 6*l.* 10*s.* per ton, and lord's dues one twelfth for lead, and one eighth for silver.

OPERATION.

LEAD.

	tons.	cwt.	qr.						
$\frac{1}{2}$	16	10	2						
			8						
	132	4	0						
$\frac{1}{4}$	8	5	1						
	2	1	1						
*20)	142	10	2		<i>l.</i>	<i>s.</i>		<i>l.</i>	<i>s.</i> <i>d.</i>
	7	2	2	at	15	10†	per ton	110	2 6
				Deduct dues one twelfth				9	3 6
								100	19 0

OPERATION.

SILVER.

					oz.	dwt.	grs.							
By table, (page 111.)	produce	$3\frac{7}{8}$	is	72	6	16	per ton,	$(3\frac{7}{8} + 4 = \frac{31}{2})$						
	tons.	cwt.	grs.	oz.	dwt.	grs.	oz.	<i>s.</i>	<i>d.</i>	<i>l.</i>	<i>s.</i>	<i>d.</i>		
and 7	2	2	\times	72	6	16	=	514	at	5	3	134	18	6
								Deduct dues one eighth		16	17	4	118	1 2
								Answer					219	0 2

* It is not usual to make any allowance for waste on rich ores.

† Returning charge deducted.

METHOD OF COMPUTING THE VALUE OF COPPER ORE.

EXAMPLE.

What is the value of 74 tons, 13 cwt. 2 qrs. of copper ore, the produce, by assay, being $7\frac{1}{8}$, and standard 127*l.* 12*s.* 6*d.*?

OPERATION.

	<i>l.</i>	<i>s.</i>	<i>d.</i>
$\left \frac{1}{8} \right $	127	12	6
			7
	893	7	6
	15	19	$0\frac{3}{4}$
	9.09	6	$6\frac{3}{4}$
	20		
	1.86		
	12		
	10.38		

THEN

	<i>l.</i>	<i>s.</i>	<i>d.</i>	
From	9	1	10	
Deduct	2	10	0	per ton returning charge
	6	11	10	

Again $\begin{array}{cccc} \text{ton.} & \textit{l.} & \textit{s.} & \textit{d.} \end{array}$ $\begin{array}{ccc} \text{tons.} & \text{cwt.} & \text{qrs.} \end{array}$
 If 1 : 6 11 10 :: 74 13 2

BY PRACTICE.

cwt.		l.	s.	d.
10½	½	6	11	10
				9
		59	6	6
				8
		474	12	0
		13	3	8
		487	15	8
		3	5	11
		0	18	10
Answer		492	0	5

Copper ores are always computed at 21 cwt. to the ton, the surplus being allowed for waste in carriage, &c.

RULE FOR DISCOVERING THE POWER OF STEAM ENGINES.

1.—Square the diameter of the cylinder, multiply the sum by $\cdot 7854^*$ and the product by 10^\dagger : lastly, multiply again by 144^\ddagger , and the last product

* The established ratio of the diameter. Or look in the table, page 123., where the square inches contained in a cylinder are given, and take out the number standing opposite the given diameter.

† That is, considering the power equal to 15 lbs. to an inch, and allowing 5 lbs. or one third for friction.

‡ Considering the stroke to be 8 feet, and the engine to go 9 strokes per minute.

will show the number of pounds the engine lifts a foot high in a minute.

2.—A horse is estimated to raise 500 lbs. 64 feet high, or 1000 lbs. 32 feet high, or 32,000 lbs. 1 foot high in a minute, consequently, if the last product be divided by 32,000, the quotient will show the number of horses required to equal the power of the engine.

EXAMPLE.

What is the power, and horse power of a steam engine, the cylinder being 46 inches in diameter?

$$\begin{array}{r}
 46 \times 46 = 2116 \\
 \quad \quad \quad \cdot 7854 \\
 \hline
 1661 \cdot 9064 \\
 \quad \quad \quad 10 \\
 16619 \cdot 0640 \\
 \quad \quad \quad 144 \\
 \hline
 32000 \overline{) 2393145 \cdot 2160} (75 \\
 \underline{224000} \\
 153145 \\
 \underline{160000}
 \end{array}$$

ANSWER.

Engine lifts 2393145 lbs. one foot high in a minute.
Equal to 75 horses, nearly.

RULE FOR DISCOVERING THE POWER OF A WATER ENGINE.

1.—Multiply the length, breadth, and depth of the bucket together, and divide by 282, (the number of cubic inches in a gallon, beer measure,) multiply the quotient by $10\frac{1}{2}$ lbs. or 10 lbs. 3·2 oz. or 10·2 lbs. the weight of a gallon of water.*

2.—Multiply the diameter of the wheel by 3·1416 (the ratio of the circle), and divide the product by the circular space occupied by each bucket—the quotient will show the number of buckets contained in the wheel.

3.—Multiply the third part† of the number of buckets by the weight of water contained in one, then

4.—For the leverage—From the radius, or half the diameter, deduct the length of the crank, and one third of the remainder will be the operative length of the lever; multiply the weight of water in one third of the wheel by this length (taking the feet for the whole number of the multiplier), and the product will show the full, or entire power. Lastly, from this product cast off $\frac{1}{5}$ for friction ‡,

* The result will be the same if the operation is done by the wine gallon, computing it to contain 231 cubic inches, and to weigh 8 lbs. 5·68 oz. or 8·355 lbs.

† There are differences of opinion respecting this; some persons contending that two fifths the number of buckets are full at a time, but one third is the most general and the most reasonable proportion.

‡ Here again engineers are not unanimously agreed, some al-

and the remainder will show the net or real power of the wheel.

EXAMPLE.

Required the power of a water-wheel, the diameter being 46 feet, the buckets 30 inches long, 12 inches deep, and 6 inches wide, with $1\frac{1}{4}$ inches between each bucket, and the crank 3 feet long.

OPERATION.

1.—To find the quantity and weight of water in each bucket.

$$30 \times 12 \times 6 = 2160 \div 282 = 7.66 \times 10.2 = 78.13.$$

2.—To find the number of buckets contained in the wheel.

$$46 \times 12 = 552 \times 3.1416 = 1734 \quad (6 + 1\frac{1}{4}) \div 7.25 = 239.$$

3.—To find the weight of water on $\frac{1}{3}$ of the wheel.

$$239 \div 3 = 80 \times 78.13 = 6250.$$

4.—To find the power of the lever.

$$46 \div 2 = 23 - 3 = 20 \div 3 = 6.66.$$

and

$$6250 \times 6.66 = 41625.$$

lowing one fifth, some one fourth, and some even one third of the power, for friction. It is true the distance the wheel is placed from the work, and other contingent circumstances, must be taken into consideration; but in ordinary operations, where the wheel draws close, one fifth is very near the truth.

Lastly, for friction.

5)41625

8325

Answer 33300 lbs. the actual power of the wheel.

To find the depth at which a wheel will draw a column of water in a lift of pumps of any given dimensions.

RULE—Find the power of a wheel by the foregoing method, then from the table, page 125., take out the weight of water in a fathom of the given size pump. Divide the power of the wheel (in pounds) by this number, and the quotient will show the fathoms.

EXAMPLE.

The power of the fore-mentioned wheel is 33300 lbs., how deep will she draw in a 12 inch lift of pumps ?

294·53)33300(113

Answer 113 fathoms.

TO FIND THE HORSE-POWER OF A WHEEL.

RULE—Multiply the power (found by the given rule, page 119.) by the number of revolutions made by the wheel in a minute, and this product by the length of the stroke in feet, or double the length of the crank: divide the last product by 32000, and the quotient will show the number of horses required to equal the power of the wheel.

EXAMPLE.

The fore-mentioned wheel is allowed to make seven revolutions in a minute ; required the horse-power.

$$\begin{array}{r}
 33300 \\
 7 \\
 \hline
 233100 \\
 6 \\
 \hline
 32\cdot000)1398\cdot600(44 \\
 128 \\
 \hline
 118 \\
 128 \\
 \hline

 \end{array}$$

Answer, 44 horse-power, nearly.

TABLE

SHOWING THE SQUARE INCHES CONTAINED IN A CYLINDER, OR CIRCLE, FROM TEN TO SEVENTY-THREE INCHES IN DIAMETER.

Diameter of Cylinder.	Square Inches.	Diameter of Cylinder.	Square Inches.	Diameter of Cylinder.	Square Inches.	Diameter of Cylinder.	Square Inches.
10	78·54	26	530·93	42	1388·59	58	2642·00
11	95·03	27	572·56	43	1452·20	59	2734·00
12	113·10	28	615·75	44	1520·53	60	2827·44
13	132·73	29	660·20	45	1590·43	61	2922·47
14	153·94	30	706·86	46	1661·91	62	3019·00
15	176·71	31	754·77	47	1735·00	63	3117·25
16	201·06	32	804·25	48	1809·56	64	3217·00
17	226·98	33	855·30	49	1885·74	65	3318·31
18	254·47	34	907·92	50	1963·50	66	3421·20
19	283·54	35	962·00	51	2042·82	67	3526·66
20	314·16	36	1017·88	52	2123·72	68	3651·69
21	346·36	37	1075·20	53	2206·19	69	3739·29
22	380·13	38	1134·00	54	2290·23	70	3848·46
23	415·47	39	1194·60	55	2375·83	71	3959·20
24	452·39	40	1256·64	56	2463·00	72	4071·51
25	490·88	41	1320·26	57	2651·76	73	4185·40

NOTE.

The annexed table of the quantity and weight of water contained in 6 feet of pump (page 125.) may be proved or extended by the following rules; viz.

Square the diameter of the pump and multiply the product, first by the decimal ·7854, again by the length of the pump in inches, and divide by 231; the whole numbers in the quotient will show the wine gallons. Then, to find the cubic feet, divide the solid inches by 1728. Again, to find the

weight, multiply the cubic feet by 1000, and divide the product by 16.

EXAMPLE.

How many pounds, wine gallons, and cubic feet, are contained in a cylinder, or pump, 12 inches in diameter, and 6 feet in length ?

TO FIND THE WINE MEASURE.

$12 \times 12 = 144$ Square of diameter.
 $\cdot 7854$ Multiplier.

113·0976

6

678·5856

Cubic inches in 12
 a wine gallon = 231) 8143·0272 (35·2512

4

Answer, 35 gals. 1 qt. 1·0048

TO FIND THE CUBIC FEET.

Inches
 in a cubic foot — 1728) 8143·0272 Inches as before.
4·7124 Cubic feet.

TO FIND THE POUNDS.

4·7124 Cubic feet as before.
 1000 oz. weight of a cubic foot of water.
 16) 4712·4000
294·525 lbs. weight.

A TABLE

SHOWING THE WEIGHT, WINE GALLONS, AND CUBIC FEET OF WATER CONTAINED IN SIX FEET OF PUMP, FROM FOUR TO TWENTY INCHES IN DIAMETER.

Diameter of Pump.	Weight.		Wine Measure.			Cubic Feet.	Diameter of Pump.	Weight.		Wine Measure.			Cubic Feet.
ins.	lbs. dec.	gal.	qts.	pts.	ft. dec.	ins.	lbs. dec.	gal.	qts.	pts.	ft. dec.		
4	32·75	3	3	1	·522	12½	306·95	36	2	1	4·910		
4½	36·95	4	1	1	·591	12¾	319·60	38	1	0	5·113		
4¾	41·42	4	3	1½	·662	12¾	332·51	39	2	1	5·319		
4¾	46·15	5	2	0	·738	13	345·68	41	1	1	5·530		
5	51·14	6	0	1	·818	13½	359·10	42	3	1	5·745		
5½	56·38	6	3	0	·902	13½	372·78	44	2	1	5·960		
5½	61·87	7	1	1½	·989	13¾	386·72	46	0	1	6·187		
5¾	67·63	8	0	0½	1·082	14	400·90	48	0	0	6·414		
6	73·63	8	3	0	1·178	14½	415·35	49	2	1	6·645		
6½	79·90	9	2	0	1·278	14½	430·00	51	1	1	6·880		
6½	86·42	10	1	0	1·382	14¾	445·00	53	0	1	7·119		
6¾	93·20	11	0	0	1·491	15	460·23	55	0	1	7·363		
7	100·22	12	0	0	1·603	15½	475·69	56	3	1	7·610		
7½	107·51	12	3	0	1·720	15½	491·42	58	3	0	7·862		
7½	115·00	13	3	0	1·840	15¾	507·40	60	2	1	8·117		
7¾	122·85	14	2	1	1·965	16	523·63	62	2	1	8·379		
8	130·90	15	2	1	2·094	16½	540·13	64	2	1	8·641		
8½	139·22	16	2	1	2·227	16½	556·87	66	2	1	8·909		
8½	147·78	17	2	1	2·354	16¾	573·88	68	2	1	9·181		
8¾	156·60	18	2	1	2·505	17	591·13	70	3	0	9·457		
9	165·68	19	3	0	2·650	17½	608·65	72	3	0	9·739		
9½	175·00	20	3	1	2·800	17½	626·42	75	0	0	10·022		
9½	184·60	22	0	0	2·953	17¾	644·67	77	0	1	10·310		
9¾	194·45	23	1	0	3·110	18	662·73	79	1	0	10·602		
10	204·54	24	1	1	3·272	18½	681·26	81	2	0	10·899		
10½	214·90	25	2	1	3·438	18½	700·00	83	3	0	11·142		
10½	225·51	27	0	0	3·607	18¾	719·10	86	0	1	11·504		
10¾	236·37	28	1	0	3·781	19	738·40	88	1	1	11·813		
11	247·50	29	2	1	3·959	19½	757·96	90	3	0	12·126		
11½	258·87	30	3	1	4·141	19½	777·78	93	0	1	12·443		
11½	270·51	32	1	1	4·327	19¾	797·85	95	2	0	12·764		
11¾	280·40	33	2	1	4·518	20	818·18	97	3	1	13·090		
12	294·53	35	1	0	4·712								

A TREATISE

ON THE QUALITY, MANUFACTURE, AND CHOICE OF
CORDAGE, FOR MINING PURPOSES, WITH RULES AND
TABLES FOR THE WEIGHT AND NUMBER OF THREADS
CONTAINED IN ANY SIZE ROPE.

It is certainly very desirable, if not absolutely necessary, that every person who is intrusted with the management of a mine should possess some means of obtaining, with a degree of certainty, the quality and weight of the ropes he may have occasion to use ; otherwise the lives and property entrusted to his care will be continually placed in jeopardy, and his employers be always subject to impositions respecting the charge ; because in many cases (from the magnitude of the material) it cannot be weighed, and therefore its weight can only be ascertained by computation ; consequently, if the agent is ignorant of the matter, the right of the adventurers will solely depend on the truth of the manufacturer's calculation.

The following tables will enable the agent to find the weight of any rope, and the ensuing remarks will help his judgment respecting the quality thereof ; being far the most important part of the subject.

There are various methods of discovering the quality of hemp ; but as miners have seldom an opportunity of inspecting the article in this stage of

preparation, we shall pass on, and show how it may be proved after its having been completely manufactured.

The first thing that demands our particular attention is, the size of the yarn or thread of which the rope is composed. There is a certain gauge or standard for this, known among ropemakers by the terms, sixteens, eighteens, twenties, &c. which means 16, 18, or 20 yarns in the strand, or third part of a rope 3 inches in circumference. The following table shows the weight of the different sizes of yarn before it has gone through the operation of tarring.

SIZE.	LENGTH.	WEIGHT.	
		<i>lbs.</i>	<i>oz.</i>
25	} 170 fathoms. }	2	13
20		3	8
18		3	15
16		4	6
15		4	10

Now the true standard size for shroud-laid rope is *twenties* *, and it is of consequence that agents should give their orders accordingly, and afterwards be assured that their ropes have really been made with yarns of this gauge.

In order to prove this, first, girt the circumference of the rope, then count the yarns in the

* Of which it is shown in the above table that 170 fathoms weighs only 3 lbs. 8 oz. or $3\frac{1}{2}$ lbs.

CORDAGE.

strand, and, lastly, refer to the table (page 135.) and note if the number corresponds with that standing in the proper column, opposite the dimensions of the rope.

. Manufacturers have many inducements for spinning their yarn large. First, It is less expensive, for it requires no more time to spin a large yarn than to spin a small one, and 16 or 17 yarns (in their way) will answer the end of twenty. Secondly, In large yarns, inferior or refuse hemp can be spun, which cannot be done in yarns of a smaller size; and this consideration, if there was no other, should cause the agent to be exceedingly particular in having his rope made of standard yarns; and let it be remarked, that although a rope made of sixteens or eighteens will be nearly equal in weight to another made of twenties, yet by no means will it be equal in strength, even if made of the very same kind, or indeed of superior hemp. This is too plain a truth to need any illustration: for though it may be argued that what is wanting in number is made up in bulk, yet it will support an equal weight no more, in proportion, than a body of raw hemp the size of a cable will be as strong as the cable itself.

By inspecting the table (page 135.) it will be seen that the strand of a 16-inch capstan-rope made of twenties contains 569 yarns, but if made of sixteens, only 455 yarns; making a difference in the whole rope of 342 yarns.

We shall now give a plain and expeditious, though infallible, method, of proving the quality of

hemp and yarn, viz. from the end, or *fag*, of the rope cut several of the yarns in fathom lengths, each of these (standard size) should suspend, or bear up separately, 70 pounds weight at the least.

Regard must next be paid to the last part of the manufacture, called the *lay*, or twist, of the rope ; and this should undergo a strict examination, as much depends on the skill and attention of the manufacturer in this part of the process ; for it is very possible that the best materials may be used, the yarn spun of the proper size, and with the greatest care, and yet the rope be very defective, and by no means fit to be depended on. This may be easily discovered when the rope is laid in a straight line ; then, if either of the strands is observed to mount or fall *, that is, rise above or sink beneath the

* This fault or defect is known among ropemakers by the term "pinch," and as the remedy occasions a great deal of trouble and delay, it is too often suffered to pass, especially as few persons are able to detect it, or are aware of its injurious tendency.

There are many casual occurrences whereby ropes are exposed to injuries in mines, out of the common course of working. We may notice an instance or two, viz. inattention or ignorance in taking them from the coil when new ; they should always be taken out the contrary way from which they were coiled in ; that is, if a capstan-rope is coiled into a waggon, the uppermost end should be put down and drawn from the under part of the carriage : also, in small cordage, the inward extremity of the rope should be taken and drawn through the aperture of the reel. The general disproportion of capstan gear in mines has a most destructive effect on the ropes ; the sheaves or *pulleys*, as well as the *barrel*, of the capstan being considerably too small ; indeed, there is still room for much improvement in this part of mining machinery.

strand, and, lastly, refer to the table (page 135.) and note if the number corresponds with that standing in the proper column, opposite the dimensions of the rope.

. Manufacturers have many inducements for spinning their yarn large. First, It is less expensive, for it requires no more time to spin a large yarn than to spin a small one, and 16 or 17 yarns (in their way) will answer the end of twenty. Secondly, In large yarns, inferior or refuse hemp can be spun, which cannot be done in yarns of a smaller size; and this consideration, if there was no other, should cause the agent to be exceedingly particular in having his rope made of standard yarns; and let it be remarked, that although a rope made of sixteens or eighteens will be nearly equal in weight to another made of twenties, yet by no means will it be equal in strength, even if made of the very same kind, or indeed of superior hemp. This is too plain a truth to need any illustration: for though it may be argued that what is wanting in number is made up in bulk, yet it will support an equal weight no more, in proportion, than a body of raw hemp the size of a cable will be as strong as the cable itself.

By inspecting the table (page 135.) it will be seen that the strand of a 16-inch capstan-rope made of twenties contains 569 yarns, but if made of sixteens, only 455 yarns; making a difference in the whole rope of 342 yarns.

We shall now give a plain and expeditious, though infallible, method, of proving the quality of

hemp and yarn, viz. from the end, or *fag*, of the rope cut several of the yarns in fathom lengths, each of these (standard size) should suspend, or bear up separately, 70 pounds weight at the least.

Regard must next be paid to the last part of the manufacture, called the *lay*, or twist, of the rope; and this should undergo a strict examination, as much depends on the skill and attention of the manufacturer in this part of the process; for it is very possible that the best materials may be used, the yarn spun of the proper size, and with the greatest care, and yet the rope be very defective, and by no means fit to be depended on. This may be easily discovered when the rope is laid in a straight line; then, if either of the strands is observed to mount or fall*, that is, rise above or sink beneath the

* This fault or defect is known among ropemakers by the term "pinch," and as the remedy occasions a great deal of trouble and delay, it is too often suffered to pass, especially as few persons are able to detect it, or are aware of its injurious tendency.

There are many casual occurrences whereby ropes are exposed to injuries in mines, out of the common course of working. We may notice an instance or two, viz. inattention or ignorance in taking them from the coil when new; they should always be taken out the contrary way from which they were coiled in; that is, if a capstan-rope is coiled into a waggon, the uppermost end should be put down and drawn from the under part of the carriage: also, in small cordage, the inward extremity of the rope should be taken and drawn through the aperture of the reel. The general disproportion of capstan gear in mines has a most destructive effect on the ropes; the sheaves or *pulleys*, as well as the *barrel*, of the capstan being considerably too small; indeed, there is still room for much improvement in this part of mining machinery.

others in any degree, the rope has been *crippled*, or inevitably spoiled; for if the former case, of one strand rising, in the event of trial, that strand will be found to bear little or none of the weight, when the other two will break; and in the latter case, of one strand sinking, that strand will break before the other two have been brought to the strain, or have borne any considerable part of the weight.

These great defects in cordage are too often to be found, and almost as often pass unobserved; but they may always be detected by a close inspection, and thereby many of the serious injuries and fatal accidents which so often take place in mining be happily prevented.

We shall close these observations after remarking, that as nearly all cordage used in mining is much exposed to the alternate influence of sun and moisture, which tends greatly to accelerate its decay, it ought by all means to contain a greater quantity of tar than is generally used. The common rule is 1 to $5\frac{1}{2}$, or 1 to 6; but the proportion of 1 to $4\frac{1}{2}$, or 1 to 5, would be much better: but we recommend this increase for standing ropes only, such as capstan-ropes, &c.; as from the comparative unfrequency of their use, and the length of time they endure, are equally liable to injury from mould and decay, as from strain and friction.

The common practice of tarring the surface of the rope after it has been manufactured is of very little service: the way we recommend is, by reducing the ordinary weight suspended to the lever, during the process of tarring the yarn in the manu-

factory, when it is drawn in a body from the heated coppers through the knipper, whereby the tar being lodged in the internal part of the rope cannot fail of preserving it under all circumstances.

The following rules, examples, and tables will be found plain, convenient, and correct.

TO FIND THE NUMBER OF THREADS IN A
SHROUD-LAID * ROPE.

RULE—State the question as in direct proportion, square the first and third terms, multiply the second and third terms together, and divide the product by the first.

EXAMPLE.

How many standard yarns, or threads, are there in a 14-inch capstan rope ?

$$\begin{array}{rcll}
 \text{in.} & \text{yarns.} & \text{in.} & \\
 \text{As } 3 & : 20 & :: 14 & \\
 3 & & 14 & \\
 9 & & \underline{56} & \\
 & & 14 & \\
 & & \underline{196} & \\
 & & 20 & \\
 & & \underline{9)3920} &
 \end{array}$$

Answer $\frac{435}{3}$ threads in the strand.

or 1305 threads in the rope.

* The term "shroud-laid" is used to distinguish a rope of three strands or parts from another of nine strands, which is termed "cable-laid."—The latter may be said to be 3 shroud-laid ropes twisted together. It is seldom that any other but three-strand ropes are used in mines.

EXAMPLE.

How many standard yarns are there in a $9\frac{1}{2}$ inch rope?

$$\begin{array}{rcl}
 \text{in.} & \text{yarns.} & \text{in.} \\
 \text{As } 3 & : 20 :: & 9\cdot5 \\
 \hline
 3 & & 9\cdot5 \\
 9 & & 475 \\
 & & 855 \\
 & & 90\cdot25 \\
 & & 20 \\
 \hline
 & & 9)1805\cdot00
 \end{array}$$

Answer 200· threads in the strand.

$$\begin{array}{r}
 3 \\
 \hline
 600 \text{ threads in the rope.}
 \end{array}$$

TO FIND THE WEIGHT OF SHROUD-LAID ROPES.

RULE—State the question and square the numbers as in the last example.

EXAMPLE.

If 1 cwt. of 3-inch rope measures 54 fathoms*, what will be the length of an cwt. of a 12-inch rope.

* The length of standard yarn to a lb. is 43 fath. 2 ft. 4·3 in. after it has been tarred, and 54 fathoms of 3-inch rope are exactly 1 cwt. By this rule the following tables have been constructed. It must be recollected that this computation is made, estimating the proportion of tar 1 to $5\frac{1}{2}$ only.

As	$\begin{array}{r} \text{in.} \\ 3 \\ 3 \\ \hline 9 \end{array}$:	$\begin{array}{r} \text{fath.} \\ 54 \\ 9 \\ \hline 144 \end{array}$::	$\begin{array}{r} \text{in.} \\ 12 \\ 12 \\ \hline 144 \end{array}$
			$\begin{array}{r} 486 \\ 432 \\ \hline 540 \end{array}$		
			$\begin{array}{r} 3 \cdot 375 \\ 6 \\ \hline 2 \cdot 250 \end{array}$		
			$\begin{array}{r} 432 \\ 1080 \\ \hline 1008 \end{array}$		
			$\begin{array}{r} 720 \\ 720 \\ \hline \end{array}$		

Answer $\begin{array}{r} \text{fath.} \text{ ft. in.} \\ 3 \quad 2 \quad 3 \end{array}$

EXAMPLE.

If 100 fathoms of 3-inch rope weighs 1 cwt. 3 qrs. 11·3 lbs., what will be the weight of a 15-inch rope the same length.

As	$\begin{array}{r} \text{in.} \\ 3 \\ 3 \\ \hline 9 \end{array}$:	$\begin{array}{r} \text{cwt. qrs. lbs.} \\ 1 \quad 3 \quad 11 \cdot 3 \\ 4 \\ \hline 7 \end{array}$::	$\begin{array}{r} 15 \\ 15 \\ \hline 75 \end{array}$
			$\begin{array}{r} 28 \\ 207 \cdot 3 \\ \hline 225 \end{array}$		$\begin{array}{r} 15 \\ 225 \end{array}$
			$\begin{array}{r} 9)46642 \cdot 5 \\ 112) \quad 5182 \quad (46 \\ 448 \\ \hline 702 \\ 672 \\ \hline 30 \end{array}$		

Answer $\begin{array}{r} \text{cwt. qr. lbs.} \\ 46 \quad 1 \quad 2 \end{array}$

TO FIND THE WEIGHT OF ROPES BEING 120
FATHOMS IN LENGTH.

RULE—Divide the circumference of the rope by
2, and square the remainder.*

EXAMPLE.

What is the weight of a 12-inch rope 120 fathoms
long?

$$\begin{array}{r} 2 \overline{)12} \\ \underline{6} \\ 6 \\ \underline{6} \\ \text{Answer } 36 \text{ cwt.} \end{array}$$

EXAMPLE.

What is the weight of a $14\frac{1}{2}$ -inch rope 120
fathoms long?

$$\begin{array}{r} 2 \overline{)14.5} \\ \underline{7.25} \\ 7.25 \\ \underline{52.5625} \\ 4 \\ \underline{2.2500} \\ 28 \\ 200 \\ 50 \\ \underline{7.0000} \end{array}$$

cwt. qrs. lbs.
Answer 52 2 7

* This rule is not perfectly accurate, but may be useful in
affording a clue for finding the approximate weight of ropes,
especially if the circumference is in even numbers, it may then
be used mentally, or by the mind only.

TABLE I.

SHOWING THE NUMBER OF THREADS IN THE STRAND
OF A SHROUD-LAID ROPE.

Size of Rope.	Size of Yarn. Sixteens.	Size of Yarn. Twenties	Size of Rope.	Size of Yarn. Sixteens.	Size of Yarn. Twenties
Inches.	Number.	Number.	Inches.	Number.	Number.
2	7	9	$9\frac{1}{2}$	160	200
$2\frac{1}{2}$	10	14	10	177	222
3	16	20	$10\frac{1}{2}$	196	245
$3\frac{1}{2}$	21	27	11	215	268
4	28	35	$11\frac{1}{2}$	235	293
$4\frac{1}{2}$	36	45	12	256	320
5	44	55	$12\frac{1}{2}$	278	347
$5\frac{1}{2}$	53	67	13	300	375
6	64	80	$13\frac{1}{2}$	324	405
$6\frac{1}{2}$	75	93	14	348	435
7	87	109	$14\frac{1}{2}$	374	467
$7\frac{1}{2}$	100	125	15	400	500
8	113	142	$15\frac{1}{2}$	427	533
$8\frac{1}{2}$	128	160	16	455	569
9	144	180	$16\frac{1}{2}$	484	605

The difference of the number of threads in the whole rope will be found by subtracting the numbers standing under "sixteens" from those under "twenties," and multiplying the remainder by 3. (Thus $256 - 320 = 64 \times 3 = 192$.) Therefore it appears that a 12-inch rope made of "twenties" contains 192 threads more than another, of the same circumference, made of "sixteens."

TABLE II.

SHOWING THE LENGTH OF SHROUD-LAID ROPES TO A CWT. FROM 1 TO 16 INCHES IN CIRCUMFERENCE.

Size of Rope.	Fath.	Feet.	Inches.	Size of Rope.	Fath.	Feet.	Inches.
Inches.				Inches.			
1	486	0	0·0	9	6	0	0
1½	216	0	0·0	9½	5	2	3·7
2	121	3	0·0	10	4	5	1·9
2½	77	4	6·7	10½	4	2	5·4
3	54	0	0·0	11	4	0	1·2
3½	39	4	0·0	11½	3	4	0·9
4	30	2	3·0	12	3	2	3
4½	24	0	0·0	12½	3	0	7·9
5	19	2	7·7	13	2	5	3·1
5½	16	0	4·3	13½	2	3	11·5
6	13	3	0·0	14	2	2	10·4
6½	11	3	0·0	14½	2	1	10·4
7	9	5	6·2	15	2	0	11·5
7½	8	3	10·0	15½	2	0	1·4
8	7	3	6·7	16	1	5	4·6
8½	6	4	4·3	16½	1	4	8·5

The exact weight of a rope of any length may be found by the above table and the rule of proportion.

EXAMPLE.

Required the weight of 25 fathoms of 14-inch rope?

	fath.	ft.	in.	cwt.	fath.
As	2	2	10·4	: 1	:: 25
	6				6
	14				150
	12				12
	178·4			178·4)	1800(10·09
					4
					36
					28
Answer	cwt.	qrs.	lbs.		10·08
	10	0	10		

TABLE III.

SHOWING THE WEIGHT OF SHROUD-LAID ROPES 100 FATHOMS IN LENGTH.

Size of Rope.	Cwt.	Qrs.	Lbs.
Inches.			
3	1	3	11·3
4	3	1	4
5	5	0	15
6	7	1	16
7	10	0	7
8	13	0	19
9	16	2	15
10	20	2	4
11	24	3	11
12	29	2	14
13	24	3	3
14	40	1	12
15	46	1	2
16	52	2	22

NOTE.—The weight of any length of rope may be found by the above table and the rule of practice.

EXAMPLE.

What is the weight of 47 fathoms of 11 inch rope?

		cwt.	qrs.	lbs.
25	$\frac{1}{4}$	24	3	11
		6	0	24
20	$\frac{1}{5}$	4	3	24
2	$\frac{1}{10}$	0	1	27
Answer		11	2	19

The weight and circumference of any rope being given, the length may be found by the foregoing table and the common rule of proportion, or by decimals.

EXAMPLE.

What is the length of 7 ^{cwt. qrs. lbs.} 3 14 of 7-inch rope?

	cwt.	qrs.	lbs.		fath.		cwt.	qrs.	lbs.
As	10	0	7	:	100	::	7	3	14
	4						4		
	40						31		
	4						4		
	161						126		
							100		
							161		
							12600		
							78·26		

OTHERWISE.

	cwt.		fath.		cwt.
As	10·0625	:	100	::	7·875
					100
					10·0625
					787·500
					78·26
					6
					1·56
					12
Answer	78	1	6		6·72

Or the length of any rope may be known by the 2d table and the rule of practice.

EXAMPLE.

What is the length of 16 cwt. 2 qrs. 21 lbs. of a 10½-inch rope?

	fath.	ft.	in.	
½	4	2	5·4	to an cwt. by the table.
			8	
	35	1	7·2	
			2	
	70	3	2·4	
¼	2	1	2·7	
½	0	3	3·6	
	0	1	7·8	
Answer	73	3	4·5	

OBSERVATIONS

ON THE CONSTRUCTION OF MINING CAPSTAN AND
SHEARS.

It has been noted that there remains much room for improvement in the capstan machinery of our mines, consequently it will not be irrelevant to the foregoing treatise briefly to submit our ideas on the subject in this place.

By the present apparatus, a capstan rope of 14 or 16 inches in circumference is drawn over a single pulley, on the top of the shears, two feet in diameter, or thereabout, from whence it is brought down nearly to the foot, and then conducted under another pulley to the axle or barrel of the capstan; a cylinder seldom exceeding $2\frac{1}{2}$ feet in diameter.

The violence done to the rope, in lifting great weights, as well as the augmentation of friction, in consequence of these sudden turns or incurvities, is certainly greater than has been generally understood; but reflection and experience combine to teach us, that at all these bends or flexures a considerable proportion of the number of threads contained in the rope contribute nothing towards the support of the suspended weight; the outermost part of the cordage, from the grove of the pulley, necessarily bearing the whole strain.

The excess of friction is chiefly produced by the

lay or twist of the rope, it having thereby an innate and unconquerable tendency to resist the constraint of being forced into a small curve; consequently, the less scope it has, the more power will be required.

These arguments are self-evident, and no doubt but the inconveniences alluded to, and many more, are partially known and acknowledged; but the question is, How can they be remedied? We respectfully submit the following proposition:—First, let the uprights of the shears stand farther apart on the top than usual, and the cap or head-piece of a convex shape, so that it may admit 3 pulleys in a triangular position*, the side pulleys horizontal, and the middle one standing higher than the others: then let a sheave be introduced in a channel in the leg of the shears next the capstan, about one third down from the cap; another in the stay of the span-beam, projecting 3 or 4 feet from the leg; and the last pulley placed in a strong post fixed about 14 feet from the foot of the shears, in a direct line and parallel with the axle of the capstan.†

By this simple contrivance it may be reasonably conjectured that one rope will endure as long as two, and a 14 be equal to a 16-inch on the old plan; and as the latter, 100 fathoms long, is above 12 cwt. heavier than the former, of course that superfluity

* Or a straight piece may be used for the cap, letting the centre pulley be large and the side ones small; but a semicircular cap with 5 small pulleys (one on the top and two on each side) will be still preferable.

† The barrel of the capstan should be made proportionally larger, and the arms or bars of a corresponding length.

will be avoided both in cost and gravity*: the shears will stand more erect than usual, whereby their height and strength will evidently be increased.

We profess to know but little of the science of mechanics, nevertheless we feel confident that the foregoing proposition is quite practicable, and the subject is sufficiently important to demand consideration. We hope to see the hint improved and carried into effect by some of our ingenious engineers.

* The safety, as well as convenience and economy, of this plan is too apparent to be overlooked.

SUPPLEMENT,
OR
THIRD PART,
OF THE
PRACTICAL MINER'S GUIDE.

THE
PRACTICAL MINER'S GUIDE.

PART III.

INTRODUCTION.

NEARLY twenty years have elapsed since "The Practical Miner's Guide" was sent into the world, and the author is constrained to acknowledge that his extensive practice and experience, in almost every branch of mining, during that long period, has not enabled him to discover where any important improvement can be made in that work. The *additions* in the present volume are comprised in merely extending the principles originally laid down, and practically applying the mathematical tables and rules to more difficult, complicated, and momentous subterranean surveys; for it may be remarked, without subjecting ourselves to the charge of arrogance, that the *light* thrown on the mining world by this publication has contributed towards expanding the minds of practical men generally, and qualifying them for pursuing and carrying out the scientific and demonstrative principles to the utmost extent of their difficult and highly important operations.

During the last five years the author commenced a correspondence on mine surveying in the "Mining Journal," with a view of rendering a lasting benefit to the mining interest, by exposing the imperfection of the old methods of dialling, by *tracing*, *pegging*, or mechanical repetition, and showing the vast superiority of the trigonometrical system in every point of view. This attempt brought on a most extensive controversy, and many of "the old school" arose and came forward to advocate the old practice; but, as if ashamed of the cause they had espoused, they were, almost to a man, anonymous writers.

The unprejudiced and investigating part of the community honoured me, or rather the system I defended, with their able support, and rallied around my standard. The defeat of our opponents was complete, even before we attempted to apply the infallible test of *experimental operation*. Reason and historical proof had thrown them down; but when we brought forward problems, in the shape of actual surveys, and challenging them to furnish the true answers, they crept out of the field, and not one of them was heard of after that interesting, beneficial, and satisfactory investigation was introduced. Nearly all the problems that appear in this supplement were publicly brought forward by the author on this occasion, and of course underwent a rigid and extensive scrutiny; and, so far from any error appearing, the truth of the calculation and perfection of the system was demonstrated by exact corresponding solutions being publicly re-

corded from persons residing in England, Ireland, and Wales.

It will be seen, in the preface to the first edition of this work, that I called public attention to the great injury done to mining by the bad practice of surveying or dialling then in general use ; but as at that time there was no work written on the subject, there was an excuse for the disastrous errors that took place then, that does not now exist ; and the mine agent who cannot now *prove* all his dialling operations, before a single stroke has been struck, ought not to presume to make the attempt ; and certainly it behoves directors, managers, and shareholders in mines, to test the abilities of those agents or captains who profess to be competent to undertake the momentous work of subterraneous surveying, by requiring them to give mathematical solutions to a series of practical questions on the subject ; and not, as is too often the case, proving their incapacity by some fearful error that they have committed, occasioning serious injury to the mine, great delay, and an extra cost of hundreds of pounds to the proprietors. And let it be understood, that *proof* cannot be obtained by the old method of dialling ; that is, by tracing or repeating at the surface the drafts taken underground. This was fully demonstrated in the course of the late controversy, both argumentative and practically. One convincing case was brought forward, and confirmed, that occurred in Gwennap several years ago. It was required to find the point at surface for sinking a shaft to meet a rise that had been

commenced at the adit level. This was certainly a very plain and easy job under a good system, but it presented insurmountable difficulties under the old practice. The shaft was set to a pair of eight men, and the captains proceeded to *dial* and *peg* to ascertain the true point. The first dialler fixed his terminating peg on a certain spot, and the next dialler's peg occupied another position ; and the history of the case is, that four agents were constantly occupied two or three weeks about this job, without being able to ascertain the true place for the shaft, which a competent man would have determined and proved in a few hours. At the close, they had a plantation of pegs occupying an area of several square fathoms ; and the manager seeing it hopeless to expect *certainly* from such an *uncertain* practice, and tired of waiting and wasting any more time, proceeded to make the best of a bad matter, by lining out the shaft in the place where the pegs appeared to stand thickest ! and the consequence was, a serious error of some feet in the holing.

Now, by introducing this affair, our design is not to impeach *men* : it is the *practice* or usage that we condemn and expose, in order that it may be discountenanced and rejected, and thereby an incalculable benefit be conferred on metallic mining.

TRAVERSE· DIALLING.

It is well known that our little army of mine agents or captains have almost to a man been selected from the "ranks," and have been brought up as working miners from their youth; and the best judges admit the propriety and even necessity of this regulation, in order that they should be competent to fix the value or fair price for working a tut-work bargain, or tribute pitch, and possess a thorough knowledge of underground operations. This being admitted, we must conclude, that in general their education has been much limited; and, therefore, in writing for their assistance, although there may be some exceptions, we would accommodate ourselves to the lowest capacity, so that the young aspiring miner may not be discouraged from prosecuting his incumbent and laudable studies, and qualifying himself for performing the high and paramount duties of a mine agent with credit to himself, and advantage to his employers and his country.

Before this work was published, it is questionable whether a mining traverse had ever been trigonometrically solved in this county; and, consequently, in order to simplify the matter, the instructions given for finding the ultimatum of a course of

dialling was by construction or instrumental operation; but as we believe our students are generally prepared to advance a step, we shall now recommend and show the more excellent way of performing the whole by computation, or by figures.

The trigonometrical method of working a course of dialling reduces the whole, however numerous and diversified, into two numbers; for the four columns of easting, westing, northing, and southing being added up separately, and then the lesser deducted from the greater of the opposite cardinal points, reduces the whole into two numbers, forming the base and perpendicular of the great triangle, and are necessarily right angle cardinal bearings, such as easting and southing, or northing and westing, as the case may be; and our next and last operation is to find the hypotenuse and angle corresponding with these two sides, which hypotenuse and angle is the final line, or course of the survey.

EXAMPLE.

A traverse has been worked, the columns added up, and the westing subtracted from the easting, showing the excess of easting to be 346 feet; and the southing subtracted from the northing, the difference proved the excess of northing, 419 feet 5 inches.

OPERATION.

Find the hypotenuse by square root.

RULE—Add the sum of the squares of the two sides together, and extract the square root of their sum.

346	419·4
<u>346</u>	<u>419·4</u>
2076	16776
1384	37746
<u>1038</u>	4194
119716	16776
	<u>175896·36</u>
	119716
	<u>295612·36(543·7</u>
	25 12
	104) 456 8·4
	<u>416</u>
	1083) 4012
	<u>3249</u>
	10867) 76336
	<u>76069</u>
	267

Answer ft. in.
 Hyp. 543 8

Find the angle by proportion.

If	ft.	in.	gives	ft.	what will	ft.	give ?
	419	5		346		6	
	<u>12</u>			<u>12</u>		<u>12</u>	
	5033			4152		72	
				<u>72</u>			
				8304			
				29064	in.	ft.	in.
5033)	298944		(59·39	or 4	11·39		
	<u>25165</u>						
	47294						
	<u>45297</u>						
	19970						
	<u>15099</u>						
	48710						
	<u>45297</u>						
	<u>4413</u>						

Then by inspection in the second table, page 79., this quotient of 4 feet 11·39 inches will be found standing opposite $39^{\circ} 30'$, which is the bearing, or sum of the angle opposite the shortest side of the great triangle.

ANSWER.

Hypotenuse, or direct length from beginning to end, 543 feet 8 inches. Bearing, or direction from beginning to end, $39^{\circ} 30'$ east of north.

REMARKS.

In carrying out this system practically, after we have laid down this grand or final line at surface, and fixed a mark at the extreme end of the line which has been measured off from the starting point, 543 feet 8 inches on the bearing, $39^{\circ} 30'$ east of north, (or $50^{\circ} 30'$ north of east, the complement,) we are furnished with a double means of proving if this length and angle has been correctly laid down, by measuring off, due north, 419 feet 5 inches from the start, and then placing the theodolite, or dial, on the end of that line, and measuring off due east 346 feet; consequently, if the whole has been well done, the last mark will exactly agree in both cases. Or should the ground be more favourable, we may avail ourselves of the convenience of laying off the east line first, and the north line last, which will bring us to the same point.

One great advantage of these proof lines will appear, when we take into consideration that most of the instruments used in mines for taking horizontal angles have no vernier scale for reading off the fraction of the angle; and, therefore, if the bearing falls between any quarter, or half of a degree, the surveyor must depend on the judgment of his eye for the division, and let it be known that an error of one quarter of a degree in 100 feet amounts to 5 inches and a decimal of $\cdot 23596$, or upwards of 2 feet 7 inches in a line of 100 fathoms; hence the value of having this most satisfactory

and convenient check for the laying down of the last grand line must be manifest to every observer, and should never be neglected.

LOGARITHMS.

Should the practitioner wish to prove the finding of the angle and hypotenuse by logarithms, the following is the rule :—

$$\begin{array}{rcl}
 \text{From less side 346 and radius} & = & 12.5390761 \\
 \text{Subtract longest side, 419.4} & = & 2.6227140 \\
 \text{Log. tangent of } 39^\circ 30' & - & \underline{9.9163621}
 \end{array}$$

RULE FOR THE HYPOTHENUSE.

$$\begin{array}{rcl}
 \text{From less side and radius (as before)} & 12.5390761 \\
 \text{Subtract sine of } 39^\circ 30' & - & \underline{9.8035105} \\
 \text{Logarithm of 543.8 nearly} & - & \underline{2.7355656}
 \end{array}$$

The rules expressed at length read thus :—

FOR THE ANGLE.

Add the radius to the logarithm of the less side, and from the sum subtract the logarithm of the greatest side; the remainder, or sum, will be the tangent of the angle opposed to the less side.

FOR THE HYPOTHENUSE.

Add the logarithm of the given side to the sine of the angle opposite to the side required, and from the sum subtract the sine of the angle opposed to the given side; the remainder will be the logarithm of the side required.

SYSTEM.

There is much propriety in the remark, that "system is the handmaid of science," and the term may be considered as used in contradistinction to disorder, irregularity, or random. The man who would excel in the important work of mine surveying should have a *system*, and a good one. It is true, men are apt to be bigoted in this matter, and think so highly of their own system as to despise all other; but certainly we must admit that a bad or an imperfect system is better than no system at all. He who has no fixed rule is liable to error every step he takes. We would recommend the young dialler to adopt a system in keeping his register, or dialling book underground, so that his subterranean surveys may be perfectly clear and comprehensible, not only to himself, but to all practical men. Let us suppose we have to survey a level driven on the course of the lode, where there are several cross cuts driven off to the right and left. I would advise the student to keep the number of his drafts on the main line, or course of the lode, in regular numerical order; and when he has to branch off on a cross cut, let him make the necessary mark, and call the first draft in that cross cut Number 1., and so on in succession to the end of it. On his return to the mark where he departed from the main line, let the dialling on the cross cut stand in the book as a *parenthesis*, and let him *resume* his course on the lode, numbering his draft in order from where he

branched off. By this system, he will have no turning from one place to another in his book — all will be regular; and if the main course, or any other, should be required to be copied separately, in the fair dialling book, it can easily be done. Moreover, should a diagram or geometrical plan of the level and all its windings, and drifts or cross drivings, be required, by this mode of entry every thing will appear in its proper place.

Another part of the “system” is, to let the sight or vane fixed at 360° always take the lead, and the surveyor’s eye placed at the opposite vane, except when taking back observations. This will be found under the head of remarks connected with the “converting table;” and in horizontal dialling, let two drafts be made from every station, which will expedite the work, as the dialler will only have to wait for the settling of the needle once, instead of twice by the other method.

SURVEYING WITHOUT THE MAGNETIC NEEDLE.

This is a valuable modern discovery in mine surveying, and as “necessity is the mother of invention,” the general introduction of railways and tramroads in mines drove the surveyor to seek some substitute for the needle, which the attraction of iron rendered useless, and he has happily succeeded.

This method of surveying cannot be performed with the common dial; but the best circumferentors are now made with an external gradua-

tion and vernier scale, on the theodolite principle, on purpose for the performance of this work.

Mr. W. Cox (from Arnold's, London,) of Devonport makes these instruments in a superior style to any other in the west of England.

The method of surveying, on this principle, differs from the magnetic method chiefly in one particular, namely, that in every fresh draft the position of the bearing must be ascertained by the back observation, in the direction of the sights, and the angle made at the old station must be obtained and preserved at the new station; and this is evident, because we have no magnet for our guide. For example:—Suppose we are surveying over a railway in a level, and the last observation was 259° ; after measuring the length, the instrument is removed and carried forward to the place of the light where the angle was taken, and a mark and light left at the old station. Then, after the instrument has been adjusted in his true place, the next act of the surveyor is to place the centre of the vernier on 259° , as it stood at the old station; and if the instrument does not move by rack-work, he must keep all firm with his hands, and turn the head toward the last station, until the candle is seen through the sights. He then removes behind the instrument, and moves the sights in the direction for the next draft, where the assistant is holding a light for the purpose (the graduation being fixed), and this new draft gives (say) $270\frac{1}{4}^{\circ}$, showing a difference between the two drafts of $11\frac{1}{4}^{\circ}$. Although this process is somewhat tedious in de-

scription, it is simple in practice, and the history of one draft is as well as a hundred; and we may observe, that with proper care and judgment, this is the most perfect method of surveying, because there is no risk of attraction; and as the circle is much larger than the inside plate, and the divisions more distinct, together with the vernier scale being applied, the angle can be read off to one or two minutes, a nicety which cannot be attained by the needle in the common way. It is hardly necessary to state, that, in order to obtain the bearing, there must be at least one draft in the traverse where the needle must be brought into play, and this draft will determine the polarity or direction of the whole.

Further, let it be remarked, that a survey may be resolved into bearings, and worked trigonometrically, when this method is used, as by the needle.

Suppose a case that we are about to survey over a railway, but there is space enough clear of iron for the first draft; and taking the observation with the needle, we find the north point (a right-hand dial) stand at $176\frac{1}{2}^{\circ}$; we then fix the outer circle with the vernier precisely at the same point, and then, throwing off the needle, perform all the remainder of the traverse by means of the outer circle. Hence it will be evident, then, if the outward circle is also graduated toward the right hand, that the whole course will come under the immediate operation of the "converting table," as if the work had been performed with the needle; and if

the graduation should be reversed, the "left-hand" bearings will apply accordingly, regard being had to inversion in both cases.

This instrument is also well adapted for taking the bearing of diagonal or underlaying shafts, having a lift of iron pumps; a job that has often baffled the skill and ingenuity of diallers, and occasioned numerous and most serious errors.

The operation may be performed thus:—Suppose we are in the 60 fathom level, and from thence to the 100, the shaft was sunk on the course of the lode, on an underlay of 3 feet per fathom northerly. By applying the instrument at some point in the level near the shaft (but far enough away to be free from attraction by the pumps), we find the bearing by the needle, to a point opposite the shaft, to be due west, and the vernier on the outer rim standing at 90° ; we then remove the instrument to the shaft, where the light was held, and adjust the back observation as before directed, having 90° on the outer rim, and the needle thrown off as useless, because we are now close to the pumps. A light is to be carried down the shaft as far as it can be seen, and after the graduated circle has been screwed fast, the rack is applied, and the sights turned until we cut the candle in the bottom of the shaft. This being done, we examine and read off the degree against the point of the vernier, which proves to be (say) $187\frac{3}{4}^\circ$. Now, as when the instrument stood in a due west position the outer circle stood at 90° , and in taking the bearing, it stood at $187\frac{3}{4}^\circ$, therefore, by subtract-

ing 90° from $187\frac{3}{4}^\circ$, we find the gain to the right hand of west is $97\frac{3}{4}^\circ$, and, the underlay being northerly, the true bearing of the shaft is $7\frac{3}{4}^\circ$ east of north.

The imperative call for accuracy in cases of this kind, will be seen when it is considered that the diagonal part of this shaft is upwards of 40 fathoms, and the underlay 3 feet in a fathom, consequently, the whole base is more than 20 fathoms; and an error in the bearing has the same effect on the survey as if it had been made in taking a horizontal draft of 20 fathoms long, and on which an error of 4° would throw the end of the line nearly 9 feet too far either to the right or left.

Should a dialler be called to do a job of this kind in the absence of a suitable instrument, he may accomplish it in the following manner:— Let him fix a cross-staff in such a position that, through one pair of sights, he can see the candle in the shaft, and in the line of the other pair, he has the dial fixed in the level, out of the way of the attraction; consequently, the light in the shaft, and the dial in the level, are two objects forming a right angle with his cross-staff. He then requests his assistant to look at a light held immediately over the head of his cross-staff, through the sights of the dial, and he finds this (say) 12° north of west; and as the bearing of the shaft is exactly at right angles with this line, if the underlay is northerly, the bearing of the shaft will be 12° east of north, if southerly, 12° west of south. The best cross-staffs, or instruments, for the express purpose of taking right angles, are now made of a hollow

cylindrical shape, of brass, with cuts or apertures for taking the observation; but a substitute may be used on a pinch, by drawing two lines at right angles on a board, about 6 inches square and an inch thick; let these lines be cut half an inch deep with a fine saw, and then fix it on a three-foot stand; if the lines are truly drawn and cut, this rough instrument will serve until a better one can be procured.

CONSTRUCTION.

The old method in laying down a traverse was by drawing a parallel line, and removing the protractor at every draft. The evils of this practice are too glaring to require remark.

Fix your protractor, and lay off as many drafts as will come within the convenient range of your parallel ruler; number them in order as they stand in your dialling book; remove the protractor, and lay off the first draft from the centre direct; then apply the protractor to the centre, and No. 2., and make the parallel movement until you touch the end of the last line, or No. 1., and then draw and point off the length of No. 2., and so on through all the drafts you have pointed off from the protractor.

The advantages of laying down or pointing off a number of drafts at one fixing of the protractor, and then applying them in their true length and position, is most conspicuous; and the geometrician will testify of its superiority, both as it regards accuracy and expedition.

CONVERTING TABLE.

Remarks on the following table for converting the degrees recorded in the dialling book of an underground survey into the bearings.

All practical men are aware of the difficulty, hazard, and delay, that attends an attempt to obtain the bearing of every draft underground, in a long and complicated survey. The best process is to record the degree, or angle only, at which the needle settles, and after the work is finished underground; then convert the various angles into the real bearing or true direction of each draft, and we may remark, that the bearings *must* be obtained if the work is to be mathematically proved. But as it is not an easy matter to turn a long course of dialling into the bearings, with an assurance of being correct, this table has been constructed for that express purpose; and its utility, simplicity, and perfection has been acknowledged by many practical men.

EXPLANATION.

All circumferentors (dial or miner's compass) are not graduated alike. In all cases, 360° stands at the north point, and 180° at the south; but some are figured toward the right hand, from the north point (which we call a "right-hand dial"), and others toward the left-hand, so that a "right-hand dial" has 90° at the east point, and a "left-hand dial" has 90° at the west point. This diver-

sity of graduation has often caused much perplexity and confusion among diallers. The following table is contrived to suit both sorts of instruments; and is so plainly arranged and marked, as to require but little explanation. It must be specially regarded, that the table has been constructed upon the consideration that the eye of the surveyor has been applied to the south sight or vane standing against 180° ; this must be invariably the case. Hence the north sight must always take the lead, and the young practitioner may here be told that in dialling a level and making double, or fore and back drafts, at every station, that although his eye must be placed at the *north* sight, necessarily, for the back observation, yet as the dial has not been turned, the needle will stand to the true degree for the record, and no confusion or liability to error can occur.

In converting an underground survey, or any other, from angles into bearings, it is obviously our first object to know the graduation of the instrument by which the work has been performed; and if it has been a "right-hand dial," and the first draft was on 167° , the bearing would be 13° west of south, but if it was done by a "left-hand dial" the bearing would be 13° east of south. The only thing where a liability to error at all exists in obtaining the bearings by inspection from this table, and where caution is required, is in applying the fractions of degrees when they occur in the drafts. On these occasions, observe that when the angle and bearing progress alike, as in all the left-hand side

of the column, then the fraction must be *added* to the whole number of the bearing, but otherwise, as in the right-hand side, the fraction must be *deducted* from the whole number. Lastly, the following desirable proof may be resorted to:—If the course has been correctly converted, the degree and bearing added together or subtracted from each other will make one of the following numbers:—0, 90, 180, 270, 360; and this may be done almost at a glance after the survey has been converted into bearings.

TABLE
FOR CONVERTING ANGLES INTO BEARINGS.

Rt. Hd. Dial W. of N. Lt. Hd. Dial E. of N.		Rt. Hd. Dial N. of W. Lt. Hd. Dial N. of E.		Rt. Hd. Dial S. of W. Lt. Hd. Dial S. of E.		Rt. Hd. Dial W. of S. Lt. Hd. Dial E. of S.	
Angle.	Bearing.	Angle.	Bearing.	Angle.	Bearing.	Angle.	Bearing.
1	is 1	46	is 44	91	is 1	136	is 44
2	2	47	43	92	2	137	43
3	3	48	42	93	3	138	42
4	4	49	41	94	4	139	41
5	5	50	40	95	5	140	40
6	6	51	39	96	6	141	39
7	7	52	38	97	7	142	38
8	8	53	37	98	8	143	37
9	9	54	36	99	9	144	36
10	10	55	35	100	10	145	35
11	11	56	34	101	11	146	34
12	12	57	33	102	12	147	33
13	13	58	32	103	13	148	32
14	14	59	31	104	14	149	31
15	15	60	30	105	15	150	30
16	16	61	29	106	16	151	29
17	17	62	28	107	17	152	28
18	18	63	27	108	18	153	27
19	19	64	26	109	19	154	26
20	20	65	25	110	20	155	25
21	21	66	24	111	21	156	24
22	22	67	23	112	22	157	23
23	23	68	22	113	23	158	22
24	24	69	21	114	24	159	21
25	25	70	20	115	25	160	20
26	26	71	19	116	26	161	19
27	27	72	18	117	27	162	18
28	28	73	17	118	28	163	17
29	29	74	16	119	29	164	16
30	30	75	15	120	30	165	15
31	31	76	14	121	31	166	14
32	32	77	13	122	32	167	13
33	33	78	12	123	33	168	12
34	34	79	11	124	34	169	11
35	35	80	10	125	35	170	10
36	36	81	9	126	36	171	9
37	37	82	8	127	37	172	8
38	38	83	7	128	38	173	7
39	39	84	6	129	39	174	6
40	40	85	5	130	40	175	5
41	41	86	4	131	41	176	4
42	42	87	3	132	42	177	3
43	43	88	2	133	43	178	2
44	44	89	1	134	44	179	1

TABLE

FOR CONVERTING ANGLES INTO BEARINGS.

Rt. Hd. Dial E. of S. Lt. Hd. Dial W. of S.		Rt. Hd. Dial S. of E. Lt. Hd. Dial S. of W.		Rt. Hd. Dial N. of E. Lt. Hd. Dial N. of W.		Rt. Hd. Dial E. of N. Lt. Hd. Dial W. of N.	
Angle.	Bearing.	Angle.	Bearing.	Angle.	Bearing.	Angle.	Bearing.
181	is 1	226	is 44	271	is 1	316	is 44
182	2	227	43	272	2	317	43
183	3	228	42	273	3	318	42
184	4	229	41	274	4	319	41
185	5	230	40	275	5	320	40
186	6	231	39	276	6	321	39
187	7	232	38	277	7	322	38
188	8	233	37	278	8	323	37
189	9	234	36	279	9	324	36
190	10	235	35	280	10	325	35
191	11	236	34	281	11	326	34
192	12	237	33	282	12	327	33
193	13	238	32	283	13	328	32
194	14	239	31	284	14	329	31
195	15	240	30	285	15	330	30
196	16	241	29	286	16	331	29
197	17	242	28	287	17	332	28
198	18	243	27	288	18	333	27
199	19	244	26	289	19	334	26
200	20	245	25	290	20	335	25
201	21	246	24	291	21	336	24
202	22	247	23	292	22	337	23
203	23	248	22	293	23	338	22
204	24	249	21	294	24	339	21
205	25	250	20	295	25	340	20
206	26	251	19	296	26	341	19
207	27	252	18	297	27	342	18
208	28	253	17	298	28	343	17
209	29	254	16	299	29	344	16
210	30	255	15	300	30	345	15
211	31	256	14	301	31	346	14
212	32	257	13	302	32	347	13
213	33	258	12	303	33	348	12
214	34	259	11	304	34	349	11
215	35	260	10	305	35	350	10
216	36	261	9	306	36	351	9
217	37	262	8	307	37	352	8
218	38	263	7	308	38	353	7
219	39	264	6	309	39	354	6
220	40	265	5	310	40	355	5
221	41	266	4	311	41	356	4
222	42	267	3	312	42	357	3
223	43	268	2	313	43	358	2
224	44	269	1	314	44	359	1
225	45	270 { R.H.D.E. L.H.D.W. }		315	45	360 North.	

APPLICATION OF THE CONVERTING TABLE.

Suppose the needle stood at $246\frac{1}{2}^{\circ}$, what is the bearing?

Answer $\left\{ \begin{array}{l} \text{By a right-hand dial } 23\frac{1}{2}^{\circ} \text{ South of E.} \\ \text{By a left-hand dial } 23\frac{1}{2}^{\circ} \text{ South of W.} \end{array} \right.$

It may be remarked, that the table is equally applicable for changing bearings into angles if required. For example:—An observation was made with a right-hand dial, and the bearing found to be $27^{\circ} 17'$ E. of N., at what degree did the needle point?

Ans. $332^{\circ} 43'$, and if proof is required it will be seen that the sum of these degrees and minutes is 360° .

EXAMPLE.

Convert the following angles taken with a left-hand dial into bearings:—

$210\frac{1}{4}^{\circ}$ $176\frac{1}{2}^{\circ}$ $305\frac{3}{4}^{\circ}$ $28\frac{1}{2}^{\circ}$ $107\frac{1}{8}^{\circ}$ $97\frac{3}{4}^{\circ}$

OPERATION.			PROOF.	
$210\frac{1}{4}^{\circ}$	is	$30\frac{1}{4}^{\circ}$ W. of S.	$210\frac{1}{4}^{\circ} - 30\frac{1}{4}^{\circ} =$	180°
$176\frac{1}{2}$		$3\frac{1}{2}$ E. of S.	$176\frac{1}{2} + 3\frac{1}{2} =$	180
$305\frac{3}{4}$		$35\frac{3}{4}$ N. of W.	$305\frac{3}{4} - 35\frac{3}{4} =$	270
$28\frac{1}{2}$		$28\frac{1}{2}$ E. of N.	$28\frac{1}{2} - 28\frac{1}{2} =$	0
$107\frac{1}{8}$		$17\frac{1}{8}$ S. of E.	$107\frac{1}{8} - 17\frac{1}{8} =$	90
$97\frac{3}{4}$		$7\frac{3}{4}$ S. of E.	$97\frac{3}{4} - 7\frac{3}{4} =$	90
348		12 W. of N.	$348 + 12 =$	360

EXAMPLE.

Convert the following angles taken with a right-hand dial into bearings:—

9° 45' 239° 25' 331° 12' 160° 58' 45° 6'

OPERATION.				PROOF.			
9° 45'	is	9° 45'	W. of N.	9° 45'—	9° 45'=	0°	
239 25		30 35	S. of E.	239 25 + 30 35	=	270	
331 12		28 48	E. of N.	331 12 + 28 48	=	360	
160 58		19 2	W. of S.	160 58 + 19 2	=	180	
45 6		44 54	W. of N.	44 54 + 45 6	=	90	

N.B.—In practice it would not be necessary or convenient to *state* proofs — it is introduced here for the learner's sake that he may be enabled to insure certainty in this essential matter.

In pressing on our young mining friends the advantage of adopting a perfect system, we advise that, in preparing a course of dialling for trigonometrical solution, by changing the angles into bearings, care should be taken that all the drafts should be made either to exceed 45°, or that they should all stand below, or at least not exceed that half quadrant. Our reason for being urgent on this matter is, that there may be a uniformity in placing the sides in the traverse table after the draft has been computed. And let it be particularly noticed that, if the bearings are not suffered to exceed 45°, that the *last* expression of the bearing will signify the *longest* of the two sides. That is, suppose a draft taken underground was 287½°, measuring 45 feet 8 inches; now looking at

the "converting table" we see that if this draft was taken with a "left-hand dial," that the bearing is $17\frac{1}{4}^{\circ}$ north of west (or N. of W.) and the two sides will be found by computation to be 13 feet 7 inches, and 43 feet 7 inches. Query, into what columns respectively must these numbers be placed? As the bearing was north of west, and our system states that "the last expression of the bearing will signify the longest of the two sides," consequently the longest side (43 feet 7 inches) must be placed in the "*west*" column, and 13 feet 7 inches in the north column.

If this order is followed up, it will render the working of traverses (which is the most important operation in mine surveying) a plain, pleasing, and satisfactory exercise. In this edition we would needs bring forward every thing likely to promote the advancement of the young mining officer in this paramount branch of his profession, and therefore give him to understand that, in traversing, there must be a regular course from beginning to end.

We shall make ourselves understood in this matter, by taking a case where a person makes a survey for the purpose of ascertaining the length and bearing of a level driven on an east and west lode; and, for some convenient purpose, he begins his dialling at some point about the middle of the level, and dials from thence to the eastern end; he then returns to the station or start at the middle of the level, and dials on to the western end, and thus completes the survey.

Now if he was to proceed to work the traverse

from his dialling book in this state, his results would appear as if his level was almost without length or bearing, as his eastings would be balanced by his westings, &c.

In order to go *systematically* to work in this case, his first operation must be to *reverse* the order of one or the other of the diallings; that is, if he pleases to let the first remain, which is the eastern dialling, and would accommodate the western part to suit the other, he must alter or reverse all the drafts, by converting (say) 16° south of west into 16° north of east, and so of all the rest.

In winding up this course of instruction, we will take a short survey, and go through with it at length, and the student may accompany us if he pleases; for we are still of the same opinion as when we wrote the first volume, that practical teaching is the best.

EXAMPLE.

It is required to sink a vertical shaft on the end of a level, and the diallings from the bottom of an old downright shaft are as follows:—

Surveyed with a "right-hand" dial.

No.		Length	fath. ft. in.		
			fath.	ft.	in.
1.	$356\frac{1}{4}^\circ$		18	3	0
2.	$84\frac{1}{2}$		12	1	6
3.	98		15	4	0
4.	A Winze 322° Underlay $25\frac{1}{2}^\circ$, Inclined length 11 2				
5.	$107\frac{3}{4}^\circ$	Length.	25	5	6 End.

This is the underground work, and our first

operation is to find out the underlay of the winze, in order that it may stand as a common draft in the survey.

OPERATION.

The underlay, or angle made by the dip of the winze and a vertical line, being $25\frac{1}{2}$ degrees, we find it standing in the first table against 2 feet 7 inches, showing that every fathom of the winze gives a base of 2 feet 7 inches, and the length of the winze being 11 fathom 2 feet, we multiply

$$\begin{array}{r}
 \text{ft. in.} \\
 \frac{1}{3}) \quad 2 \quad 7 \\
 \underline{\hspace{1.5cm}} \\
 11 \cdot 2 \\
 4 \quad 4 \cdot 5 \\
 \underline{\hspace{1.5cm}} \\
 10 \\
 \underline{\hspace{1.5cm}} \\
 4 \quad 5 \quad 3
 \end{array}$$

Here we find the base of the winze to be $4 \quad 5 \quad 3$ fath. ft. in.

The next thing is to refer to the converting table to reduce the drafts into bearings; taking special notice that the work was done with a right-hand dial.

We therefore find that No. 1. $356\frac{1}{4}^\circ$ is $3\frac{3}{4}^\circ$ E. of N.
 2. $84\frac{1}{2}$ - $5\frac{1}{2}$ N. of E.
 3. 98 - 8 S. of W.
 Winze 4. 322 - 28 E. of N.
 5. $107\frac{3}{4}$ - $17\frac{3}{4}$ S. of E.

Our work is now prepared for entry in the traverse table as data for trigonometrical computation.

No.	Angles and Lines.		Trigonometrical Results.			
Draft.	Bearings.	Lengths.	East.	West.	North.	South.
1	33° E. of N.	fath. ft. in. 18 3 0				
2	5½ N. of E.	12 1 6				
3	8 S. of W.	15 4 0				
4	28 E. of N.	4 5 3				
5	17½ S. of E.	25 5 6				

The above is the table with the bearings and lengths of the drafts entered in order for receiving the trigonometrical results in their proper and respective columns, and that every thing may be clear to the learner we shall let this table remain as it is, and make a similar one, in which the computations are entered, and proceed to take out the tabular numbers from the first mathematical table, and multiply them by their respective lengths.

FIRST DRAFT.

	ft. in.		ft. in.
∠ 33° Tabular	0 4·7	Tabular	5 11·85
	6		6
	2 2·2		35 11·10
	3		3
	6 6·6		107 9·30
	2·3		2 11·92
6 8·9 Easting.		110 9·2 Northing.	

Now the sides of the triangle formed by the first draft are ready to be transferred to the east and north columns of the traverse table.

SECOND DRAFT.

	ft. in.		ft. in.
$\angle 5\frac{1}{2}^\circ$ Tabular	0 6.9	Tabular	5 11.67
	<u>12.4</u>		<u>12.4</u>
	6 10.8		71 7.92
	1.7		1 11.42
	<u>7 0.5</u> Northing.		<u>73 7.3</u> Easting.

When the bearing does not diverge much from the cardinal point, there is but little difference between the length of the hypotenuse and the longest of the legs, as in the right-hand sides of the above two drafts.

THIRD DRAFT.

	ft. in.		ft. in.
$\angle 8^\circ$ Tabular	0 10.02	Tabular	5 11.3
	<u>8</u>		<u>8</u>
	6 8.16		47 6.4
	<u>2</u>		<u>2</u>
	13 4.32		95 0.8
	3.31		1 11.8
	<u>13 1.0</u> Southing.		<u>93 1.0</u> Westing.

The length of the draft being 15 fathom 4 feet, we have multiplied by 16, and deducted $\frac{1}{3}$ as the shortest method.

FOURTH DRAFT, OR BASE OF WINZE.

	ft. in.	in.		ft. in.	in.
$\angle 28^\circ$ Tabular	2 9.8	or 31.8	Tabular	5 3.6	or 63.6
		<u>5</u>			<u>5</u>
		169.0			318.0
		<u>4.2</u>			<u>7.9</u>
	12)164.8			12)310.1	
	<u>13.8.8</u> Easting.			<u>25.10.1</u> Northing.	

In the above, it will be seen that we have thrown the tabular length into *inches* and parts, and the practitioner will find this, in general, the easiest way of calculating.

FIFTH DRAFT.

	ft. in.	in	ft. in.	in.
$\angle 17\frac{3}{4}^\circ$ Tabular	1 10·0	or 22·0	Tabular	5 8·6 or 68·6
		26		26
		<u>132</u>		<u>411·6</u>
		44		1372
		<u>572·0</u>		<u>1783·6</u>
		1·8		5·7
	12)	<u>570·2</u>	12)	<u>1777·9</u>
		<u>47·6·2</u> Southing.		<u>148·1·9</u> Easting.

Now the computations are ready for entry in the following table.

No.	Angles and Lines.		Trigonometrical Results.			
	Bearings.	Lengths.	East.	West.	North.	South.
		fath. ft. in	ft. in.	ft. in.	ft. in.	ft. in.
1	$3\frac{3}{4}^\circ$ E. of N.	18 3 0	6 8·9	- -	110 9·2	
2	$5\frac{1}{2}^\circ$ N. of E.	12 1 6	73 7·3	- -	7 0·5	
3	8 S. of W.	15 4 0	- -	93 1·0	- -	13 1·0
4	28 E. of N.	4 5 3	13 8·8	- -	25 10·1	
5	$17\frac{3}{4}^\circ$ S. of E.	25 5 6	148 1·9	- -	- -	47 6·2
			<u>242 2·9</u>	93 1·0	143 7·8	60 7·2
			93 1·0		60 7·2	
			149 1·9 Easting.		83 0·6 Northing.	

Now we might proceed to lay down the position or place of our new vertical shaft at the surface without any further operation. For by measuring off from the centre of the old shaft at surface 149 feet 2 inches, due east, and from the end of that line measuring 83 feet due north, would bring us exactly over the end of the fifth or last draft, where

the shaft is to come down, but we would work out the direct length and bearing also, as before described, and apply it.

PROBLEM.

At the celebrated South Caradon Copper Mine a new vertical shaft was commenced in the early part of 1842, which is intended to intersect the main lode at the depth of 100 fathoms below the adit level, which is about 40 fathoms from surface in the vicinity of the new shaft. From a point in this level, a drift or cross-cut has been begun, and designed to be driven in a direct line to the centre of the new shaft, and from thence to rise against it, if necessary; and the aim and object of the survey is to ascertain the exact length and bearing of the said cross-cut, as every proper means have been adopted to certify that it has been commenced at the nearest point to the shaft.

The following is the whole course of dialling in its most simplified form, with the irregular surface lines reduced to horizontal measure, the angle of every draft converted into bearing, and the whole given in complete order for working the traverse without any preliminary preparation. The draft standing on the top of 934 feet is from the centre of the new shaft at surface to a line hung in the old engine shaft, which is also vertical to the adit, and the next draft is taken from that line in the adit and continued to the end of the 34th draft,

through the same level, where the cross-cut commences.

It is also required to furnish the *bearing* of the lode from the 3d to the 34th draft inclusive.

REMARKS.

As this course of dialling has been rendered so plain, there appears to be no occasion to introduce a double entry of it, as the field and underground work is sufficiently manifest in the first three columns of the following table, in combination with the trigonometrical operation. It may be satisfactory to the student to be informed that this work has been accomplished and proved to be perfectly correct. The cross-cut was driven all the way (50 fathoms) through a hard granite country, at nearly 1000*l.* cost, and occupied full two years of uninterrupted labour.

COMPUTATION.

No.	ANGLES AND LINES.		TRIGONOMETRICAL RESULTS.							
Drafts.	Bearings.	Lengths.	East.		West.		North.		South.	
	From new Shaft to Engine Shaft.	ft. in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.
	14° 18' S. of W.	934 0	-	-	905	0·7	-	-	230	8·3
1	13½ S. of E.	30 0	29	0·7	-	-	-	-	7	1·6
2	4½ E. of S.	30 6	2	6·3	-	-	-	-	30	4·8
	On course of lode.									
3	5½ S. of E.	28 6	28	4·5	-	-	-	-	2	8·8
4	4 N. of E.	42 6	42	4·7	-	-	2	11·6		
5	16 S. of E.	30 8	29	5·8	-	-	-	-	8	5·4
6	2½ do.	32 0	31	11·7	-	-	-	-	1	4·7
7	18½ do.	29 2	27	8·9	-	-	-	-	9	1·6
8	4½ do.	18 0	17	11·5	-	-	-	-	1	4·0
9	3½ N. of E.	36 0	35	10·2	-	-	2	2·4		
10	13 S. of E.	17 0	16	6·8	-	-	-	-	3	9·9
11	19½ do.	26 6	24	11·2	-	-	-	-	8	11·4
12	14 do.	22 7	21	11·0	-	-	-	-	5	5·6
13	15 do.	36 3	35	0·1	-	-	-	-	9	4·6
14	1 do.	46 6	46	5·9	-	-	-	-	0	9·8
15	17 N. of E.	41 3	39	5·4	-	-	12	0·7		
16	4 do.	11 2	11	1·7	-	-	0	9·3		
17	21½ do.	12 8	11	9·4	-	-	4	7·7		
18	1 do.	27 0	27	0·0	-	-	0	5·7		
19	2 do.	38 8	38	7·7	-	-	1	4·2		
20	1 S. of E.	18 0	18	0·0	-	-	-	-	0	3·8
21	20 do.	12 6	11	8·9	-	-	-	-	4	3·4
22	7 do.	11 6	11	5·0	-	-	-	-	1	4·8
23	1 do.	25 8	25	8·0	-	-	-	-	0	5·3
24	4 N. of E.	31 6	31	5·1	-	-	2	2·3		
25	13 S. of E.	34 6	33	7·4	-	-	-	-	7	9·1
26	1 N. of E.	18 8	18	8·0	-	-	0	3·9		
27	5 do.	28 0	27	10·7	-	-	2	5·3		
28	8 S. of E.	65 0	64	4·4	-	-	-	-	9	0·6
29	2 do.	36 6	36	0·4	-	-	-	-	1	8·3
30	5 do.	18 0	17	11·2	-	-	-	-	1	6·8
31	6½ N. of E.	24 8	24	6·0	-	-	2	9·5		
32	1 do.	12 3	12	3·0	-	-	0	2·6		
33	18 do.	29 6	28	0·7	-	-	9	1·4		
34	12 do.	20 1	19	7·8	-	-	4	2·1		
			899	6·1	905	0·7	45	8·7	345	9·6
					899	6·1			45	8·7
			Westing		5	4·6	Southing		300	1·9

Then by the foregoing method of proceeding, the required answers will be found as follows:—

Length of cross-cut from adit to centre of shaft, 300 feet 2 inches.

Bearing of cross-cut $1^{\circ} 2'$ west of north.

Bearing of lode from 3d to 34th draft, inclusive, $2\frac{1}{8}^{\circ}$ south of east.

PROBLEM.

A lode was opened on the back by costeening in several places, and its course, by compass, found to be $10\frac{1}{2}^{\circ}$ south of east; but this was on the ascent of a steep hill whose angle of elevation was $16\frac{1}{2}^{\circ}$, and the lode underlaying northerly three feet in a perpendicular fathom.

Query. What is the true bearing or course of the lode? and what would be the amount of error in carrying on the line 600 fathoms (horizontal measure) supposing the run of the back of the lode on the ascent had been taken, by mistake, instead of the true horizontal course?

OPERATION.

We find in the first table that $16\frac{1}{2}^{\circ}$ of elevation gives 1 ft. 8·45 in. perpendicular, and 5 ft. 9·04 in. base for the corresponding sides of the triangle.

ft.	ft.	ft. in.
Hence If 6 perp. gives	3 underlay, what will	1 8·45 give?
<u>12</u>	<u>12</u>	<u>12</u>
72	36	20·45
		36
		72)736·20(10·2

Showing that the underlay of the lode carries the line $10\frac{1}{2}$ inches further north than the line taken at the surface (or bearing) on every horizontal line of 5 ft. 9·04 in. Therefore we have the two sides of a right-angled triangle 5 ft. 9·04 in. and 10·2 in., and the angle opposite the shortest side will be the amount of the angle of error.

ft.	in.	in.	feet.
As 5	9·04	:	10·2
12	:	:	6
<hr style="width: 50px; margin: 0 auto;"/>			<hr style="width: 50px; margin: 0 auto;"/>
69·04			12
			<hr style="width: 50px; margin: 0 auto;"/>
			72
			<hr style="width: 50px; margin: 0 auto;"/>
			10·2 in.
			<hr style="width: 50px; margin: 0 auto;"/>
			69·04)734·4(10·63

By inspection of the 2d table we find the nearest next less angle standing opposite this number (10·63 in.) is $8^{\circ} 15'$, giving 10·44 in.; and as the difference between this and the next greater ($8\frac{1}{2}$) is ·32, and the difference between 10·63 in. and 10·44 in. is ·19, we say,

$$\text{As } \cdot 32 \text{ is to } \cdot 19, \text{ so is } 15' = 9'.$$

And 9' added to $8^{\circ} 15'$ gives $8^{\circ} 24'$ for the angle of error; and by deducting this angle of error (if it may be so called) from the course of the lode on the inclined surface ($10\frac{1}{2}$ south of east), we have $2^{\circ} 6'$ south of east for the true bearing of the lode; and as the error is 10·64 in. in a horizontal fathom, this number multiplied by 600, gives 6384·00 inches, or $88\frac{2}{3}$ fathoms, too far south, on a line of 600 fathoms.

REMARKS.

We beg to call the particular attention of our young mine agents to this case. The vast sums of money expended every year in this county, in costeening or right-angle open cuttings at the surface in searching for lodes, is well known to practical men; and probably there is no branch of mining in which there is a greater waste of time and money. Workmen are often put to costeen at random, when a scientific survey might have put them in a position for opening the lode in a few hours which has occupied them for weeks or months, and at the last all their labours fraught with doubt and uncertainty; but these are not the worst consequences arising from ignorance or inattention to this subject. I know a rich mine in this county, where the angle of ascent was made in error, and carried on to find the lode in the adjoining set, and the effect was, that they pitched to cut the lode in the new set nearly 200 fathoms out of the line; and they have been driving now nearly five years through a hard country at a cost of some thousands of pounds, and have not yet cut the lode! Volumes might be written on the errors that have taken place from this source; and probably there is not a man of experience to be found but what can confirm the report with his testimony.

PROBLEM.

In a 20 fathom level driving on an east and west lode, underlaying north, a winze has been

commenced bearing due north, and it is determined to pitch a rise against it in the 40 fathom level (the 30 fathom level not having been driven far enough east to rise from). The following is a statement of the dialling from the middle of the above winze, in the twenty, through the level west towards another winze sunk to the 30 fathom level.

No.		ft.	in.	No.		ft.	in.
1	$282\frac{1}{4}^{\circ}$	59	10	3	$264\frac{1}{2}^{\circ}$	33	4
2	286°	61	8	4	$260\frac{1}{4}^{\circ}$	77	3

This brings us to the brace of the winze communicating with the 30 fathom level, which we may call No 5., its diagonal length 65 feet, underlay, $22\frac{1}{8}$ degrees; bearing, $9\frac{1}{4}^{\circ}$ east of north. From the foot of this winze in the 30, the dialling is continued westerly to another winze communicating with the 40 fathom level; viz.

No.		ft.	in.
6	$272\frac{1}{2}^{\circ}$	60	9
7	256°	52	0
8	$287\frac{1}{4}^{\circ}$	45	8

We now arrive at the brace of the winze to the 40 which we call No. 9.,—length, 70 ft. 6 in.; underlay, $31\frac{1}{2}^{\circ}$; bearing, 4° west of north. From the bottom of this winze in the 40, the course turns easterly, and is continued in that direction; viz.

No.		ft.	in.	No.		ft.	in.
10	83°	85	4	13	90°	77	6
11	77°	28	5	14	$92\frac{1}{2}^{\circ}$	23	8
12	$104\frac{1}{4}^{\circ}$	76	0	15	99°	107	2

At the end of this 15th draft we place an assumed mark in the back of the 40 fathom level.

Question. It is requested to know how far we must measure east or west from this mark in order to arrive at the exact point for rising against the winze sinking from the 20 fathom level? also what will be the average underlay at that place, and what will be the length of the winze from the 20 to the 40 fathom level?

COMPUTATION.

(SURVEYED WITH A LEFT-HAND DIAL.)

No.	Angles and Lines.			Trigonometrical Results.				
Draft.	Degree.	Bearing.	Length.	East.	West.	North.	South.	
			ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	
1	282½	12½° N. of W.	59 10	-	58 6	12 8	-	
2	286	16 N. of W.	61 8	-	59 3	17 0	-	
3	264½	5½ S. of W.	33 4	-	33 2	-	3 2	
4	260½	9½ S. of W.	77 3	-	76 2	-	13 1	
5	Winze	9½ E. of N.	24 10	4 0	-	24 6	-	
6	272½	2½ N. of W.	60 9	-	60 8	2 8	-	
7	256	14 S. of W.	52 0	-	50 6	-	12 7	
8	287½	17½ N. of W.	45 8	-	43 7	13 7	-	
9	Winze	4 W. of N.	36 10	-	2 7	36 9	-	
10	83	7 N. of E.	85 4	84 8	-	10 4	-	
11	77	13 N. of E.	28 5	27 8	-	6 5	-	
12	104½	14½ S. of E.	76 0	73 8	-	-	18 9	
13	90	East	77 6	77 6	-	-	-	
14	92½	2½ S. of E.	23 8	23 8	-	-	1 0	
15	99	9 S. of E.	107 2	105 10	-	-	16 9	
				397 0	384 5	123 11	65 4	
				384 5		65 4		
Easting				12 7	Northing	58 7		

Now we discover, by the foregoing calculation, that our assumed mark in the 40 fathom level is 12 feet 7 inches *too far east* for the central point of

the rise against the winze sinking from the twenty, and which was the paramount object required.

NOTE. — As the last draft (reversed) is 9° N. of W., in order to be quite accurate, it will require us to measure 12 feet 9 inches back through the level to make good 12 feet 7 inches westing, and this will give 1 foot 10 inches more of base or northing, which, added to 58 feet 7 inches, the underlay shown, by the column of northing will give the answer to the question, 60 feet 5 inches for the whole underlay.

The first operation in working this problem is to find the base and perpendicular of the two winzes, numbers 5. and 9., and their respective bases form the operative lines in the above traverse.

	ft.	in.		ft.	in.
Winze No. 5. gave	24	10	base, and	60	1
					perpendicular.

Winze No. 9. gave	36	10	base, and	60	1
					perpendicular.

Now the vertical depth being $120\ 2$, and the base or northing 60 feet 5 inches, we have thus the two sides of a right-angled triangle to find the hypotenuse and dip or angle of declination, which on trial will be found—

Hypotenuse, or length of winze, 134 feet.

Angle, or underlay of winze, $26\frac{1}{4}$ degrees.

PROBLEM.

A tunnel has been commenced at the foot of a hill, and is intended to be driven through it.

The bearing from the above point, or the course of the tunnel, is to be due east, and it is required to know the exact corresponding point on the other side of the hill, in order to set another company of men to drive a *dead* level to meet the drivings that are progressing from the west side.

The length of the tunnel is also required.

The following is the survey from the first point:—

No. 1	Elevation	14°	Length	ft.
2	—	12 $\frac{1}{4}$	—	26
3	—	11	—	17
4	—	18 $\frac{1}{2}$	—	90
5	—	10	—	60
6	—	7 $\frac{1}{8}$	—	119
7	Horizontal	0	—	29
8	Depression	5 $\frac{3}{4}$	—	28
9	—	16	—	230

Judging that we have now arrived somewhere near the level or horizontal plane of the start, or that our “depressions” have made good our “elevations,” we place an assumed mark at the end of the last or 9th draft, and retire to work out our lines and angles by trigonometry.

OPERATION.

				PERP.	BASE.
No. 1	Elevation	14°	Length	4 2	Tabulars
			fath. ft.	ft. in.	ft. in.
				1 5·4	5 9·9
				4 $\frac{1}{3}$	4 $\frac{1}{3}$
				5 9·6	23 3·6
				5·8	1 11·3
				6 3·4	25 2·4

Thus we find the 1st draft gives a rise or elevation of 6 feet 3·4 inches, and base or horizontal length 25 feet 2·9 inches; and proceeding in the same manner with all the drafts, and finding the difference between the elevations and depressions,

we shall obtain true data for correcting our assumed mark, and replacing it in its proper position.

No.		Elevation.			Horizontal.	
		ft.	in.		ft.	in.
1	gives	6	3·4	and	25	2·9
2		5	6·2		25	4·9
3		3	2·9		16	8·3
4		28	6·0		85	4·0
5		10	5·0		59	0·1
6		14	8·5		118	1·0
		<u>68</u>	<u>8·0</u>			
7					29	0·0
		Depression.				
8	gives	2	8·2		27	10·5
9		63	3·8		220	3·0
		<u>66</u>	<u>0·0</u>		<u>606</u>	<u>10·7</u>

Now as the depressions are 2 feet 8 inches less than the elevations, it demonstrates that our assumed mark is 2 feet 8 inches too high, and as the declination of the ground from the last draft eastward continues on the same angle of depression of 16 degrees, we have perpendicular 2 feet 8 inches and angle 16° to find the corresponding hypotenuse and base; and by inspection of the 2d table we see that the "tabulars" opposite 16° are 1 foot 8·6 inches, and 6 feet 2·9 inches hypotenuse.

Therefore, if 1 foot 8·6 inches gives 6 feet 2·9 inches, what will 2 feet 8 inches give?

Which will be found to give 9 feet 8 inches of hypotenuse.

And by the 1st table it will be found that 9 feet

8 inches of hypotenuse on an angle of 16° will give for the longest side, or base, 9 feet 4 inches.

ADJUSTMENT.

By removing the assumed mark 9 feet 8 inches, due east on the slope, we fix on the exact spot for commencing the eastern end of the tunnel, and we need hardly observe, that the two extreme marks mean the bottom or floor of the tunnel.

Then by adding the base, 9 feet 4 inches, made by the corrections to the sum of the horizontals, 606 feet 10·7 inches, we have just 616 feet 3 inches for the length of the tunnel.

NOTE.—Should it be required to put down vertical shafts on the tunnel, the foregoing computations reveal what their depths would be respectively at all parts of the tunnel, and the deepest shaft would be 11 fathoms 2 feet 8 inches at the end of the 6th draft, and 55 fathoms from the western mouth of the tunnel.

PROBLEM.

It is intended to sink a shaft on the end of a level driven from Pendarves' shaft, and the following is the survey from the centre of Pendarves' shaft to the end of the level; viz.

No.		ft.	in.	No.		ft.	in.
1	3° W. of N.	45	0	6	$63\frac{3}{4}^\circ$ S. of E.	27	0
2	$7\frac{1}{4}$ N. of E.	24	6	7	15° S. of E.	16	5
3	$8\frac{1}{2}$ N. of E.	18	0	8	5° N. of E.	21	0
4	East	49	1	9	$12\frac{1}{2}$ N. of E.	14	7
5	12° S. of E.	30	0	10	9° W. of N.	28	0

As profound accuracy is required in this case (it being intended to facilitate the work by rising

against the new shaft from the end of the level), a reverse or proof course of dialling has been made from the end back to the centre of Pendarves' shaft; viz.

No.		ft.	in.	No.		ft.	in.
1	$81\frac{1}{2}^{\circ}$ E. of S.	26	10	6	$11\frac{1}{4}^{\circ}$ S. of W.	44	0
2	11° S. of W.	15	0	7	7° S. of W.	26	0
3	$42\frac{3}{4}^{\circ}$ S. of W.	19	6	8	$92\frac{3}{4}^{\circ}$ S. of W.	22	8
4	$13\frac{1}{4}^{\circ}$ N. of W.	20	0	9	$2\frac{1}{4}^{\circ}$ E. of S.	43	10
5	$9\frac{1}{2}^{\circ}$ N. of W.	52	3				

It is now required to know if there is an exact agreement between these two surveys, or fore and back diallings (or what is the difference between them), and if so, what is the length and bearing from the centre of Pendarves' shaft, at the surface, to the point exactly over the end of the level where the centre of the new shaft must be fixed?

OPERATION.

FROM PENDARVES' SHAFT TO EASTERN END.

No.		ANGLES AND LINES.		TRIGONOMETRICAL RESULTS.			
Drafts.	Bearings.	Lengths.		East.	West.	North.	South.
		ft.	in.	ft. in.	ft. in.	ft. in.	ft. in.
1	3° W. of N.	45	0	- -	2 4.2	44 11.2	- -
2	$7\frac{1}{2}^{\circ}$ N. of E.	24	6	24 3.7	- -	3 1.1	- -
3	$8\frac{1}{2}^{\circ}$ N. of E.	18	0	17 9.6	- -	2 7.9	- -
4	East	49	1	49 1.0	- -	- -	- -
5	12° S. of E.	30	0	29 4.1	- -	- -	6 2.8
6	$6\frac{1}{2}^{\circ}$ S. of E.	27	0	26 9.8	- -	- -	3 2.1
7	15° S. of E.	16	5	15 10.3	- -	- -	4 3.0
8	5° N. of E.	21	0	20 11.0	- -	1 10.0	- -
9	$12\frac{1}{2}^{\circ}$ N. of E.	14	7	14 3.0	- -	3 1.1	- -
10	9° W. of N.	28	0	- -	4 4.6	27 7.9	- -
				198 4.5	6 8.8	83 3.2	13 7.9
				6 8.8		13 7.9	
Easting				191 7.7	Northings	69 7.3	

FROM EASTERN END TO PENDARVES' SHAFT.

No.		ANGLES AND LINES.		TRIGONOMETRICAL RESULTS.			
Drafts.	Bearings.	Lengths.		East.	West.	North.	South.
		ft.	in.	ft. in.	ft. in.	ft. in.	ft. in.
1	8 $\frac{1}{2}$ ° S. of E.	26	10	3 11·6	- -	- -	26 6·5
2	11° S. of W.	15	0	- -	14 8·7	- -	2 10·3
3	4 $\frac{1}{2}$ S. of W.	19	6	- -	19 5·2	- -	1 7·4
4	13 $\frac{1}{2}$ N. of W.	20	0	- -	19 5·6	4 7·0	- -
5	9 $\frac{1}{2}$ N. of W.	52	3	- -	51 6·5	8 7·5	- -
6	1 $\frac{1}{4}$ S. of W.	44	0	- -	43 11·9	- -	0 11·5
7	7 S. of W.	26	0	- -	25 9·7	- -	3 2·0
8	9 $\frac{1}{2}$ S. of W.	22	8	- -	22 4·1	- -	3 10·1
9	2 $\frac{1}{4}$ E. of S.	43	10	1 8·6	- -	- -	43 9·6
				5 8·2	197 3·7	13 25	82 9·4
					5 8·2		13 2·5
				Westing	191 7·5	outhi ng	69 6·9

Now we find that as the westing and southing of the back dialling corresponds with the easting and northing of the direct dialling to the fraction of an inch, it amounts to a mathematical demonstration of the perfection of the underground survey. It now only remains for us to obtain the hypotenuse and angle opposite the base of the two given sides of the triangle formed by the easting 191 feet 7 $\frac{3}{4}$ inches, and northing 69 feet 7 inches, which will be found to give—

Length (from centre of Pendarves' shaft to point over end), 203 feet 11 $\frac{1}{4}$ inches.

Bearing, 20 degrees north of east.

N.B.—After this length and bearing has been applied at the surface, and the point fixed for the centre of the new shaft, an infallible and desirable proof that this last and important work has been

done correctly may be obtained by availing ourselves of the ready means placed within our reach by the cardinal points or sides of the great triangle. Thus, by measuring off from the centre of Pendarves' shaft 191 feet $7\frac{3}{4}$ inches due east, and then from the end of that line 69 feet 7 inches due north, the end will fall exactly on the point fixed at the end of the line 203 feet $11\frac{1}{4}$ inches on the bearing of 20 degrees north of east, if the whole has been done correctly.

PLANS AND SECTIONS OF MINES.

PERSONS who have not had practical experience in mining often acknowledge that they find great difficulty in comprehending the plans and sections of a mine, or of having a true idea of the workings from an inspection of the drawings. This obscurity may be occasioned from an imperfection in the plans; for if they have been executed under a good *system*, it can hardly fail to exhibit clearly every part of the workings, and, indeed, if the diagrams have not been executed perfectly, and according to rule and order, even miners themselves cannot comprehend them. It requires four distinct mathematical or geometrical drawings to represent a mine, which we will briefly notice under each head; and we may observe, as we pass on, that the common cause of people in general not understanding the plans is because they expect to know too much from one single drawing. Every separate plan exhibits both a true and false view of some parts of the mine; and the knowledge necessary for the observer is, what parts of the workings it is that each drawing furnishes a true delineation of.

With this introduction we proceed to state that the set of drawings may be described thus:—

1. Ground plan.
2. Horizontal or working plan.
3. Longitudinal section.
4. Transverse section.

And taking them in the order in which they have been placed, we begin with—

(1.) THE GROUND PLAN.

This is, in the main, a general survey of the whole set, or land granted to the adventures for the purpose of mining. This plan may be on a scale of three or four chains to an inch; and every lord or landowner's bounds should be distinctly marked on this map.

All the lodes are laid down with their true position and course on this plan, as far as they can be ascertained; and we may remark, that this survey should be made at the outset or plant of a mine, and before any thing has been determined as to the position of an engine shaft, or any other important work, so that the manager may have the benefit of this map, with the lodes, cross courses, and every necessary thing faithfully delineated thereon, to assist his judgment in forming the most judicious arrangement for future operations. For want of this precaution, how often is it that shafts have been sunk in improper places, to the endless disadvantage of the company; and sometimes they have been abandoned and new shafts sunk, at a fearful loss of time and money! In fact, we believe there are but few mines where the conductors have not had cause to regret,

ultimately, that they had not taken another position for sinking the principal shafts, and which might have been known, at the outset, if the necessary steps had been pursued.

On this map it should be particularly pointed out if there is any intervening ground on the course of the lodes, that has not been legally granted, so that proper applications may be made in due time, and not leave it until the workings have been commenced, and good discoveries made, and then this landowner, taking advantage of the neglect or oversight, demanding an unreasonable premium and dues for his land, or prohibiting us from driving an inch under it, on pain of knocking us to pieces with the powerful arm of the lord warden of the stannaries.

Among the many inconveniences that have arisen from this cause, I select one that occurred in this neighbourhood some eight or nine years ago. A silver mine called Wheal Sisters, in the parish of Calstock, was in full work, and just at the zenith of her glory. Every body concerned with the mine, in the shape of London directors, local directors, managers, secretaries, agents, shareholders, &c., thought assuredly (if they ever thought at all) that all the land in the set belonged to the duchy of Cornwall, for no survey such as we have been speaking of had ever been made. But it so turned out, that a field under which the levels had just been driven was *freehold*! And what was the consequence? Why forth came the proprietor in the person of Michael Williams,

Esq., of Scorrier House, and says, "Stop!" Well, but she did not stop then; no, she went on faintly, but in an expiring state, after exhausting her resources in paying the peremptory demand of Mr. Williams. How much was that? Exactly 50000l.! Yes, and that gentleman was paid every shilling of it; and I believe not 10l. of silver ore was broken in his ground afterward. And let it be known, this enormous sum was for the *dues* only; the little field is still the property of its original owner. This affair is well known, and is calculated to put parties on their guard respecting their mining rights and liabilities. So much for the map of the set or ground plan.

(2.) HORIZONTAL OR WORKING PLAN.

This is the miner's plan, his chart, his guide, his right hand. Whoever attempts to conduct the operations of a mine without a perfect working plan, is unfit for his office. The very circumstance of his supposing himself capable of doing so, is a certain proof of his ignorance.

This plan gives, what surveyors call, "a bird's eye view" of the mine; or let us suppose that the ground was transparent, and by walking over every part at the surface we could look down and distinctly see all the workings.

A person who never saw a mine will understand from this view that he could distinguish the course of the levels in all their turns and windings, and,

as respects all the "horizontal" drivings, he would have a *true* view of them; but these drivings are the *only* thing that he would obtain a true view of in this plan.

Keeping his position in view, he hardly requires to be told, that he can only see the brace or mouth or base of all the vertical or downright shafts, even if they were 200 fathoms deep.

As for the diagonal shafts or winzes (which are small ventilating shafts sunk on the declination of the lode from level to level), he would only see the "underlay" of them, or the distance that they diverge from a perpendicular line. As lodes, almost if not altogether without an exception, have a dip or declination, called by miners "underlay," it follows that the levels are generally removed away from the vertical line, and not concealed one by another, although this is sometimes partially the case when there is a reverse or change of underlay. In addressing myself to the miner, in reply to his question or inquiry respecting the best method of constructing and keeping up a working plan, I will endeavour to explain the system I always adopt, and which I believe is the best, at least I have found it so, after thirty years' experience. Let the scale be five fathoms to an inch. Before you begin to lay down any part of the workings, draw faint lines throughout the whole length and breadth of your sheet of drawing paper at right angles, forming two-inch squares; these lines will be your cardinal points. If your lode bears east and west, the longest way of the paper

will of course be appropriated for that bearing. These lines are always to remain; and as they are to be single, and fine, and the course of your levels drawn with double lines, they will not in the least confuse, especially as your levels must be distinctly and variously coloured between the double lines (which represent the breadth of the level), so that every level, with all its drifts and connections, may be distinguished in a moment or two, however numerous or complicated your levels and drivings may be. One grand advantage of these cardinal cross lines is, that every intersection forms a proper and suitable point for laying on the centre of the double-limb protractor, or any other, on all occasions, so that in keeping up the plan or laying down any additional drafts, there is always a point close at hand for the protractor, without the inconvenience and risk of bringing on a north and south line, for the purpose, from a distant part of the paper. Another convenience of these lines is, that the bearing of the lode, or any part of it, may, by their help, be obtained in a few seconds; for instance, as every side of one of the squares gives 10 fathoms, when a level has been laid down, we can, by inspection, see very nearly (and by the application of a scale exactly) what it has diverged to the right or left from the main course, and if we find it to be (say) 125 fathoms east, and $19\frac{1}{2}$ fathoms north, the tables will tell us that the bearing is $8^{\circ} 50'$ north of east; and, by the same means, we may always check or prove the truth of the plan or the construction by trigonometrical

computation, and which should always be done before the plan is relied on, or pronounced perfect.

This plan, proved and well kept up, becomes invaluable to the mine agent. Does he want to sink a winze in one level and rise against it in another? Every thing he can wish for is before his eyes. The two corresponding points for the sink and rise, the amount of underlay, the bearing, the length of the winze and its vertical depth, are all embodied in the plan. Has the lode split, and have the workmen driven on the wrong branch? look at the plan, and compare notes with the general bearings, and the course to be adopted will be apparent. I have known a case where the plan betokened that a mis-driving had taken place in a level, but the agent persisted that the driving was right in spite of the plan; however the manager, having more confidence in *computation* than in *conceit*, was convinced by the indications of the plan that they were gone off the main branch, and ordered them immediately to "turn house," or cut north at right angles: this was done, and in driving two fathoms, the main lode was discovered with a large and rich course of copper ore.

(3.) LONGITUDINAL SECTION.

This drawing supposes that a section of the ground has been cut away, and that a side view of the mine is exposed. If it is an east and west run, the observer is placed at the south of the mine, and taking a panoramic north view of all the excavations.

In this position he will have a perfect sight of all the vertical shafts, and a general view of the stopes, or ore ground broken away between the levels, also the dip of the courses of ore may be portrayed and distinguished, and the surface line of the country, with a perspective view of the buildings and machinery, may be seen or exhibited fairly by this section. But the levels, diagonal shafts, cross-cuts, and winzes, will have a false or imperfect appearance here. For instance, the levels will *appear* to be perfectly straight, however serpentine or crooked their course may be. The diagonal shafts and winzes will appear to be perpendicular, because their dip is in the line of the inspector's eye ; and as an *end* view will be taken of the north and south cross-cuts, the extent of these drivings will not be seen.

The only real benefit of this section to the miner is, that it may be so contrived as to show the dip, or inclination, or declination, of the bunches or courses of ore, and this circumstance he may turn greatly to his advantage in working the mine. For example, suppose in driving the 50 fathom level, going east, we cut into a course of ore, and it lasted 25 fathoms in length ; let these two points of the "coming in" and "going out" of the course of ore be correctly marked in this 50 fathom level of this section.

In the 60 fathom level, or next level below, the same course of ore was cut 4 fathoms farther west than it was in the 50, and the course of ore at this level proved to be 28 fathoms long. Let these

points also be marked on the section, and as there is a general regularity in the dip of ores, the agent is now in possession of a clue, whereby he may form a reasonable judgment at what place the course of ore will come in at the 70 fathom level, or levels still deeper, and also at what point it will fail in driving east, hence he will be better qualified for setting tribute with the help of this section than if he had no such guide. The longitudinal sketches that are usually shown in mines, with a pell-mell blotch of the stopes, and, as we have shown, the false view of the levels, diagonals, and winzes, are useless to the miner, and deceptive to the stranger.

(4.) TRANSVERSE SECTION.

Here the view is taken at one end of the workings. Suppose again the drivings to be east and west, and the dip of the lode northerly, the observer is placed at the west end, with his face easterly. Now, for the first time, he will have a fair view of the declination of the shafts and winzes that have been sunk on the course of the lode, and thereby he will see all the dip and variations of the lode from the surface to the bottom of the mine. Here he will see the northing and southing made by the cross-cuts, and if a vertical shaft is in sinking to take the lode at a certain depth, the point of intersection will be apparent to his view. Respecting the levels driven on the course of the lode, he will only see their western end. If there has been no diagonal shaft, but the mine has been worked by a downright

sump or engine-shaft, this section will exhibit a regular and correct view of all the drifts or cross-cuts, from the shaft to the lode, and from this data, or the extreme ends of the cross-cuts, the declination of the lode will be conspicuous. The transverse view of the surface line will finish all that can be fairly seen by this drawing.

OBSERVATIONS.

After such a detail we think there will be no occasion for "summing up," or repeating to the inquisitive stranger, or adventurer, what may be seen, and what may not be seen, on each and every drawing. To the practical man, or with him, we may converse of the best and readiest means of making these drawings. Let us suppose the horizontal or working plan to be drawn and executed, and proved in a correct and masterly manner, and all the vertical shafts truly *dropped* or measured. We are then in possession of every thing necessary for drawing the two sections without going out of the office; for by parallels, or a drawing board and slides, all the shafts, winzes, &c., may be transferred from the plan to the paper prepared for the sections, with despatch and accuracy. True, we may have recourse to the dialling book for the position, length, height, and depth of the stopes and sinks; and if a perspective drawing of that part of the set where the buildings are placed should be required, a sketch must be made for that purpose.

To the learner we would observe, that, if he is about to survey a mine and draw a working plan,

let him lay down his shallow adit, or the upper levels, first, and the others in succession; because, wherever any *crossings* take place, or one level or draft passes immediately under another, the upper level must be entire or unbroken, and the under level will not be shown, as a matter of course, being necessarily obscured or concealed by that part of the workings that passes immediately above it. One method of proving his work as he proceeds is as follows:—Suppose he has surveyed the adit level, and there are four winzes communicating with the 10 fathom level, and he has taken the bearing, and depression, and length of those winzes, and plotted or laid down this level and the true base of those winzes on his working plan. He then proceeds to survey the 10 fathom level, making good every thing as he proceeds; and of course when he arrives at the foot of those winzes which he surveyed in the adit, he minutely enters in his dialling book the mark at their foot, where he took his diagonal observation and measurement. Then in laying down his 10 fathom level, if all his work has been well done, the points in those winzes will exactly correspond with his survey in the 10 fathom level and on the plan, and this desirable check he may and should pursue throughout the whole survey. It is too common in these cases, in order to avoid the time and labour in surveying the winzes to “let them take their chance,” by merely entering their “brace” in one level and “foot” in another, and let the truth of their respective bearings and underlay depend on the

horizontal survey of the levels. This practice is reprehensible, and should never be tolerated. But, with all this precaution, we advise, by all means, that every part of the plan be proved by trigonometrical computation, and the surveys by fore and back diallings. Let us suppose we have surveyed a level by double diallings. How shall we ascertain if there is a perfect correspondence? We have introduced a problem on this subject, and it is plain that the final two sums of the traverse will demonstrate either the agreement or the difference. This being done, and the underground work proved correct, we proceed to construct or draw the level on the plan, and it is most desirable that we should know if this part of the work has been well executed; and as we have computed the workings, we are furnished with a ready and certain test. Suppose we found, by computation, that the level gave, from beginning to end, 184 fathoms 3 feet of southing, and 34 fathoms 4 feet of westing. Now, applying these numbers to the plan, we shall, by the convenient help of the cardinal lines and instruments, presently prove if the latitude and longitude between the start and terminus of the level on the plan make good these lines. Lastly, I would recommend that the instruments for drawing and keeping up the working plan should be a 6 or 7 inch circular protractor, on the best principle, with double limb and vernier scale for reading off the angle, so that there may be no *guessing*, or judging by the eye, merely, for the fractional part of the degree; also, a parallel ruler of the best kind. I

prefer those rulers that travel on rollers, both for expedition and accuracy, but I admit it requires some practice to use them well. There is an advantage in those rulers, in that they have an ivory edge and a graduated scale, so that the lengths may be pointed off at the same time that the line is drawn, without using a compass or dividers ; and these two instruments are all that are required for the drawing department. The parallel ruler should be a foot long, divided into thirty feet to an inch ; so that any line within the extent of 360 feet can be pointed off at once.

MISCELLANEOUS.

THE following articles are extracts from some parts of my public correspondence during the controversy alluded to at the beginning of this Supplement, and I think will be found useful and satisfactory to many of my mining friends.

LEVELLING.

CURVATURE OF THE EARTH.

In cutting long leats or watercourses for mining purposes, it is necessary that allowance should be made for the “curvature of the earth.”

RULE.

Consider the radius of the earth and the length of the levelling, in a right line, as the two sides of a right angle triangle; add the sum of the squares of those sides together, and extract their square root for the hypotenuse. The difference between the length of the radius and the hypotenuse will be the “curvature.”

NOTE.

It will be found that the curvature on one mile will be 8 inches, and on two miles 2 feet 8 inches; and although this rule will not answer for very long distances, yet it is sufficiently accurate for the first

5 or 6 miles, and consequently adapted for mining purposes.

The diameter of the earth is 7963 miles, and the half of it, or radius (say) 3831 miles, which it will be convenient to reduce into inches, after it has been squared, and, of course, the line of levelling also.

There is reason to believe that failure has taken place in bringing home long leats, where the *fall* has been limited from want of proper attention to this subject.

N.B. An easy and expeditious rule of approximation is to square the length of the line of levelling in miles and divide by 8. The answer will appear in inches.

STANDARD OF COPPER ORE.

Since my arrival in this city I have been requested to furnish a plain definition of the term "standard," as applied to copper ore; for I am told there still exists among persons not conversant with practical mining much mystery respecting its real meaning.

The word "standard," divested of its disguise, as applied to mining, simply means "the present value of a ton of fine copper," and to be understood as to its practical effect, it must be associated with its two near kinsmen, "price" and "produce." Standing separately, they may be thus defined; viz. "standard," the value of a ton of copper; "produce," the number of tons of copper in 100 tons of ore; "price," the value of a ton of copper ore. Now it will be

seen that any two of these terms being given, the third may be found by proportion.

EXAMPLE.

Given standard, 116*l.*, and produce $8\frac{3}{4}$, the "price" is required.

$$\begin{array}{rccccccc} & & & & \text{£} & \text{s.} & \text{d.} \\ \text{As } 116 & : & 8\frac{3}{4} & :: & 100 = & 10 & 3 & 0 \end{array}$$

$$\text{Deduct returning charge } \begin{array}{r} 2 \\ 15 \\ 0 \end{array}$$

$$\text{Answer } \begin{array}{r} 7 \\ 8 \\ 0 \end{array} \text{ per ton.}$$

$$\begin{array}{rccccccc} & & & & \text{£} & \text{s.} & \text{d.} \\ \text{Given "price," } 10 & 3 & 0 & \text{Produce } 8\frac{3}{4}, & \text{require the "standard."} \\ \text{As } 10 & 3 & 0 & : & 100 & :: & 8\frac{3}{4} = \text{Ans. } 116. \end{array}$$

$$\begin{array}{rccccccc} & & & & \text{£} & \text{s.} & \text{d.} \\ \text{Given "standard" } 116, & \text{"price," } 10 & 3 & 0 & \text{require the} \\ & \text{"produce."} \end{array}$$

$$\begin{array}{rccccccc} & & & & \text{£} & \text{s.} & \text{d.} \\ \text{As } 10 & 3 & 0 & : & 100 & :: & 116 = \text{Ans. } 8\frac{3}{4}. \end{array}$$

These operations mutually prove the rule, and I suppose will render the meaning and effect of the "standard" clear to all parties.

G E O L O G Y.

UNDER this head we shall confine ourselves to that mysterious phenomena in mines called heaves, slides, cross-courses, faults, up-throws, and by whatever names miners or geologists may call that sudden dislocation of lodes, or separation of the vein, by the intersection of another vein crossing it, either obliquely or at right angles, and sometimes removing or severing (apparently) one part of the lode from the other, and carrying it away a great many fathoms. When a lode has been thus separated, it is called by miners "a heave." A "slide" is of another character, although they are sometimes confounded together. If a lode running east, and underlaying north, is intersected by a parallel vein, or another vein whose course is nearly parallel, but underlaying contrary to it or south, and it is found at the intersection that the lode has been severed by the *flookany* vein, it is called a "slide;" and the technical expressions are, "cut out by a slide," or "thrown up," or "thrown down," by a slide. The doctrine of "heaves" and "slides" is of great consequence to the miner; so that when one of those cross veins comes in, and "the lode is lost," as it is expressed, he may know in what direction to drive to find it again.

There are indications known to practical men whereby they can generally give a fair guess whether it is a "left hand" or a "right hand" heave; but sad experience tells us that they are sometimes mistaken in this important matter, and long and wrong drivings of discovery have been made on these occasions, at a great loss of time and money. Therefore we conclude that in this, as in all of nature's operations, although there is a general rule, yet there are exceptions, and the usual guides of the bending or inclining of the last few fathoms of the lode, towards the severed part, with the *scroll* and particles of ore, scattered in that direction, &c. sometimes prove fallacious.

Now we are not going to step out of our place to presume to advise the miner respecting the best *indications*—we submit to his judgment; but I think I shall obtain his vote, when I recommend that if a lode has been "hove," and has not been found by driving a few fathoms right and left on the cross-course, that the most advisable plan is to ascertain the true bearing of the lode, and set to drive on this bearing, "through the country," at the point where the separation took place.

I am borne out in giving this opinion, from the well-known facts that, although the course of a lode has been altered by a "heave," yet there is generally an inclining to recover the original course; but especially as sometimes it is so disordered or "squeezed up" close to the cross-course, that it cannot be identified; but by driving out a few fathoms through the country, on the course of the

lode, and then "turning house," or driving at right angles, we shall be sure to find the lode, and being in settled country, to know it when found.

Of course we recommend this proceeding only in those vexatious cases where our efforts have been baffled in seeking for the lost lode by driving on the cross-course. We might bring forward some strong "tried cases" that would preponderate in favour of this "dernier resort;" but we will only select the well-known case in point at Holmbush Copper-mine, in this neighbourhood. Nearly three years ago, in driving west they found the lode was "hove" by a large cross-course; and after driving some distance north and south on the cross-course, and being strongly prepossessed in favour of the doctrine of "right-hand heaves," they discontinued driving south, and concentrated their force in exploring north in search of the "lost lode;" and after a fruitless labour in driving some 50 or 60 fathoms on the cross-course, and west on some scattered branches, they remembered that they had cut a small vein in driving south about 6 or 7 fathoms south of the point of dislocation; and in driving a few fathoms on this disowned and rejected branch, they found it to expand into a large and fine course of copper ore, and to be the very lode they had expended so much time, labour, and money in searching for in the wrong direction.

But we would now turn from the miner to the geologist: O what strange, contradictory, and outrageous things have been published respecting the

“formation of lodes and mineral veins,” and the causes of “heaves” and dislocations!

How amusing to the practical miner it is to read “The Transactions of the Royal Geological Society,” and to see how wild, erroneous, and contradictory their *notions* are on those subjects! There is certainly one point in which they all seem to be unanimous, and that is, in “rejecting the truth!” One grave professor will tell us, the lodes are “secondary formations,” and have been subsequently filled from the surface; another says, the ore has been thrown up into them by “volcanic action;” another, that it has been drawn into them sideways by “electricity,” having been “held in solution” in the adjoining rock; but not one of them appears “to be valiant for the truth,” by declaring that the whole is a contemporaneous creation!” No, they will leave the “truth” for unsophisticated men to deal with, while they seem to take pleasure only in endeavouring to reconcile impossibilities.

I doubt not but a vast majority of my practical brethren are on my side in favour of the doctrine of “contemporaneous formation.” As for the term “heave,” “slide,” “throw,” “separated,” or any other word betokening subsequent disturbance, it is nothing more than a name. These phenomena are the wise and admirable order of creation for the benefit of man. Miners know well (however ignorant geologists may be of the fact) how highly beneficial to mining operations this grand arrangement is; how advantageous are cross-courses in a granite or any other hard country, where they can drive ten

fathoms in about the same time and cost that they could drive one fathom through the rock ! another incalculable advantage is, that these cross-courses, being generally composed of a stiff clay, impervious to water (called "flookan" by the miner), effectually dam back the stream ; and on some hollow or porous lodes, were it not for these cross-courses, the influx or drainage would be so extensive, that it would be impossible to work the mine without an immoderate expense of machinery.

As to these "heaves" being secondary things, the doctrine is fraught with absurdity and impossibility. We find "heaves" of several fathoms, and all the "country" or rock in its vicinity, without a single fracture, and not the slightest sign that ever an hairbreadth movement or agitation had taken place since the six days of creation ! but what must have been the mighty wreck and crash, if some supernatural power had caused our ponderous globe to shift some 10, 20, or, as in some cases, 80 fathoms, one part from another ? Moreover those cross-courses, which are said by those "secondary men" to be either the cause or proofs of those dislocations, we often find them serpentine or zigzag in their course, and that they are not interminable, but often fail, and discontinue, when a change of strata or country takes place.

How can we reconcile this with the idea of dislocation ? Surely if the cross-course hove the lode, before we receive the doctrine we must be assured that the cross-course extended throughout the globe, without interruption, and straight as a line !

In writing on this subject, during the controversy alluded to, I called the attention of the public to a notable circumstance that speaks loud on the subject, and that can hardly fail to come under the notice of every observant man—I mean the miniature display of all the phenomena of lodes, cross-courses, heaves, slides, splits, faults, and every thing else of the kind that may be seen in some species of stone. O what “faithful witnesses” are those little representations where every thing is exactly portrayed in perfect and exact harmony with the stupendous and magnificent order of the formations to be found in a mine of 200 fathoms deep !

If we look at the top of one of those stones, we are reminded of the working or horizontal plan of a mine, and the fractured end truly represents the transverse section. How deeply rooted must be the prejudices of men who will not receive this corroborating evidence !

I have before me the “Mining Journal” of February 4. 1843, wherein my arguments on this subject were followed up by a practical man, as follows :—

To the Editor.

“ Sir,

“ After reading Mr. Budge’s statement of facts inserted in the Supplement to the Mining Journal of Saturday, 28th inst. I recollect many years ago, being at a mine called Seal Hole, situated in the parish of Saint Agnes, in Cornwall, now called

Polberou Consols, seeing there a flat blue killas or clay-slate stone, about four inches wide, five or six inches long, and half an inch thick. On the surface of which we could distinctly trace several rich tin lodes in miniature, so very similar to the disposition of the great metallic lodes, that it might be thought an exact representation of what you might expect to see in the plan and section of a mine. The little representatives of lodes, the largest of them perhaps not much larger than a stout pack-thread, and others less, all intersected by a little diminutive cross-course, composed of what the miners term spar, which heaved the different veins as is done in a large champion lode. From the above and other alike corroborative evidence, I am led to believe, also, that the lodes, and the country about them, was formed at one and the same time.

“ S. P.”

If any thing more is wanting to prove that those “ heaves ” are *originals*, we may bring forward the fact well known to miners, that oftentimes a cross-course intersecting several lodes, the “ heaves ” are found to differ materially in their distance, and some not “ heaved ” at all, and there are known to be both right and left hand heaves on the same cross-course.

I shall close this subject with the extract of a letter I inserted in the Mining Journal, December 3. 1842.

To the Editor.

“ Sir,

“ At last I observe, with pleasure, that one of our practical miners has had the courage to come forward and openly throw down the gauntlet against the host of modern geologists. This champion for the truth is Mr. Thomas Deakin, of the Blaenavon Mines, whose letter appeared in last week's Journal. I hope his efforts will be seconded by abler hands than mine ; for surely it is high time that the pernicious march of geological error should meet with a check from some quarter.

“ Permit us to inquire what benefit mining has received from all the writings, lectures, societies, premiums, researches, and labours of our large body of theoretical geologists ? If I am wrong, please to set me right ; but I declare, I know not a single instance where any good has emanated from their exertions, to the value of a swabbing-stick ! All the progress made in the discovery and working of mines has been without their help — the ancient methods of detecting or identifying a metallic lode by shodes, gossans, mineral waters, gases, &c., have received no improvement from them, although we are persuaded that a fine field for art and science is still open here ; for as nature always works by general laws, we believe that if all the indications which attend a rich metallic lode could be detected, that mining would not be so much a speculation as it is at present. But what can be the cause that such a large body of talented men, devoted to the

subject, ambitious to excel, and "with all appliances and means to boot," should be thus notoriously useless and unprofitable? Your Blaenavon correspondent has revealed the secret. Now, Mr. Editor, allow me to observe, that *theology* will never disgrace the columns of the Mining Journal, and if we consult the best judges, I think they will admit that it should ever be the basis of geology. This, Sir, is the grand cause why the efforts of our geological societies have utterly failed — they have set themselves against the *truth* — they have rejected the inspired history of the creation of the world; hence their writings and sayings are replete with error, inconsistency, and contradiction.

"Let them begin again; cancel what they have written, and lay their foundation on the sublime account so minutely given us in the Scriptures. Then let them follow nature in all her grand and stupendous subterranean operations, and they will discover a world of harmonious wonders, and will bring to light, to the admiration and benefit of mankind, the cause and effect of the magnificent order of every part of creation that is allowed to fall under the inspection of man.

"I shall be borne out in stating my firm conviction that no sceptic ever made a good geologist; and whatever those men may think of themselves, who dare to write in contradiction to the Word which the Creator has graciously condescended to bestow on his creatures, they are no better than practical atheists, in the judgment of all men "who believe and know the truth," and their writings are

calculated to inflict a serious injury on society. See, Sir, how these talented infidels try all they can to sap the foundation of the Christian's faith! — their first, second, and third *formations*. One thing *produced* by another. Coal *formed* of vegetable matter, and lately they have discovered that slate is a *marine production*! Oh, Sir, if you are not one of that school, let me entreat you to point your powerful pen against the doctrines of this geological demon, or, at least, give full introduction to those who feel themselves imperatively called on to come forward in defence of the truth.

“JOHN BUDGE.”

EXPLANATION OF TERMS USED IN THE FOREGOING WORK.

Acclivity, the rising steepness of a hill.

Aliquot, such a part of a number or quantity as is contained in it so many times without a remainder.

Angle, the space between two lines which cross each other.

Base, the bottom, the foundation.

Bisect, to divide into two parts.

Complement, so much of an angle as is wanting to make a right angle.

Construction, the contriving such lines and figures as will show the truth of a problem.

Corollary, conclusion drawn from antecedent demonstration.

Cosecant, the secant of the complement of an arch to 90 degrees.

Cosine, the right sine of an arch which makes up another arch of 90 degrees.

Cotangent, the tangent of an arch which is the complement of another arch to 90 degrees.

Declination, the act of bending.

Declivity, the steepness of a hill downwards, gradual descent.

Definition, a clear and short description.

Degree, the 360th part of the arc of a circle.

Demonstrate, to prove with certainty.

Denomination, a name given to any thing.

Depression, the act of pressing down.

Desideratum, a desirable improvement in a science yet unattained.

Diagonal, a line drawn from one angle to another.

Diagram, a scheme drawn for the explanation of any thing.

Elevation, a raising or lifting up.

Geometry, the science of extension.

Horizon, the line that bounds the visible from the invisible part of the earth.

Horizontal, level with the horizon.

Hypothenuse, the longest side of a right-angled triangle.

Inaccessible, not to be approached.

Intersect, to cut each other.

Intervene, to come between.

Junction, the act of joining together.

Mathematics, that science which contemplates whatever is capable of being numbered or measured.

Oblique, not perpendicular, not parallel.

Perpendicular, a line that stands upon or crosses another at right angles.

Problem, that which proposes something to be done.

Protractor, an instrument to lay down or measure angles.

Quadrant, one fourth part of a circle containing 90 degrees.

Radius, a right line drawn from the centre to the circumference of a circle, half the diameter.

Right Angle, an angle containing 90 degrees, made by the touch of two lines perpendicular to each other.

Scale, a mathematical instrument containing lines divided into equal or unequal parts.

Scheme, a plan, a mathematical diagram.

Secant, a right line drawn from the centre of a circle that meets the tangent.

Segment, a part cut off.

Sine, a right line drawn from one end of an arc perpendicular upon the diameter.

Summary, compendium, abridgment.

Tabular, set down in tables.

Theorem, a position laid down as an acknowledged truth.

Tangent, a right line drawn without a circle perpendicular to some radius.

Triangle, a figure having three sides and angles.

Trigonometry, the science of resolving triangles.

Trisection, division into three parts.

Vertical, perpendicular to the horizon.

THE END.

NEW WORKS

ON

THE SCIENCES IN GENERAL, THE USEFUL ARTS, &c.

I.

DICTIONARY OF ARTS, MANUFACTURES, AND MINES; containing a clear Exposition of their Principles and Practice. By **ANDREW URE, M.D. F.R.S. M.G.S. M.A.S. Lond.; M. Acad. N.L. Philad.; S. Ph. Soc. N. Germ. Hanov.; Mulii, &c. &c.** 3d Edition, corrected. 8vo., illustrated with 1240 Engravings on Wood. 50s.

II.

RECENT IMPROVEMENTS IN ARTS, MANUFACTURES, AND MINES. Being the 2d Edition of a Supplement to the 3d Edition of his Dictionary. By **ANDREW URE, M.D. F.R.S. &c.** 8vo., with numerous Wood Engravings. 14s.

III.

A TREATISE ON THE STEAM ENGINE. By the **ARTIZAN CLUB.** Nos. 1 to 12, 4to., 1s. each. To be completed in 24 Monthly Parts, each illustrated by a Steel Plate and several Woodcuts.

This Work will give a complete account of the Steam Engine as applied to Mines, Mills, Railways, and Steam Navigation; will contain Practical Rules and Examples of the best Machinery; and will be representative of the present state of Steam Science in England.

IV.

A DICTIONARY OF SCIENCE, LITERATURE, AND ART; comprising the History, Description, and Scientific Principles of every Branch of Human Knowledge; with the Derivation and Definition of all the Terms in general use. Edited by **W. T. BRANDE, F.R.S.L. and E.**; assisted by **JOSEPH CAUVIN, Esq.** The various Departments are by Gentlemen of eminence in each. 8vo. With Wood Engravings. 3l.

V.

AN ENCYCLOPÆDIA OF ARCHITECTURE; Historical, Theoretical, and Practical. By **JOSEPH GWILT, Esq., F.S.A.** Illustrated with upwards of 1000 Engravings on Wood, from Designs by **J. S. GWILT.** 8vo. 2l. 12s. 6d.

VI.

THE MECHANICAL PRINCIPLES OF ENGINEERING AND ARCHITECTURE. By the **Rev. H. MOSELEY, M.A., F.R.S.,** Professor of Natural Philosophy and Astronomy in King's College, London; and Author of "Illustrations of Mechanics," &c. 8vo., with Woodcuts and Diagrams. 24s.

VII.

ILLUSTRATIONS OF PRACTICAL MECHANICS. By the **Rev. H. MOSELEY, M.A.,** Professor of Natural Philosophy and Astronomy in King's College, London; being the First Volume of the Illustrations of Science by the Professors of King's College. Fcp. 8vo., with numerous Woodcuts. 8s.

VIII.

ELEMENTS OF PHYSICS. Part I.—Ponderable Bodies. By **C. F. PESCHEL,** Principal of the Royal Military College, Dresden. Translated from the German, with Notes, by **E. WEST.** Fcp. 8vo., with Diagrams and Woodcuts. 7s. 6d.

New Works printed for Longman, Brown, Green, & Longmans.

IX.

- A TREATISE ON THE MANUFACTURE OF SILK. By G. R. PORTER, Esq., F.R.S., Author of "The Progress of the Nation," &c. Fcp. 8vo., with Vignette Title, and 39 Engravings on Wood. 6s.

X.

- A TREATISE ON THE MANUFACTURES OF PORCELAIN AND GLASS. By G. R. PORTER, Esq., F.R.S. Fcp. 8vo., with Vignette Title and 50 Woodcuts. 6s.

XI.

- A DICTIONARY, PRACTICAL, THEORETICAL, AND HISTORICAL, OF COMMERCE AND COMMERCIAL NAVIGATION. Illustrated with Maps and Plans. By J. R. M'CULLOCH, Esq., Member of the Institute of France. An entirely new Edition, corrected throughout, enlarged, and improved. 8vo., 50s.; or 55s., strongly half-bound in russia, with flexible back.

XII.

- A DICTIONARY, GEOGRAPHICAL, STATISTICAL, AND HISTORICAL, of the various Countries, Places, and Principal Natural Objects in the WORLD. By J. R. M'CULLOCH, Esq. 2 vols. 8vo., illustrated with Six large Maps. 4l.

XIII.

- THE TREASURY OF KNOWLEDGE, AND LIBRARY OF REFERENCE: in Two Parts. 16th Edition, thoroughly revised and enlarged. Fcp. 8vo., with engraved Titles and Frontispieces, 10s.; bound in roan, 12s.

* * The principal Contents of the present new and thoroughly revised Edition of "The Treasury of Knowledge" are—a new and enlarged English Dictionary, with a Grammar, Verbal Distinctions, and Exercises; a new Universal Gazetteer; a compendious Classical Dictionary; an Analysis of History and Chronology; a Dictionary of Law Terms; a new Synopsis of the British Peerage; and various useful Tabular Addenda.

XIV.

- THE SCIENTIFIC AND LITERARY TREASURY; a new and popular Encyclopædia of Science and the Belles-Lettres; including all Branches of Science, and every Subject connected with Literature and Art. The whole written in a familiar style, adapted to the comprehension of all persons desirous of acquiring information on the Subjects comprised in the Work, and also adapted for a Manual of convenient Reference to the more instructed. By SAMUEL MAUNDER. 3d Edition. Fcp. 8vo., with engraved Frontispiece, 10s.; bound in roan, 12s.

XV.

- A PRACTICAL TREATISE ON BREWING; based on Chemical and Economical Principles: with Formulæ for Public Brewers, and Instructions for Private Families. By WILLIAM BLACK. 3d Edition, revised and corrected, with considerable Additions. The Additions revised by Professor Graham, of the London University. 8vo. 10s. 6d.

London: Longman, Brown, Green, and Longmans.

NEW WORKS

Miscellaneous and General Literature,

PUBLISHED BY

MESSRS. LONGMAN, BROWN, GREEN, AND LONGMANS,
PATERNOSTER ROW, LONDON.

CLASSIFIED INDEX.

Agriculture and Rural Affairs.

	Pages.
Baydon On valuing Rents, &c.	4
Crocker's Land Surveying	7
Davy's Agricultural Chemistry	18
Johnson's Farmer's Encyclopedia	18
Loudon's Encyclop. of Agriculture	18
" bel Instruction	17
" Ledy's Country Companion	17
Low's Elements of Agriculture	18
" Cattle Breeds	18
" On Landed Property	18
" On the Domesticated Animals	18
Parnell On Roads	23
Thomson On 2 tilting Cattle	30
Topham's Agricultural Chemistry	30
Whitley's Agricultural Zoology	32

Arts and Manufactures.

Brande's Dictionary of Science, &c.	5
Bucklers St Alban's Abbey	5
Budge's Miner's Guide	5
Cartoons (The Prize)	5
Cresy's Civil Engineering	7
De Surin On Pictures	5
Dresden Gallery	5
Eastlake on Oil Colours	9
Evans's Sugar-Planter's Manual	10
Gwilt's Encyclop. of Architecture	10
Hay Ion On Painting and Design	13
Holland's Manufactures in Metal	13
London's Encyclop. of Rural Architect	13
Moseley's Engineering & Architect	23
Porter's Manufactures of silk	24
" Porcelain & Glass	24
Reid (Dr.) On Ventilation	25
Sibley and Litherford's Earthwork	25
" Tables	25
Steam Engine, by the Artisan Club	26
Ure's Dictionary of Arts, &c.	31
Wood On Railroads	31

Biography.

Aikin's Life of Addison	3
Andersen's (H. C.) Autobiography	3
Bell's Eminent British Poets	4
Dover's Life of the King of Prussia	4
Dunham's Early British Writers	9
" Lives of British Dramatists	9
Forster's Statesmen	10
" (Rev. C.) Life of Sir Jebb	10
Glant's British Military Commanders	10
Grant's Memoir & Correspondence	11
Haydon's Autobiography, &c.	12
James's Life of the Black Prince	15
" Foreign Statesmen	12
" Lives of Constables	18
Macintosh's Life of Sir T. More	19
Maudslayi's Biographical Treasury	20
Mohan Lal's Mohammed	21
Roscoe's Lives of British Lawyers	26
Russell's Bedford Correspondence	26
Schopenhauer's Youthful Life	26
Shelley's Literary Men of Italy, &c.	27
" Lives of French Admirals	27
Southerly's Lives of the Admirals	27
" Lives of Wesley	28
Townsend's Eminent Judges	28
Waterson's Autobiography & Essays	31

Books of General Utility.

Acton's Cookery	3
Black's Treatise on Betting	4
" Supplement on Savarian Beer	4
Collegian's Guide (The)	5
Dunham's Domestic Economy	8
Hand-book of Taste	12
Hints on Etiquette	12
Hudson's Parents' Hand-book	13
" Exerciser's Guide	14
" On Making Wills	14
Hume's Learned Societies, &c.	14
London's Self-Instruction	17
" Lady's Companion	17
" Amateur Gardener	17
Maudslayi's Treasury of Knowledge	20
" Biographical Treasury	20
" Recent and Lit. Treasury	20
" Treasury of History	20
" Natural History	20
Parke's Domestic Duties	23

Pycroft's (Rev. J.) English Reading	24
Reader's Time Tables	24
Rack's Comp. to Latin Dictionary	25
Riddle's Latin-Span. Dictionary	25
Robinson's Art of Caring, Pickling, &c.	26
Rowton's Debater	26
Short Whist	27
Thomson On the Sick Room	30
Thomson's Interest Tables	30
Tomlin's Law Dictionary	30
Walker's Dictionaries, by Smart	31
Webster's Domestic Economy	31
Zumpt's Latin Grammar	32

Botany and Gardening.

Abercrombie's Practical Gardener	5
" and Main Gardener's Comp.	5
Calcott's Scripture Herbal	6
Conversations on Botany	6
Drummond's First Steps to Botany	9
Evans's Sugar-Planter's Manual	10
Henslow's Botany	12
Hewes On the Cultivation of the Vine	13
" On the Roots of Vines	13
Hooker's British Flora	13
" Guide to New Gardens	13
Landley's Theory of Horticulture	17
" Orchard & Kitchen Garden	17
" Introduction to Botany	17
" Flora Medica	17
" Synopsis of British Flora	17
Loudon's Hortus Britannicus	18
" Lignosa Londinensis	18
" Amateur Gardener	17
" Self-Instruction	17
" Trees and Shrubs	17
" Gardening	17
" Plants	17
" Suburban Gardener	18
Repton's Landscape Gardening	25
Rivers's Rose Amateur's Guide	25
Roberts On the Grape-Vine	25
Rogers's Vegetable Cultivator	26
Schulden's Landscapic Botany	26
Smith's Introduction to Botany	27
" English Flora	27
" Compendium of Eng. Flora	28

Chronology.

Blair's Chronological Tables	4
Nicolas's Chronology of History	23
Riddle's Ecclesiastical Chronology	23
Tate's Horatius Restitutus	29

Commerce & Mercantile Affairs.

Gilbart On Banking	10
McCallum's Dict. of Comm. & Navig.	19
Reuter's Time Tables	24
Hotel's Shipmaster's Assistant	26
Symond's Merchant-Seaman's Law	29
Thomson's Interest Tables	30
Walford's Customs' Laws	31

Geography and Atlas.

Butler's Geography	5
" Atlas of Modern Geography	5
" Ancient do.	6
" General do.	6
Cooley's World Surveyed	6
De Bunsleick's New South Wales	8
Forster's Hist. Geography of Arabia	10
Hall's Large General Atlas	19
McCallum's Geographical Dictionary	19
Murray's Synopsis of Geography	22
Parke's Ascent of Mount Ararat	22

History and Criticism.

Adair's Memoirs to Yemba	3
" Constantinople	3
Barrett's Bible Criticisms	4
Bell's History of Russia	4
Blair's Chron. and Hist. Tables	4
Bloomfield's History of Theophrastus	4
" Translation of do.	4
Cooley's History of Discovery	6
Crowe's History of France	7
De Blomond's Fall of Roman Empire	8
" Italian Republics	8

Dunham's Spain and Portugal	9
" Middle Ages	9
" German Empire	9
" Danzig, Sweden, &c.	9
" Poland	9
Dunlop's History of Fiction	9
Eastlake's History of Oil Painting	9
Scotston's English Antiquities	9
Fergus's United States	10
Grant's Memoir & Correspondence	11
Grattan's Netherlands	11
Grubbiot's Wm III & Louis XIV.	11
Grilliodon's Historical Maxims	11
Haisted's Life of Richard III.	12
Haydon On Painting and Design	12
Historical Pict. of the Middle Ages	12
" Chambers	12
Horale's (B.) Biblical Criticism	12
Jeffrey's (Lord) Contributions	13
Keightley's Outlines of History	15
Lang's Kings of Norway	15
Lempriere's Classical Dictionary	16
Macaulay's Crit. and Hist. Essays	19
Macintosh's Miscellaneous Works	19
" History of England	19
McCallum's Geography & Dictionary	19
Maudslayi's Treasury of History	20
Maliner's Church History	21
Moore's History of Ireland	22
Moberg's Miscellaneous History	23
Nicolas's Chronology of History	23
Ranke's History of the Reformation	24
Rich's Comp. to Latin Dictionary	25
Riddle's Latin Dictionaries	25
Rome's History of	26
Russell's Bedford Correspondence	4
Schopenhauer's Autobiography	26
Scott's History of Scotland	26
Sunnet's Events of History	27
Stebbing's History of the Church	21
" History of Reformation	28
" Church History	28
Switzerland, History of	28
Sydney Smith's Works	28
Thurwall's History of Greece	29
Tooke's History of Prices	30
Turner's History of England	30
Tyler's General History	31
Zumpt's Latin Grammar	32

Juvenile Books.

Amy Herbert	3
Boy's own Book (The)	5
Gertrude	10
Harver's Tales of the Indians	12
Howitt's (Wm.) Boy's Country Book	12
" (Mary) Child's Year Book	12
Lenoxon's Parvanege	16
Marcel's Conversations	19
" On Chemistry	19
" On Natural Philosophy	19
" On Political Economy	19
" On Vegetable Physiology	19
" On Land and Water	19
Margaret Farnival	19
Marryat's Masterman Ready	20
" Mason	20
" Settlers in Canada	20
" Peepers-on	20
My Youthful Companions	22
Pycroft's (Rev. J.) English Reading	24

Medicine.

Bull's Hints to Mothers	5
" Management of Children	5
Copland's Dictionary of Medicine	7
Elliotson's Human Physiology	9
Edwards's Memorials in India	9
Holland's Medical Jurisprudence	13
Lane On the Water Cure	15
Parson On Food and Diet	23
Roscoe's Medical Guide	25
Thomson On Food	25

Miscellaneous.

Adeshead on Prisons	3
Cartoons (The Prize)	5
Claver's History of the	6
Cock's Bordeaux, its Wines, &c.	6
Collegian's Guide (The)	6
Colton's Lecon	6

	Pages.
De Burton on Pictures	8
De Morgan on Probabilities	8
De Strzelecki's New South Wales	8
Dresden Gallery	10
Dunlop's History of Fiction	10
Good's Book of Nature	11
Graham's English	11
Graham's Letters from the Mountains	11
Hand-book of Taste	12
Hobbes (Thom.) Works of	13
Hooker's Key Guide	13
Hovvitt's Rural Life of England	14
" Visits to Remarkable Places	14
" Student Life of Germany	14
" Social Life of Germany	14
" Colonisation & Christianity	14
Hume's Learned Societies, &c.	14
Janisch on Chess Openings	15
Jeffrey's (Lord) Contributions	15
King's Argentine Republic	15
Lane's Life at the Water-Cure	15
Louden's Lady's Country Comp.	17
Macaulay's Crit. and Hist. Essays	18
Macintosh's Miscellaneous Works	19
Matland's Church in the Catscomb	19
Michelet's The People	21
Moore on the Use of the Body	21
" Soul and Body	22
Necker De Saussure on Education	22
Peter Plymley's Letters	24
Plunkett on the British Navy	24
Frerich's Compend. Eng. Banking	24
Rich's Comp. to Latin Dictionary	25
Riddle's Latin Dictionaries	25
Rogee's Chess-Board	25
Rogee's Debater	25
Sacred Church, School, & Parish	25
Seaward's Narrative of his Shipwreck	25
Smith's (Rev. Sydney) Works	25
Southey's Common place Book	25
" The Doctor, &c.	25
Thomson on Food	25
Twelve Years Ago	25
Walker's Chess Studies	25
Willoughby's (Lady) Diary	25
Zumpt's Latin Grammar	25

Natural History.

Catlin's Popular Conchology	6
Dombleday's Butterflies and Moths	6
Drummond's Letters to a Naturalist	6
Gray and Mitchell's Ornithology	11
" Acclimates	11
Kirby and Spence's Entomology	15
Lee's Transients	15
" Elements of Natural History	16
Maudslayi's Treasury of Nat. History	16
Newell's Zoology of the Eng. Poets	22
Stephens's British Coleoptera	22
Swainson on Study of Natural Hist.	22
" Animals	22
" Taxidermy	22
" Quadrupeds	22
" Birds	22
" Animals in Menageries	22
" Fish, Amphibia, &c.	22
" Insects	22
" Malacology	22
" Habitats and Islands	22
Turton's Shells of the British Islands	31
Waterson's Essays on Natural Hist.	31
Westwood's Classification of Insects	32
Zoology of H.M.S. Erebus and Terror	32

Novels and Works of Fiction.

Bryce's (Mrs) Novels	5
Dunlop's History of Fiction	10
Fair's Sermons	10
Lady Willoughby's Diary	10
Maryat's Masterman Ready	20
" Settlers in Canada	20
" Mission	20
" Private and Public Man	20
Pericles, a Tale of Athens	23
Southey's The Doctor, &c.	25

1 vol. Cyclopaedia & Dictionaries.

Blaine's Rural Sports	4
Brande's Science, Literature, & Art	5
Copland's Dictionary of Medicine	7
Croxy's Civil Engineering	7
Griffith's Architecture	11
Johnson's Farmer's Encyclopaedia	15
Levendon's Agriculture	17
" Rural Architecture	17
" Gardening	17
" Plants	17
" Trees and Shrubs	17
M'Culloch's Geographical Dictionary	19
" Dictionary of Commerce	19
Murray's Encyclopedia of Geography	20
Ore's Dictionary of Arts, &c.	21
Webster & Parker's Dom. Economy	23

Poetry and the Drama.

Alkin's (Dr.) British Poets	25
Burton's Legends	5
Chaloner's Walter Gray	5

Collier's Roxburgh Ballads	6
Costello's Fernan Rose Garden	7
Goldsmith's Poems illustrated	10
Gray's Elegy, illuminated	11
Guth's Robin Hood Ballads	11
Horses, by T. de la Haye	12
Hovvitt's Ballads	13
L. E. L.'s Poetical Works	16
Linwood's Anthologia Oxoniensis	17
Macaulay's Lays of Ancient Rome	18
Macaulay's English Lakes	18
Montgomery's Poetical Works	21
Moore's Poetical Works	21
" Lalla Rookh	21
" Irish Melodies	21 and 22
Moral of Flowers	22
Poets' Pinnacles	22
Pope's Works, by Roscoe	24
Reynard the Fox	25
Shakespeare, by Bowdler	26
Sheldon's Minstrelsy	27
Sophocles, by Linwood	28
Southey's Poetical Works	28
" British Poets	28
Spirit of the Woods	28
Thomson's Seasons illustrated	30
edited by Dr A. T. Thomson	30

Political Economy & Statistics.

Gilbart on Banking	10
Lang's Cookland	16
" Fife and Fife-shire	16
M'Culloch's Geog. Statist. &c. Dict.	19
" Dictionary of Commerce	19
" Political Economy	19
" Statistics of Gt. Britain	19
" On Funding & Taxation	19
Marcell's Convers. on Polit. Econ.	19
Registrar General's Reports	24
Thomson's Merchant Seamen's Law	29
Tyndal's History of Prices	30
Twiss's (Dr.) View of Polit. Econ.	31

Religious and Moral Works.

Amy Herbert	3
Barratt's Old Testament Criticisms	3
Bloomfield's Greek Testament	3
" College and School do.	4
" Lexicon to do.	4
Bunsen on the Church of the Future	5
Burder's Oriental Customs	5
Burns's Christian Philosophy	5
" Fragments	5
Calcott's Scripture Herbal	6
Cooper's Sermons	7
Cogswell's Christianity	7
Dale's Domestic Liturgy	8
Dalbin's Sunday Library	8
Doddridge's Family Expositor	8
Englishman's Greek Concordance	8
Englishman's & School. Concord.	8
Fitzroy's Scriptural Conversations	10
Forster's Hist. Geography of Arabia	10
" Life of Bishop Jebb	10
From Oxford to Rome	10
Gaecon's on the Apocalypse	10
Gertrude	10
Hook's (Dr.) Lectures on Passion Week	13
Horne's Introduction to Scriptures	13
" Abridgment of ditto	13
Hosley's (Bp.) Biblical Criticism	13
" Psalms	13
Jebb's (Bp.) Correspond. with Knox	15
" Trans. of the Psalms	15
Kip's Christmas in Rome	15
Knox's (Alexander) Romans	15
Lang's Notes on Romo's Schism	16
Langton's Parsonage	16
Letters to My Unknown Friends	16
Matland's Church in the Catscomb	19
Maryat's Personal	19
Michael's Prentice, Women & Families	20
" and Quinet's Jews	21
Milner's Church History	21
Miracles of Our Saviour	21
Moore on the Use of the Body	22
" Soul and Body	22
Moeham's Ecclesiastical History	22
" My Youthful Companions	22
Parables of Our Lord	23
Parker's Domestic Duties	23
Pearson's Prayers	23
Peter Plymley's Letters	24
Pitman's Sermons on the Psalms	24
Quinet's Christianity	24
Riddle's Letters from a Godfather	24
Sandford's Parochials	25
" Female Improvement	25
" On Woman	25
Sermon on the Mount (The)	25
Shepherd's Here Apostolical	27
Shumacher's (The Good)	27
Sinclair's Journey of Life	27
Smith's (G.) Perle's Times	27
" Religion of Am. Britain	27
" Sacred Annals	27
Smith's Female Disciple	27
" (Sydney) sermons	27
Southey's Life of Wesley	28

Stebbing's Church History	28
Steepleton	28
Tate's History of St. Paul	28
Taylor's Dora Melder	28
" Lady Mary	28
" Margaret, or, the Pearl	28
" Sermons	28
Taylor's (Bp. Jeremy) Works	28
Tomline's Introduction to the Bible	30
Trevor	30
Trollope's Analyses Theologiae	30
Turner's Sacred History	31
Twelve Years Ago	31
Wardlaw's Socinian Controversy	31
Well's Bible, Koran, and Talmud	32
Wilberforce's View of Christianity	32
Wilkinson's Catech. of Church Hist.	32
Willoughby's (Lady) Diary	32
Wilson's Lands of the Bible	32

Rural Sports.

Blaine's Dictionary of Sports	4
Ephemera on Angling	9
Hansard's Fishing in Wales	12
Hawthorn's Shooting	12
Hawdon's Instructions to Sportsmen	12
Lawson's Lady's Country Comp.	17
Stable Talk and Table Talk	28

The Sciences and Mathematics.

Bakewell's Introduction to Geology	3
Brande's Dictionary of Science, &c.	5
Brewster's Optics	5
Conversations on Mineralogy	7
Croxy's Civil Engineering	7
De Beche's Geology of Cornwall, &c.	8
Donovan's Chemistry	8
Faray on the Steam Engine	9
Fosbrooke on the Ancient Arts, &c.	10
Gower's Science of Cosmology	10
Greener on the Gun	11
Herschel's Natural Philosophy	12
" Astronomy	12
Holland's Manufactures in Metal	13
Bumholdt's Cosmos	13
Hunt's Researches on Light	13
Kater and Lardner's Mechanics	16
La Place's System of the World	16
Lardner's Cabinet Cyclopaedia	16
" Hydrostatics & Pneumatics	16
" and Walker's Electricity	16
" Arithmetic	16
" Geometry	16
" Treatise on Heat	16
Marcell's (Jas.) Conversations	19
Memorie of the Geological Survey	20
Moseley's Practical Mechanics	22
" Engineering & Architecture	22
Owen's Lectures on Comp. Anatomy	22
Pearson's Practical Astronomy	23
Peschel's Elements of Physics	23
Phillips's Fossils of Cornwall, &c.	23
" Guide to Geology	23
" Treatise on Geology	23
Poisson's Mechanics	24
Portlock's Geology of Londonderry	24
Powell's Natural Philosophy	24
Quarterly Journal of the Geol. Soc.	24
Ritchie on Railways	25
Sibley and Rutherford's Tables	27
Topham's Agricultural Chemistry	30
Wentley's Agricultural Geology	32

Travels.

Allan's Mediterranean	3
Cooley's World Surveyed	6
Costello's (Miss) North Wales	7
Coulter's California, &c.	7
" Pacific	7
De Custine's Russia	8
De Strzelecki's New South Wales	8
Dunlop's Central America	8
Erman's Travels in Siberia	8
Francis's Italy and Sicily	10
Harrie's Highlands of Ethiopia	13
King's Argentine Republic	15
Kip's Holydays in Rome	15
Lang's Tour Sweden	15
Lang's Cookland	16
" Phillipland	16
Macaulay's English Lakes	19
Maryat's Borneo	19
Montanari's Travels in the East	21
Parrot's Account of Mount Ararat	21
" (A. A.) Servia	23
" Modern Syriae	23
Schopenhauer's Pictures of Travel	28
Seaward's Narrative of Travels	28
Tischendorf's Travels in the East	30
Von Oriah's Travels in India	31
Wilson's Travels in the Holy Land	32

Veterinary Medicine, &c.

Miles on the Horse's Foot	21
Stable Talk and Table Talk	28
Thomson on Fatiguing Cattle	30
Turner on the Foot of the Horse	31
Winter on the Horse	32

New Works and New Editions

PUBLISHED BY

• MESSRS. LONGMAN, BROWN, GREEN, AND LONGMANS,

~~~~~

### **ABERCROMBIE'S PRACTICAL GARDENER,**

And Improved System of Modern Horticulture, alphabetically arranged. 4th Edition, with Introductory Treatise on Vegetable Physiology, and Plates, by W. Salisbury. 12mo. 6s. bds.

### **ABERCROMBIE & MAIN.—THE PRACTICAL GARDENER'S**

COMPANION; or, Horticultural Calendar: to which is added, the Garden-Seed and Plant Estimate. Edited from a MS. of J. Abercrombie, by J. Main. 8th Edition. 32mo. 2s. 6d. sd.

### **ACTON (ELIZA).—MODERN COOKERY,**

In all its Branches, reduced to a System of Easy Practice. For the use of Private Families. In a Series of Receipts, all of which have been strictly tested, and are given with the most minute exactness. By ELIZA ACTON. New Edition, to which are added, Directions for Carving. Fcp. 8vo. with plates and woodcuts, 7s. 6d. cloth.

### **ADAIR (SIR ROBERT).—AN HISTORICAL MEMOIR OF A**

MISSION to the COURT of VIENNA in 1806. By the Right Honourable Sir ROBERT ADAIR, G.C.B. With a Selection from his Despatches, published by permission of the proper Authorities. 8vo. 18s. cloth.

### **ADAIR (SIR ROBERT).—THE NEGOTIATIONS FOR THE**

PEACE of the DARDANELLES, in 1808-9: with Dispatches and Official Documents. By the Right Honourable Sir ROBERT ADAIR, G.C.B. Being a Sequel to the Memoir of his Mission to Vienna in 1806. 2 vols. 8vo. 28s. cloth.

### **ADSHEAD.—PRISONS AND PRISONERS.**

By JOSEPH ADSHEAD. 8vo. with Illustrations, 7s. 6d. cloth.

### **AIKIN.—THE LIFE OF JOSEPH ADDISON.**

Illustrated by many of his Letters and Private Papers never before published. By LUCY AIKIN. 2 vols. post 8vo. with Portrait from Sir Godfrey Kneller's Picture, 18s. cloth.

### **ALLAN (J. H.).—A PICTORIAL TOUR IN THE MEDITER-**

RANEAN; comprising Malta, Dalmatia, Asia Minor, Grecian Archipelago, Egypt, Nubia, Greece, Sicily, Italy, and Spain. By J. H. ALLAN, Member of the Athenian Archaeological Society, and of the Egyptian Society of Cairo. 2d Edition. Imperial 4to. with upwards of 40 lithographed Drawings, and 70 Wood Engravings, 48s. 3s. cloth.

### **AMY HERBERT.**

By a LADY. Edited by the Rev. WILLIAM SEWELL, B.D. Fellow and Tutor of Exeter College, Oxford. New Edition. 2 vols. fcp. 8vo. 9s. cloth.

### **ANDERSEN.—THE TRUE STORY OF MY LIFE:**

A Sketch. By HANS CHRISTIAN ANDERSEN, Author of "The Shoes of Fortune," "The Nightingale," "O. T.," "Only a Fiddler," "The Improvisatore," &c. Translated by MARY HOWITT. Fcp. 8vo. 5s. cloth.

### **ARTISAN CLUB (THE).—A TREATISE ON THE STEAM**

ENGINE, in its Application to Mines, Mills, Steam Navigation, and Railways. By the Artisan Club. Edited by JOHN BOURNE, C.E. New Edition. 4to. with 30 Steel Plates and 349 Wood Engravings, 37s. cloth.

### **BAKEWELL.—AN INTRODUCTION TO GEOLOGY.**

Intended to convey Practical Knowledge of the Science, and comprising the most important recent discoveries, with explanations of the facts and phenomena which serve to confirm or invalidate various Geological Theories. By ROBERT BAKEWELL. Fifth Edition, considerably enlarged. 8vo. with numerous Plates and Woodcuts, 21s. cloth.

**BARRETT.—A SYNOPSIS OF CRITICISMS UPON THOSE**

PASSAGES OF THE OLD TESTAMENT in which Modern Commentators have differed from the Authorised Version; together with an Explanation of various Difficulties in the Hebrew and English Texts. By the Rev. RICHARD A. F. BARRETT, M.A. Fellow of King's College, Cambridge. Vols. I. and II. 8vo. 88s. each, cloth; or, in 4 Parts, price 14s. each.

**BAYLDON.—ART OF VALUING RENTS AND TILLAGES;**

And the Tenant's Right of Entering and Quitting Farms, explained by several Specimens of Valuations; and Remarks on the Cultivation pursued on Soils in different Situations. Adapted to the Use of Landlords, Land-Agents, Appraisers, Farmers, and Tenants. By J. S. BAYLDON. 6th Edition; corrected and revised by John Donaldson. 8vo. 10s. 6d. cloth.

**BEDFORD CORRESPONDENCE. — CORRESPONDENCE OF**

JOHN, FOURTH DUKE OF BEDFORD, selected from the Originals at Woburn Abbey (1742 to 1770). With Introductions by Lord JOHN RUSSELL. 3 vols. 8vo. with Portrait, 48s. cloth.

\*.\* Separately; Vol. I. (1742-1748), 18s.; Vol. II. (1749-1760), 15s.; Vol. III. (1761-1770), 15s.

**BELL.—LIVES OF THE MOST EMINENT ENGLISH POETS.**

By ROBERT BELL, Esq. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**BELL.—THE HISTORY OF RUSSIA.**

From the Earliest Period to the Treaty of Tilsit. By ROBERT BELL, Esq. 3 vols. fcp. 8vo. with Vignette Titles, 18s. cloth.

**BLACK.—A PRACTICAL TREATISE ON BREWING,**

Based on Chemical and Economical Principles: with Formule for Public Brewers, and Instructions for Private Families. By WILLIAM BLACK. Third Edition, with considerable Additions. 8vo. 10s. 6d. cloth.—Also,

REMARKS ON BAVARIAN BEER, London Porter, the Influence of Electricity on Fermentation. By WILLIAM BLACK. Being a Supplement to his "Treatise on Brewing." 8vo. 2s. 6d. sewed.

**BLAINE.—AN ENCYCLOPÆDIA OF RURAL SPORTS;**

Or, a complete Account, Historical, Practical, and Descriptive, of Hunting, Shooting, Fishing, Racing, and other Field Sports and Athletic Amusements of the present day. By DELABERE P. BLAINE, Esq. Author of "Canine Pathology," &c. Illustrated by nearly 600 Engravings on Wood, by R. Branston, from Drawings by Alken, T. Landseer, Dickes, &c. 8vo. £2. 10s. cloth.

**BLAIR'S CHRONOLOGICAL AND HISTORICAL TABLES,**

From the Creation to the present time: with Additions and Corrections from the most authentic Writers; including the Computation of St. Paul, as connecting the Period from the Exode to the Temple. Under the revision of Sir HENRY ELLIS, K.H., Principal Librarian of the British Museum. Imperial 8vo. 31s. 6d. half-bound in morocco.

**BLOOMFIELD.—HISTORY OF THE PELOPONNESIAN WAR.**

By THUCYDIDES. A New Recension of the Text, with a carefully amended Punctuation; and copious Notes, Critical, Philological, and Explanatory, principally original, partly selected and arranged from the best Expositors: accompanied by full Indexes, both of Greek Words and Phrases explained, and matters discussed in the Notes. Illustrated by Maps and Plans. By the Rev. S. T. BLOOMFIELD, D.D. F.S.A. 2 vols. 8vo. 38s. cloth.

**BLOOMFIELD.—HISTORY OF THE PELOPONNESIAN WAR.**

By THUCYDIDES. Translated into English, and accompanied by very copious Notes, Philological and Explanatory, Historical and Geographical. By the Rev. S. T. BLOOMFIELD, D.D. F.S.A. 3 vols. 8vo. with Maps and Plates, £2. 8s. boards.

**BLOOMFIELD.—THE GREEK TESTAMENT:**

With copious English Notes, Critical, Philological, and Explanatory. Especially formed for the use of advanced Students and Candidates for Holy Orders. By Rev. S. T. BLOOMFIELD, D.D. F.S.A. 6th Edition. 2 vols. 8vo. with a Map of Palestine, £3. cloth.

**BLOOMFIELD.—A COLLEGE & SCHOOL GREEK TESTAMENT:**

With shorter English Notes, Critical, Philological, and Explanatory, formed for use in Colleges and the Public Schools. By the Rev. S. T. BLOOMFIELD, D.D. F.S.A. 4th Edition, greatly enlarged and improved. Fcp. 8vo. 10s. 6d. cloth.

**BLOOMFIELD.—GREEK AND ENGLISH LEXICON TO THE**

NEW TESTAMENT: especially adapted to the use of Colleges, and the Higher Classes in Public Schools; but also intended as a convenient Manual for Biblical Students in general. By DR. BLOOMFIELD. 2d Edition, enlarged and improved. Fcp. 8vo. 10s. 6d. cloth.

**BOY'S OWN BOOK (THE):**

A Complete Encyclopedia of all the Diversions, Athletic, Scientific, and Recreative, of Boyhood and Youth. A New Edition. With many Engravings on Wood. *Just ready.*

**BRANDE.—A DICTIONARY OF SCIENCE, LITERATURE,**

AND ART; comprising the History, Description, and Scientific Principles of every Branch of Human Knowledge; with the Derivation and Definition of all the Terms in General Use. Edited by W. T. BRANDE, F.R.S.L. & E.; assisted by J. CAUVIN. 8vo. with Wood Engravings, £3, cloth.

**BRAY'S (MRS.) NOVELS AND ROMANCES,**

Revised and corrected by Mrs. BRAY. In 10 vols. fcp. 8vo. with a Portrait, Frontispieces, and Vignettes, uniformly with "The Standard Novels," £3, cloth; or, separately, 6s. each.

**BREWSTER.—TREATISE ON OPTICS.**

By Sir DAVID BREWSTER, LL.D. F.R.S., &c. New Edition. Fcp. 8vo. with Vignette Title, and 176 Woodcuts, 6s. cloth.

**BUCKLER (J. C. AND C. A.)—A HISTORY OF THE**

ARCHITECTURE OF THE ABBEY CHURCH OF ST. ALBAN, with especial reference to the Norman Structure. By J. C. and C. A. BUCKLER, Architects. 8vo. with numerous Illustrations, 14s. cloth.

**BUDGE (J.)—THE PRACTICAL MINER'S GUIDE.**

Comprising a Set of Trigonometrical Tables adapted to all the purposes of Oblique or Diagonal, Vertical, Horizontal, and Traverse Dialling; with their application to the Dial, Exercise of Drifts, Lodes, Slides, Levelling, Inaccessible Distances, Heights, &c. By J. BUDGE. New Edition, considerably enlarged. 8vo. with Portrait of the Author, 12s. cloth.

**BULL.—THE MATERNAL MANAGEMENT OF CHILDREN,**

in HEALTH AND DISEASE. By T. BULL, M.D. Member of the Royal College of Physicians, Physician-Accoucheur to the Finsbury Midwifery Institution. New Edition. Fcp. 8vo. 7s. cloth.

**BULL.—HINTS TO MOTHERS,**

For the Management of Health during the Period of Pregnancy and in the Lying-in Room; with an Exposure of Popular Errors in connection with those subjects. By THOMAS BULL, M.D. &c. New Edition. Fcp. 8vo. 7s. cloth.

**BUNSEN.—THE CONSTITUTION OF THE CHURCH OF**

the FUTURE. A Practical Explanation of the Correspondence with the Right Hon. William Gladstone, on the German Church, Episcopacy, and Jerusalem. With a Preface, Notes, and the complete Correspondence. By the Chevalier CHRISTIAN CHARLES JOSIAS BUNSEN, Ph. D. D.C.L. Translated from the German, under the superintendence of, and with Additions by, the Author. Post 8vo. 2s. 6d. cloth.

**BURDER.—ORIENTAL CUSTOMS,**

Applied to the Illustration of the Sacred Scriptures. By Dr. SAMUEL BURDER. 3d Edition, with Additions. Fcp. 8vo. 8s. 6d. cloth.

**BÜRGER.—THE "LEONORA" OF BÜRGER.**

Translated by JULIA M. CAMERON. With Six large Illustrations, drawn on Wood by D. MacIac, R.A. and engraved by John Thompson. Crown 4to. 16s. cloth.

**BURNS.—THE PRINCIPLES OF CHRISTIAN PHILOSOPHY;**

containing the Doctrines, Duties, Admonitions, and Consolations of the Christian Religion. By JOHN BURNS, M.D. F.R.S. 6th Edition. Fcp. 8vo. 6s. 6d. cloth.

**BURNS.—CHRISTIAN FRAGMENTS;**

Or, Remarks on the Nature, Precepts, and Comforts of Religion. By JOHN BURNS, M.D. F.R.S. Author of "The Principles of Christian Philosophy." Fcp. 8vo. 5s. cloth.

**BUTLER.—SKETCH OF ANCIENT & MODERN GEOGRAPHY.**

By SAMUEL BUTLER, D.D. late Lord Bishop of Lichfield and Coventry; and formerly Head Master of Shrewsbury School. New Edition, revised by the Author's Son. 8vo. 9s. boards.

**BUTLER.—AN ATLAS OF MODERN GEOGRAPHY.**

By the late Dr. BUTLER. Consisting of Twenty-three coloured Maps, from a New Set of Plates; with an Index of all the Names of Places, referring to the Latitudes and Longitudes. New Edition. 8vo. 12s. half-bound.

**BUTLER.—AN ATLAS OF ANCIENT GEOGRAPHY.**

By the late Dr. BUTLER. Consisting of Twenty-three coloured Maps; with an Accentuated Index of all the Names of Places, referring to the Latitudes and Longitudes. New Edition, from an entirely new and corrected Set of Plates. 8vo. 12s. half-bound.

**BUTLER.—A GENERAL ATLAS OF MODERN AND ANCIENT GEOGRAPHY.** By the late Dr. S. BUTLER. Consisting of Forty-five coloured Maps, and Indices. New Edition, from an entirely new and corrected Set of Plates. 4to. 24s. half-bound.**CALLCOTT.—A SCRIPTURE HERBAL.**

With upwards of 120 Wood Engravings. By LADY CALLCOTT. Square crown 8vo. 25s. cloth.

**CARTOONS (THE PRIZE).—THE PRIZE CARTOONS**

EXHIBITED IN WESTMINSTER HALL, A.D. 1848. Published under the Sanction and Patronage of Her Majesty's Commissioners on the Fine Arts.

The average size of the Prize Cartoons is fifteen feet in width and ten in height. A reduced scale of one inch and a half to the foot has been adopted, and in the process of reduction every care has been taken faithfully to preserve all the characteristic features of the originals, and the Engraving of each work has been subjected to the approval of its author. Lithography has been chosen as the most suitable medium for producing copies of these important works.

The size of the work is large folio. The price of the Eleven Engravings, in a neat Portfolio, £5. 5s., Proofs before Letters, £8. 8s. [Just ready.]

**CATLOW.—POPULAR CONCHOLOGY;**

Or, the Shell Cabinet arranged being an Introduction to the Modern System of Conchology with a sketch of the Natural History of the Animals, an account of the Formation of the Shells, and a complete Descriptive List of the Families and Genera. By AGNES CATLOW. Fcp 8vo with 212 Woodcuts, 10s. 6d. cloth.

**CHALENOR.—WALTER GRAY,**

A Ballad, and other Poems. By MARY CHALENOR. 2d Edition, including the Authoress's Poetical Remains. Fcp. 8vo 6s. cloth.

**CLAVERS.—FOREST LIFE.**

By MARY CLAVERS, an Actual Settler; Author of "A New Home, Who 'll Follow?" 2 vols. fcp. 8vo. 12s. cloth.

**COCKS (C.)—BORDEAUX, ITS WINES, AND THE CLARET**

COUNTRY. By C. COCKS, B.L. Professor of the Living Languages in the Royal Colleges of France, Translator of the Works of Michelet and Quinet. Dedicated, by permission, to M. Le Comte T. Duchâtel. Post 8vo. with View of Bordeaux, 8s. 6d. cloth.

**COLLEGIAN'S GUIDE (THE);**

Or, Recollections of College Days, setting forth the Advantages and Temptations of a University Education. By \*\*\*\* \*\*\*\*\* M.A. — College, Oxford. Post 8vo. 10s. 6d. cloth.

**COLLIER (J. PAYNE.)—A BOOK OF ROXBURGHE BALLADS.**

Edited by JOHN PAYNE COLLIER, Esq. Fcp. 4to. with Woodcuts, 21s. boards; morocco, 38s. (bound by Hayday)

**COLTON.—LACON; OR, MANY THINGS IN FEW WORDS.**

By the Rev C. C. COLTON. New Edition. 8vo 12s. cloth

**COOLEY.—THE WORLD SURVEYED IN THE NINETEENTH**

CENTURY; or, Recent Narratives of Scientific and Exploring Expeditions (chiefly undertaken by command of Foreign Governments). Collected, translated, and, where necessary, abridged, by W. D. COOLEY, Esq. Author of the "History of Maritime and Inland Discovery" in the Cabinet Cyclopaedia, &c.—The First Volume of the Series contains,

**THE ASCENT OF MOUNT ARARAT.** By Dr. FRIEDRICH PARROT, Professor of Natural Philosophy in the University of Dorpat, Russian Imperial Councillor of State, &c. 8vo. with a Map by Arrowsmith, and Woodcuts, 14s. cloth.

The Second Work of the Series will be

**ERMAN'S TRAVELS through SIBERIA.** 2 vols. 8vo. with Illustrations. [In the press.]

**COOLEY.—THE HISTORY OF MARITIME AND INLAND**

DISCOVERY. By W. D. COOLEY, Esq. 3 vols. fcp 8vo. with Vignette Titles, 18s. cloth.

**CONVERSATIONS ON BOTANY.**

9th Edition, improved. Fcp. 8vo. 22 Plates, 7s. 6d. cloth; with the plates coloured, 12s. cloth.

## CONVERSATIONS ON MINERALOGY.

With Plates, engraved by Mr. and Mrs. Lowry, from Original Drawings. 3d Edition, enlarged. 2 vols. fcp. 8vo. 14s. cloth.

## COOPER (THE REV. E.)—SERMONS,

Chiefly designed to elucidate some of the leading Doctrines of the Gospel. To which is added, an Appendix, containing Sermons preached on several Public Occasions, and printed by desire. By the Rev. EDWARD COOPER. 7th Edition. 2 vols. 12mo. 10s. boards.

## COOPER (REV. E.)—PRACTICAL AND FAMILIAR SERMONS,

Designed for Parochial and Domestic Instruction. By Rev. EDWARD COOPER. New Edition. 7 vols. 12mo. £1. 18s. boards.

\*.\* Vols. I. to IV. 5s. each; Vols. V. to VII. 6s. each.

## COPLAND.—A DICTIONARY OF PRACTICAL MEDICINE;

comprising General Pathology, the Nature and Treatment of Diseases, Morbid Structures, and the Disorders especially incidental to Climates, to Sex, and to the different Epochs of Life, with numerous approved Formule of the Medicines recommended. By JAMES COPLAND, M.D. Consulting Physician to Queen Charlotte's Lying-in Hospital, &c. &c. Vols. I. and II. 8vo. £3, cloth; and Parts X. and XI. 4s. 6d. each, sewed.

\*.\* To be completed in One more Volume.

## COQUEREL.—CHRISTIANITY;

Its perfect adaptation to the Mental, Moral, and Spiritual Nature of Man. By ATHANASE COQUEREL, one of the Pastors of the French Protestant Church in Paris. Translated by the Rev. D. DAVIDSON, M.A. With an Introductory Notice of the State of the Protestant Church of France, drawn up by the Author especially for the English Edition. Post 8vo. [Ready.]

## COSTELLO (MISS.)—THE ROSE GARDEN OF PERSIA.

A Series of Translations from the Persian Poets. By Miss LOUISA STUART COSTELLO, Author of "Specimens of the Early Poetry of France," "A Summer amongst the Bocages and the Vines," &c. Long 8vo. with Illuminated Pages and Borders printed in rose-colour, 18s. boards; or 31s. 6d. bound in rose-coloured morocco (*Persian style*) by Hayday.

## COSTELLO (MISS.)—THE FALLS, LAKES, AND MOUNTAINS

OF NORTH WALES; being a Pictorial Tour through the most interesting parts of the Country. By LOUISA STUART COSTELLO, Author of "The Rose Garden of Persia," "Bearn and the Pyrenees," &c. Illustrated with Views, from Original Sketches by D. H. M'Kewan, engraved on wood, and lithographed, by T. and E. GILKS. Square 8vo. with Map, 14s. cloth.

## COULTER.—ADVENTURES ON THE WESTERN COAST OF

SOUTH AMERICA and in the INTERIOR of CALIFORNIA; including a Narrative of Incidents at the Kingmill Islands, New Ireland, New Britain, New Guinea, and other Islands in the Pacific Ocean: with an Account of the Natural Productions, and the Manners and Customs, in Peace and War, of the various Savage Tribes visited. By JOHN COULTER, M.D. Author of "Adventures in the Pacific." 2 vols. post 8vo. 18s. cloth.

## COULTER.—ADVENTURES IN THE PACIFIC:

With Observations on the Natural Productions, Manners, and Customs of the Natives of the various Islands; Remarks on the Missionaries, British and other Residents, &c. By JOHN COULTER, M.D. Author of "Adventures on the Western Coast of South America." Post 8vo. 7s. 6d. cloth.

## CRESY (E.)—AN ENCYCLOPÆDIA OF CIVIL ENGINEERING,

Historical, Theoretical, and Practical. By EDWARD CRESY, F.S.A. C.E. Illustrated by upwards of Three Thousand Engravings on Wood, explanatory of the Principles, Machinery, and Constructions which come under the Direction of the Civil Engineer. One very large Volume 8vo. £3. 12s. 6d. cloth.

## CROCKER'S ELEMENTS OF LAND SURVEYING.

Fifth Edition, corrected throughout, and considerably improved and modernised, by T. G. BURN, Land Surveyor. To which are added, TABLES OF SIX-FIGURE LOGARITHMS, &c., superintended by R. FARLEY, of the Nautical Almanac Establishment. Post 8vo. 12s. cloth.

## CROWE.—THE HISTORY OF FRANCE,

From the Earliest Period to the Abdication of Napoleon. By E. E. CROWE, Esq. 3 vols. fcp. 8vo. with Vignette Titles, 18s. cloth.



**DALE (THE REV. T.)—THE DOMESTIC LITURGY AND FAMILY CHAPLAIN,** in two Parts: the first Part being Church Services adapted for domestic use, with Prayers for every day of the week, selected exclusively from the Book of Common Prayer; Part 2 comprising an appropriate Sermon for every Sunday in the year. By the Rev. THOMAS DALE, M.A. Canon-Residentiary of St. Paul's, and Vicar of St. Pancras, London. Post 4to. handsomely printed, 21s. cloth: or, bound by Hayday, 31s. 6d. calf lettered; £2. 10s. morocco, with goffered edges.

**DAVY (SIR HUMPHRY).—ELEMENTS OF AGRICULTURAL CHEMISTRY,** in a Course of Lectures. By Sir HUMPHRY DAVY. With Notes by Dr. JOHN DAVY. 6th Edition. 8vo. with 10 Plates, 15s. cloth.

**DE BURTIN.—A TREATISE ON THE KNOWLEDGE NECESSARY TO AMATEURS OF PICTURES.** Translated, and Abridged from the French of M. FRANCIS XAVIER DE BURTIN, First Stipendiary Member of the Royal Academy of Brussels in the Class of Sciences, &c. By ROBERT WHITE, Esq. 8vo. with four Plates, 12s. cloth.

**DE CUSTINE.—RUSSIA.**

By the MARQUIS DE CUSTINE. Translated from the French. 2d Edition. 3 vols. post 8vo. 31s. 6d. cloth.

**DE LA BECHE.—REPORT ON THE GEOLOGY OF CORNWALL, DEVON, and WEST SOMERSET.** By HENRY T. DE LA BECHE, F.R.S. &c., Director of the Ordnance Geological Survey. Published by Order of the Lords Commissioners of H.M. Treasury. 8vo. with Maps, Woodcuts, and 12 large Plates, 14s. cloth.

**DE MORGAN.—AN ESSAY ON PROBABILITIES,**

And on their Application to Life Contingencies and Insurance Offices. By AUG. DE MORGAN, of Trinity College, Cambridge. Fcp. 8vo. with Vignette Title, 6s. cloth.

**DE SISMONDI.—THE HISTORY OF THE ITALIAN REPUBLICS;** or, of the Origin, Progress, and Fall of Freedom in Italy, from A.D. 476 to 1806. By J. C. L. SISMONDI. Fcp. 8vo. with Vignette Title, 6s. cloth.

**DE SISMONDI.—THE HISTORY OF THE FALL OF THE ROMAN EMPIRE.** Comprising a View of the Invasion and Settlement of the Barbarians. By J. C. L. DE SISMONDI. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**DE STRZELECKI (P. E.)—THE PHYSICAL DESCRIPTION OF NEW SOUTH WALES and VAN DIEMAN'S LAND;** accompanied by a Geological Map Sections, and Diagrams, and Figures of the Organic Remains. By P. E. DE STRZELECKI. 8vo. with coloured Map and numerous Plates, 24s. cloth.

**DIBDIN (THE REV. T. F.)—THE SUNDAY LIBRARY:**

Containing nearly One Hundred Sermons, by eminent Divines. With Notes, &c. by the Rev. T. F. DIBDIN, D.D. 6 vols. fcp. 8vo. with Six Portraits, 30s. cloth; or, £2. 12s. 8d. neatly half-bound in morocco, with gilt edges.

**DODDRIDGE.—THE FAMILY EXPOSITOR;**

Or, a Paraphrase and Version of the New Testament: with Critical Notes, and a Practical Improvement of each Section. By P. DODDRIDGE, D.D. To which is prefixed, a Life of the Author, by A. KIPPIS, D.D. F.R.S. and S.A. New Edition, 4 vols. 8vo. £1. 16s. cloth.

**DONOVAN.—A TREATISE ON CHEMISTRY.**

By M. DONOVAN, M.R.I.A. Fourth Edition. Fcp. 8vo. with Vignette Title, 6s. cloth.

**DONOVAN.—A TREATISE ON DOMESTIC ECONOMY.**

By M. DONOVAN, Esq. M.R.I.A. Professor of Chemistry to the Company of Apothecaries in Ireland. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**DOUBLEDAY AND HEWITSON'S BUTTERFLIES.—THE**

GENERA OF DIURNAL LEPIDOPTERA; comprising their Generic Characters—a Notice of the Habits and Transformations—and a Catalogue of the Species of each Genus. By EDWARD DOUBLEDAY, Esq. F.L.S. &c., Assistant in the Zoological Department of the British Museum. Imperial 4to, uniform with Gray and Mitchell's Ornithology; Illustrated with 75 Coloured Plates, by W. C. HEWITSON, Esq. Author of "British Oology."

\* Publishing in Monthly Parts, 6s. each; each part consisting of 2 coloured plates, with accompanying Letter-press, giving the Generic Characters, a Short Notice of the Habits, and a Catalogue of the Species of each Genus. Part XIII. will appear on the 1st of November.

**DOVER.—LIFE OF FREDERICK II. KING OF PRUSSIA.**

By LORD DOVER. 2d Edition. 2 vols. 8vo. with Portrait, 28s. boards.

# **DRESDEN GALLERY.—THE MOST CELEBRATED PICTURES**

of the ROYAL GALLERY at DRESDEN, drawn on Stone, from the Originals, by Franz Hanfstengel; with Descriptive and Biographical Notices, in French and German. Nos. 1. to XLVIII. imperial folio, each containing 2 Plates, with accompanying Letter-press, price 50s. to Subscribers; to Non Subscribers, 50s. Single Plates, 12s. each.

“To be completed in a few more numbers.

# **DRUMMOND (DR. J. L.).—LETTERS TO A YOUNG NATU-**

**RALIST, ON THE STUDY OF NATURE AND NATURAL THEOLOGY.** By JAMES L. DRUMMOND, M.D. Author of “First Steps to Botany,” &c. Second Edition. Post 8vo. with Wood Engravings, 7s. 6d. boards.

# **DRUMMOND.—FIRST STEPS TO BOTANY,**

Intended as popular Illustrations of the Science, leading to its study as a branch of general education. By J. L. DRUMMOND, M.D. 4th Edit. 12mo. with numerous Woodcuts, 5s. bds.

# **DUNHAM.—THE HISTORY OF THE GERMANIC EMPIRE.**

By Dr. DUNHAM. 3 vols. fcp. 8vo. with Vignette Titles, 18s. cloth.

**THE HISTORY OF EUROPE DURING THE MIDDLE AGES.** By Dr. Dunham. 4 vols. fcp. 8vo. with Vignette Titles, £1. 4s. cloth.

**THE HISTORY OF SPAIN AND PORTUGAL.** By Dr. Dunham. 5 vols. fcp. 8vo. with Vignette Titles, £1. 10s. cloth.

**THE HISTORY OF SWEDEN, DENMARK, AND NORWAY.** By Dr. Dunham. 3 vols. fcp. 8vo. with Vignette Titles, 18s. cloth.

**THE HISTORY OF POLAND.** By Dr. Dunham. Fcp. 8vo. with Vignette Title, 6s. cloth.

**THE LIVES OF THE EARLY WRITERS OF GREAT BRITAIN.** By Dr. Dunham, R. Bell, Esq. &c. Fcp. 8vo. with Vignette Title, 6s. cloth.

**THE LIVES OF BRITISH DRAMATISTS.** By Dr. Dunham, R. Bell, Esq. &c. 3 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

# **DUNLOP.—TRAVELS IN CENTRAL AMERICA.**

With a Journal of nearly Three Years' Residence in the Country. To which are added, a Sketch of the History of the Republic, and an Account of its Climate, Productions, Commerce, &c. By ROBERT GLASGOW DUNLOP, Esq. Post 8vo. with Map, 10s. 6d. cloth.

# **DUNLOP (JOHN).—THE HISTORY OF FICTION:**

Being a Critical Account of the most celebrated Prose Works of Fiction, from the earliest Greek Romances to the Novels of the Present Age. By JOHN DUNLOP, Esq. 3d Edition, complete in One Volume. 8vo. 15s. cloth.

# **EASTLAKE.—MATERIALS FOR A HISTORY OF OIL**

**PAINTING.** By CHARLES LOCK EASTLAKE, Esq. R.A. F.R.S. F.S.A.; Secretary to the Royal Commission for Promoting the Fine Arts in connexion with the rebuilding of the Houses of Parliament, &c. 8vo. 16s. cloth.

# **ECCLESTON (JAMES).—AN INTRODUCTION TO ENGLISH**

**ANTIQUITIES.** Intended as a Companion to the History of England. By JAMES ECCLESTON, B.A. Head Master of Sutton Coldfield Grammar School. 8vo. with numerous Engravings on Wood, 21s. cloth.

# **ELLIOTSON.—HUMAN PHYSIOLOGY:**

With which is incorporated much of the elementary part of the “*Institutiones Physiologicæ*” of J. F. Blumenbach, Professor in the University of Göttingen. By JOHN ELLIOTSON, M.D. Cantab. F.R.S. Fifth Edition. 8vo. with numerous Woodcuts, £2. 2s. cloth.

# **ENGLISHMAN'S GREEK CONCORDANCE OF THE NEW**

**TESTAMENT:** being an Attempt at a Verbal Connexion between the Greek and the English Texts; including a Concordance to the Proper Names, with Indexes, Greek-English and English-Greek. 2d Edition, with a new Index. Royal 8vo. 42s. cloth.

# **ENGLISHMAN'S HEBREW AND CHALDEE CONCORDANCE**

of the OLD TESTAMENT; being an attempt at a Verbal Connection between the Original and the English Translations; with Indexes, a List of the Proper Names and their occurrences, &c. &c. 2 vols. royal 8vo. £3. 13s. 6d. cloth; large paper, £4. 14s. 6d.

# **EPHEMERA.—A HAND-BOOK OF ANGLING;**

Teaching Fly-fishing, Trolling, Bottom-fishing, Salmon-fishing; the Natural History of River Fish, and the best modes of Catching them. By EPHEMERA, of Bell's Life in London. Fcp. 8vo. with numerous Wood Engravings, 9s. cloth.

# **ESDAILE (DR. J.).—MESMERISM IN INDIA;**

And its Practical Application in Surgery and Medicine. By JAMES ESDAILE, M.D. Civil Assistant-Surgeon, M.C.S. Bengal. Fcp. 8vo. 6s. 6d. cloth.

**EVANS.—THE SUGAR PLANTER'S MANUAL:**

Being a Treatise on the Art of obtaining Sugar from the Sugar Cane. By W. J. EVANS, M.D.  
8vo. 9s. cloth.

**FAREY.—A TREATISE ON THE STEAM ENGINE,**

Historical, Practical, and Descriptive. By JOHN FAREY, Engineer. 4to. Illustrated by numerous Woodcuts, and 35 Copper-plates, 45s. 6s. boards.

**FAWN (THE) OF SERTORIUS.**

2 vols. post 8vo. 18s. cloth.

"As a work that contains lively and graphic pictures of life and manners in a distant age, we commend it to the perusal of our readers."—*CAITIE*.

**FERGUS.—HISTORY OF UNITED STATES OF AMERICA,**

From the Discovery of America to the Election of General Jackson to the Presidency. By the Rev. H. FERGUS. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**FITZROY (LADY).—SCRIPTURAL CONVERSATIONS BETWEEN CHARLES and his MOTHER.**

By Lady CHARLES FITZROY. Fcp. 8vo. 4s. 6d. cloth.

**FORSTER.—THE STATESMEN OF THE COMMONWEALTH**

OF ENGLAND. With an Introductory Treatise on the Popular Progress in English History. By JOHN FORSTER, Esq. 5 vols. fcp. 8vo. with Original Portraits of Pym, Elliot, Hampden, Cromwell, and an Historical Scene after a Picture by Cattermole, 41. 10s. cloth.

The above 5 vols. form Mr. Forster's portion of the Lives of Eminent British-Statesmen, by Sir James Mackintosh, the Right Hon. T. P. Courtenay, and John Forster, Esq. 7 vols. fcp. 8vo. with Vignette Titles, 42. 2s. cloth.

**FORSTER (REV. C.)—THE HISTORICAL GEOGRAPHY OF**

ARABIA; or, the Patriarchal Evidences of Revealed Religion. A Memoir, with illustrative Maps and an Appendix, containing Translations, with an Alphabet and Glossary of the Hamaritic Inscriptions recently discovered in Hadramaut. By the Rev. CHARLES FORSTER, B.D. Author of "Mahometanism Unveiled." 2 vols. 8vo. 30s. cloth.

**FORSTER (REV. C.)—THE LIFE OF JOHN JEBB, D.D. F.R.S.,**

late Bishop of Limerick. With a Selection from his Letters. By the Rev. CHARLES FORSTER, B.D. Rector of Stisted, and formerly Domestic Chaplain to the Bishop. Second Edition. 8vo. with Portrait, &c. 16s. cloth.

**FOSBROKE.—A TREATISE ON THE ARTS, MANNERS,**

MANUFACTURES, and INSTITUTIONS of the GREEKS and ROMANS. By the Rev. T. D. FOSBROKE, &c. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**FRANCIS.—NOTES FROM A JOURNAL KEPT IN ITALY**

and SICILY during the years 1844, 1845, and 1846. By J. G. FRANCIS, B.A. 8vo. with Eight Lithographic Illustrations, from Drawings by the Author, 14s. cloth.

**FROM OXFORD TO ROME;**

And, How it fared with some who lately made the Journey. By a COMPANION TRAVELLER. New Edition, revised and corrected. Fcp. 8vo. with Frontispiece, 6s. cloth.

**GASCOYNE.—A NEW SOLUTION, IN PART, OF THE SEALS,**

TRUMPETS, and other SYMBOLS of the REVELATION of ST. JOHN: being an Attempt to prove that, as far as they are fulfilled, they denote the Rise, Increase, and Maturity of the Man of Sin, and the Coming of our Lord Jesus Christ for his Destruction. By the Rev. R. GASCOYNE, A.M. 18mo. 5s. cloth.

**GERTRUDE.**

A Tale. By the Author of "Amy Herbert." Edited by the Rev. WILLIAM SEWELL, B.D. of Exeter College, Oxford. New Edition. 2 vols. fcp. 8vo. 9s. cloth.

**GILBART (J. W.)—THE HISTORY AND PRINCIPLES OF**

BANKING. By JAMES WILLIAM GILBART, General Manager of the London and Westminster Bank. 2d Edition. 8vo. 9s. boards.

**GLEIG.—LIVES OF MOST EMINENT BRITISH MILITARY**

COMMANDERS. By the Rev. G. R. GLEIG. 3 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**GOLDSMITH.—THE POETICAL WORKS OF OLIVER**

GOLDSMITH. Illustrated by Wood Engravings, from the Designs of G. W. Cope, A.R.A., Thomas Creswick, A.R.A., J. C. Horsley, R. Redgrave, A.R.A., and Frederick Taylor M. t. b. of the Etching Club. With a Biographical Memoir, and Notes on the Poems. Ed. d. by BOLTON CORNEY, Esq. Square crown 8vo. uniform with "Thompson's Seasons," 21s. cloth; or, bound in morocco, by Hayday, 41. 18s.

\*.\* One Hundred Copies, 42. 2s. each, printed on prepared paper of great beauty.

**GOOD.—THE BOOK OF NATURE.**

A Popular Illustration of the General Laws and Phenomena of Creation. By JOHN HASON GOOD, M.D. F.R.S., &c. Third Edition, corrected. 3 vols. fcp. 8vo. 21s. cloth.

**GOWER.—THE SCIENTIFIC PHENOMENA OF DOMESTIC**

LIFE, familiarly explained. By CHARLES FOOTE GOWER. New Edition. fcp. 8vo. with Wood Engravings, 6s. cloth.

**GRAHAM.—ENGLISH; OR, THE ART OF COMPOSITION:**

explained in a Series of Instructions and Examples. By G. F. GRAHAM. New Edition, revised and improved. fcp. 8vo. 6s. cloth.

**GRANT (MRS.)—LETTERS FROM THE MOUNTAINS.**

Being the Correspondence with her Friends, between the years 1778 and 1803. By Mrs GRANT, of Laggan. Sixth Edition. Edited, with Notes and Additions, by her son, J. F. GRANT, Esq. 3 vols. post 8vo. 21s. cloth.

**GRANT (MRS.)—MEMOIR AND CORRESPONDENCE OF**

the late Mrs. Grant, of Laggan, Author of "Letters from the Mountains," "Memoirs of an American Lady," &c. Edited by her Son, J. F. GRANT, Esq. 2d Edition. 3 vols. post 8vo. with Portrait, 31s. 6d. cloth.

**GRATTAN.—THE HISTORY OF THE NETHERLANDS,**

From the Invasion by the Romans to the Belgian Revolution in 1830. By T. C. GRATTAN, Esq. fcp. 8vo. with Vignette Title, 6s. cloth.

**GRAY (THOMAS).—GRAY'S ELEGY,**

Written in a Country Churchyard. Illuminated in the Mosaic style. By OWEN JONES, Architect. Imp. 8vo. 31s. 6d. elegantly bound in patent relievé leather.

**GRAY AND MITCHELL'S ORNITHOLOGY.—THE GENERA**

OF BIRDS; comprising their Generic Characters, a Notice of the Habits of each Genus, and an extensive List of Species, referred to their several Genera. By GEORGE ROBERT GRAY, Acad. Imp. Georg. Florent. Soc. Corresp. Senior Assistant of the Zoological Department, British Museum; and Author of the "List of the Genera of Birds," &c. &c. Illustrated with Three Hundred and Fifty Imperial quarto Plates, by DAVID WILLIAM MITCHELL.

In course of publication, in Monthly Parts, 10s. 6d. each; each Part consisting generally of Four Imperial quarto coloured Plates and Three plain, and accompanying Letterpress; giving the Generic Characters, short Remarks on the Habits, and a List of Species of each Genus as complete as possible. The uncoloured Plates contain the Characters of all the Genera of the various Sub-families, consisting of numerous details of Heads, Wings, and Feet, as the case may require, for pointing out their distinguishing Characters.

\*.\* The work will not exceed Fifty Monthly Parts, of which Forty have appeared.

ORDER I.—Accipitres, has been completed, and may be had separately. Imperial 8vo. with 15 coloured and 12 plain Plates, £2. 8s. boards.

**GREENER.—THE GUN;**

Or, a Treatise on the various Descriptions of Small Fire-Arms. By W. GREENER, Inventor of an improved method of Firing Cannon by Percussion, &c. 8vo. with Illustrations, 15s. boards.

**GRIMBLOT (P.)—LETTERS OF WILLIAM III. AND LOUIS**

XIV. and of their Ministers. Illustrating the Domestic and Foreign Policy of England during the period which followed the Revolution of 1688. Extracted from the Archives of France and England, and from Family papers. Edited by P. GRIMBLOT. 2 vols. 8vo. [In the press.]

**GUICCIARDINI (F.)—THE MAXIMS OF FRANCIS GUIC-**

CIARDINI. Translated by EMMA MARTIN. With Notes, and Parallel Passages from the works of Machiavelli, Lord Bacon, Pascal, Rochefoucault, Montesquieu, Burke, Talleyrand, M. Guizot, &c.; and a Sketch of the Life of Guicciardini. Square fcp. 8vo. with Portrait, 7s. boards; or bound in morocco by Hayday, 14s.

**GUTCH.—A LYTELL GESTE OF ROBIN HODE:**

With other Ancient and Modern Ballads and Songs relative to this celebrated Yeoman. To which is prefixed, his History and Character, grounded upon other Documents than those made use of by his former Biographer, "Mister Ritson." Edited by J. M. GUTCH, F.A.S. and adorned with Cuts by F. W. FAIRHOLT, F.A.S. 2 vols. 8vo. with numerous Wood Engravings, 30s. cloth.

**GWILT.—AN ENCYCLOPÆDIA OF ARCHITECTURE;**

Historical, Theoretical, and Practical. By JOSEPH GWILT, Esq. F.R.S. Illustrated with upwards of 1000 Engravings on Wood, from Designs by J. S. GWILT. 8vo. 52s. 6d. cloth

**HALL.—NEW GENERAL LARGE LIBRARY ATLAS OF**

**FIFTY-THREE MAPS**, on Columbian Paper; with the Divisions and Boundaries carefully coloured. Constructed entirely from New Drawings, and engraved by **SIRHAY HALL**. New Edition, thoroughly revised and corrected; including all the Alterations rendered necessary by the recent Official Surveys, the New Roads on the Continent, and a careful Comparison with the authenticated Discoveries published in the latest Voyages and Travels. Folded in half, Nine Guineas, half-bound in Russia; full size of the Maps, Ten Pounds, half-bound, Russia.

**HALSTED.—LIFE AND TIMES OF RICHARD THE THIRD,**

as Duke of Gloucester and King of England: in which all the Charges against him are carefully investigated and compared with the Statements of the Contemporary Authorities. By **CAROLINE A. HALSTED**, Author of "The Life of Margaret Beaufort." 3 vols. 8vo. with an Original Portrait and other Illustrations, £1. 10s. cloth.

**HAND-BOOK OF TASTE (THE);**

Or, How to Observe Works of Art, especially Cartoons, Pictures, and Statues. By **FABIVS PICTOR**. New Edition. Fcp. 8vo. 3s. boards.

**HANSARD.—TROUT AND SALMON FISHING IN WALES.**

By **G. A. HANSARD**. 12mo. 6s. 6d. cloth.

**HARRIS.—THE HIGHLANDS OF ÆTHIOPIA;**

Being the Account of Eighteen Months' Residence of a British Embassy to the Christian Court of Shoa. By Major Sir **W. C. HARRIS**, Author of "Wild Sports in Southern Africa," &c. 2d Edition. 3 vols. 8vo. with Map and Illustrations, £2. 2s. cloth.

**HAWBUCK GRANGE;**

Or, the Sporting Adventures of Thomas Scott, Esq. By the Author of "Handley Cross; or, the Spa Hunt," &c. 8vo. with Eight Illustrations by PHIZ. *[In October.]*

**HAWES.—TALES OF THE NORTH AMERICAN INDIANS,**

And Adventures of the Early Settlers in America; from the landing of the Pilgrim Fathers, in 1620, to the Time of the Declaration of Independence. By **BARBARA HAWES**. Fcp. 8vo. with Frontispiece, 6s. cloth.

**HAWKER.—INSTRUCTIONS TO YOUNG SPORTSMEN**

In all that relates to Guns and Shooting. By Lieut.-Col. **P. HAWKER**. 9th Edit. corrected, enlarged, and improved, with Eighty-five Plates and Woodcuts by Adlard and Branston, from Drawings by C. Varley, Dickes, &c. 8vo. £1. 1s. cloth.

**HAYDON.—THE AUTOBIOGRAPHY AND JOURNALS OF**

the late **B. R. HAYDON**, Historical Painter. Arranged, edited, and continued by Mrs. **HAYDON**. *[In the press.]*

**HAYDON.—LECTURES ON PAINTING AND DESIGN:**

Delivered at the London Institution, the Royal Institution, Albemarle Street, to the University of Oxford, &c. By **B. R. HAYDON**, Historical Painter. With Portraits of the Author and of Sir David Wilkie, and other Illustrations, from Designs drawn on Wood by the Author. 2 vols. 8vo. 24s. cloth.

**HENSLOW.—THE PRINCIPLES OF DESCRIPTIVE AND**

**PHYSIOLOGICAL BOTANY.** By **J. S. HENSLOW**, M.A./F.L.S. &c. Fcp. 8vo. with Vignette Title, and nearly 70 Woodcuts, 6s. cloth.

**HERSCHEL.—A TREATISE ON ASTRONOMY.**

By Sir **JOHN HERSCHEL**. New Edition. Fcp. 8vo. with Vignette Title, 6s. cloth.

**HERSCHEL.—A PRELIMINARY DISCOURSE ON THE**

**STUDY OF NATURAL PHILOSOPHY.** By Sir **JOHN HERSCHEL**. New Edition. Fcp. 8vo. with vignette title, 6s. cloth.

**HINTS ON ETIQUETTE AND THE USAGES OF SOCIETY:**

With a Glance at Bad Habits. By *Amyas*. "Manners make the man." 28th Edition, revised (with additions) by a Lady of Rank. Fcp. 8vo. 2s. 6d. cloth, gilt edges.

General Observations; Introductions—Letters of Introduction—Marriage—Dinners—Smoking; Snuff—Fashion—Dress—Music—Dancing—Conversation—Advice to Tradespeople—Visiting; Visiting Cards—Cards—Tattling—Of General Society.

**HISTORICAL CHARADES.**

By the Author of "Letters from Madras." Fcp. 8vo. 5s. cloth.

**HISTORICAL PICTURES OF THE MIDDLE AGES,**

In Black and White. Made on the spot, from Records in the Archives of Switzerland. By a **WANDERING ARTIST**. 3 vols. post 8vo. 18s. cloth.

**HOARE.—A DESCRIPTIVE ACCOUNT OF A NEW METHOD**  
of PLANTING and MANAGING the ROOTS of GRAPE VINES. By CLEMENT HOARE,  
Author of "A Treatise on the Cultivation of the Grape Vine on Open Walls." 12mo. 5s. cloth.

**HOARE.—A PRACTICAL TREATISE ON THE CULTIVATION**  
OF THE GRAPE VINE ON OPEN WALLS. By CLEMENT HOARE. 3d Edition. 8vo.  
2s. 6d. cloth.

**HOBBS.—ENGLISH WORKS OF THOMAS HOBBS,**  
Of Malmesbury; now first collected by Sir WILLIAM MOLESWORTH, Bart. 16 vols. 8vo.  
8s. cloth.

\* Separately: the English Works, in 11 vols. £5. 10s.; the Latin Works, in 5 vols. £2. 10s.

**HOLLAND.—A TREATISE ON THE MANUFACTURES IN**  
METAL. By J. HOLLAND, Esq. 3 vols. fcp. Vignette Titles, about 300 Woodcuts, 18s. cloth.

**HOLLAND.—MEDICAL NOTES AND REFLECTIONS.**

By HENRY HOLLAND, M.D. F.R.S. &c. Fellow of the Royal College of Physicians, Physician  
Extraordinary to the Queen, and Physician in Ordinary to His Royal Highness Prince Albert.  
3d Edition. 8vo. 18s. cloth.

**HOOK (DR. W. F.).—THE LAST DAYS OF OUR LORD'S**  
MINISTRY: a Course of Lectures on the principal Events of Passion Week. By WALTER  
FARQUHAR HOOK, D.D. Vicar of Leeds, Prebendary of Lincoln, and Chaplain in Ordinary to  
the Queen. 4th Edition. Fcp. 8vo. 6s. cloth.

**HOOKE.—KEW GARDENS;**

Or, a Popular Guide to the Royal Botanic Gardens of Kew. By Sir WILLIAM JACKSON  
HOOKER, K.H. D.C.L. F.R.S. & L.S. &c. &c. Director. New Edition. 16mo. with numerous  
Wood Engravings, 1s. sewed.

**HOOKE.—THE BRITISH FLORA,**

In Two Vols. Vol. 1; comprising Phanogamous or Flowering Plants, and the Ferns. By Sir  
WILLIAM JACKSON HOOKE, K.H. LL.D. F.R.S. & L.S. &c. &c. Fifth Edition, with  
Additions and Corrections; and 173 Figures illustrative of the Umbelliferous Plants, the  
Composite Plants, the Grasses, and the Ferns. 8vo. with 12 Plates, 14s. plain; with the  
plates coloured, 24s. cloth.

Vol. 2, in Two Parts, comprising the Cryptogamia and Fungi, completing the British Flora, and  
forming Vol. 5, Parts 1 and 2, of Smith's English Flora, 24s. boards.

**HORNE (THE REV. T. H.).—AN INTRODUCTION TO THE**  
CRITICAL STUDY AND KNOWLEDGE of the HOLY SCRIPTURES. By THOMAS  
HARTWELL HORNE, B.D. of St. John's College, Cambridge; Rector of the united Parishes  
of St. Edmund the King and Martyr, and St. Nicholas Acons, Lombard Street; Prebendary  
of St. Paul's. A New Edition, revised and corrected. 5 vols. 8vo. with numerous Maps and  
Facsimiles of Biblical Manuscripts, 68s. cloth; or £2, bound in calf half-extra, by Hayday.

**HORNE (THE REV. T. H.).—A COMPENDIOUS INTRODUC-**  
TION to the STUDY of the BIBLE. By THOMAS HARTWELL HORNE, B.D. of St. John's  
College, Cambridge. Being an Analysis of his "Introduction to the Critical Study and  
Knowledge of the Holy Scriptures." New Edition, corrected and enlarged. 12mo, with Maps  
and other Engravings, 9s. boards.

**HORSLEY (BISHOP).—BIBLICAL CRITICISM**

On the first Fourteen Historical Books of the Old Testament; and on the first Nine Prophetical  
Books. By SAMUEL HORSLEY, LL.D. F.R.S. F.S.A. Lord Bishop of St. Asaph. 2d Edition,  
containing Translations by the Author never before published, together with copious Indices.  
2 vols. 8vo. £1. 10s. cloth.—By the same Author,

THE BOOK of PSALMS; translated from the Hebrew: with Notes, explanatory and critical  
Fourth Edition. 8vo. 12s. cloth.

**HOWITT (MARY).—BALLADS AND OTHER POEMS. BY**

Mary Howitt. Square crown 8vo. with a Portrait, from a picture by Miss Gillies, beautifully  
engraved by W. H. Egleton, 18s. cloth; morocco, 36s. (bound by Hayday.)

**HOWITT.—THE CHILD'S YEAR-BOOK.**

By MARY HOWITT. With Four Illustrations, engraved by John Abelson, from Original  
Designs. [In the Autumn.]

**HOWITT.—THE BOY'S COUNTRY BOOK:**

Being the real Life of a Country Boy, written by himself, exhibiting all the Amusements,  
Pleasures, and Pursuits of Children in the Country. Edited by WILLIAM HOWITT, Author  
of "The Rural Life of England," &c. New Edit. Fcp. 8vo. with 40 Woodcuts. [Just ready.]

**HOWITT.—THE RURAL LIFE OF ENGLAND.**

By WILLIAM HOWITT. 3d Edition, corrected and revised. Medium 8vo. with Engravings on wood, by Bewick and Williams, uniform with "Visits to Remarkable Places," 21s. cloth.

**HOWITT.—VISITS TO REMARKABLE PLACES:**

Old Halls, Battle-Fields, and Scenes illustrative of Striking Passages in English History and Poetry. By WILLIAM HOWITT. New Edition. Medium 8vo. with 40 Illustrations by S. Williams, 21s. cloth.

SECOND SERIES, chiefly in the Counties of DURHAM and NORTHUMBERLAND, with a Stroll along the BORDER. Medium 8vo. with upwards of 40 highly-finished Woodcuts, from Drawings made on the spot for this work, by Messrs. Carmichael, Richardsons, and Weld Taylor, 21s. cloth.

**HOWITT.—THE RURAL AND SOCIAL LIFE OF GERMANY:**

With Characteristic Sketches of its Chief Cities and Scenery. Collected in a General Tour, and during a Residence in that Country in the Years 1840-42. By WILLIAM HOWITT, Author of "The Rural Life of England," &c. Med. 8vo. with above 50 Illustrations, 21s. cloth.

**HOWITT.—THE STUDENT-LIFE OF GERMANY.**

From the Unpublished MSS. of Dr. Cornelius. By WILLIAM HOWITT. 8vo. with 24 Wood-Engravings, and Seven Steel Plates, 21s. cloth.

**HOWITT.—COLONISATION AND CHRISTIANITY:**

A Popular History of the Treatment of the Natives, in all their Colonies, by the Europeans. By WILLIAM HOWITT. Post 8vo. 10s. 6d. cloth.

**HUDSON.—PLAIN DIRECTIONS FOR MAKING WILLS**

In Conformity with the Law, and particularly with reference to the Act 7 Will. 4 and 1 Vict. c. 36. To which is added, a clear Exposition of the Law relating to the distribution of Personal Estate in the case of Intestacy; with two Forms of Wills, and much useful information, &c. By J. C. HUDSON, Esq. New Edition, corrected. Fcp. 8vo. 2s. 6d.

**HUDSON.—THE EXECUTOR'S GUIDE.**

By J. C. HUDSON, Esq. of the Legacy Duty Office, London; Author of "Plain Directions for Making Wills," and "The Parent's Hand-book." New Edition. Fcp. 8vo. 5s. cloth.

\* These two works may be had in one volume, 7s. cloth.

**HUDSON.—THE PARENT'S HAND-BOOK;**

Or, Guide to the Choice of Professions, Employments, and Situations; containing useful and practical Information on the subject of placing out Young Men, and of obtaining their Education with a view to particular occupations. By J. C. HUDSON, Esq. Author of "Plain Directions for Making Wills." Fcp. 8vo. 5s. cloth.

**HUMBOLDT (BARON).—BARON HUMBOLDT'S COSMOS:**

A Sketch of a Physical Description of the Universe. Translated, with the Author's Sanction and Co-operation, under the superintendence of Lieutenant-Colonel EDWARD SABINE, R.A. For. Sec. R.S. Vol. I. New Edition. Post 8vo. 12s. cloth. [Vol. II. is in the press.]

"Je vous salue, Monsieur, de vous servir en toute occasion de la déclaration, que la belle traduction du Colonel Sabine enrichie de rectifications et de notes très-précieuses, et qui ont toute mon approbation, est la seule par laquelle j'ai vivement désiré voir introduit mon ouvrage dans la littérature de votre pays."

BARON HUMBOLDT to Mr. Murray, Dec. 15, 1844.  
"The present translation was undertaken in compliance with the author's wish, and is ably executed, reading like an original work."—SIRGEMAN.

**HUME.—THE LEARNED SOCIETIES AND PRINTING CLUBS**

of the UNITED KINGDOM; being an Account of their respective Origin, History, Objects, and Constitution; full details respecting Membership, Fees, their published Works and Transactions, Notices of their Periods and Places of Meeting, &c. With a general Introduction, and a Classified Index. Compiled from Official Documents, by the Rev. A. HUME, LL.D. F.R.S. Corresponding Member of the Society of Antiquaries, Scotland; Member of the Philological Society, &c. Post 8vo. 8s. 6d. cloth.

**HUNT.—RESEARCHES ON LIGHT:**

An Examination of all the Phenomena connected with the Chemical and Molecular Changes produced by the Influence of the Solar Rays; embracing all the known Photographic Processes, and new Discoveries in the Art. By ROBERT HUNT, Keeper of Mining Records, Museum of Economic Geology. 8vo. with Plates and Woodcuts, 10s. 6d. cloth.

**JAENISCH & WALKER.—JAENISCH'S CHESS PRECEPTOR:**

A New Analysis of the Openings of Games. By C. F. DE JAENISCH, of St. Petersburg. Translated from the French, with copious Notes, by GEORGE WALKER, Author of "Chess Studies," and various other Works on the Game of Chess. 8vo. 15s. cloth.

**JAMES.—LIVES OF MOST EMINENT FOREIGN STATESMEN.**

By G. F. H. JAMES, Esq., and E. H. CROWE, Esq. 5 vols. fcp. 8vo. Vignette Titles, 2s. cloth.

**JAMES.—A HISTORY OF THE LIFE OF EDWARD THE BLACK PRINCE, and of various Events connected therewith, which occurred during the Reign of Edward III. King of England.** By G. E. JAMES, Esq. 3d Edition. 3 vols. fcp. 8vo. Map, 15s. cloth.

**JEBB.—A LITERAL TRANSLATION OF THE BOOK OF PSALMS; intended to illustrate their Poetical and Moral Structure. To which are added, Observations on the word "Selah," and on the Authorship, Order, Titles, and Poetical Features, of the Psalms.** By the Rev. JOHN JEBB, A.M. Rector of Peterstow. 2 vols. 8vo. 75s. cloth.

**JEBB (BISHOP) AND KNOX (ALEXANDER).—THIRTY YEARS' CORRESPONDENCE** between John Jebb, D.D. F.R.S. Bishop of Limerick, Ardfer, Aghadoe, and Alexander Knox, Esq. M.R.I.A. Edited by the Rev. CHARLES FORSTER, B.D. Rector of Stisted, formerly Domestic Chaplain to Bishop Jebb. 2d Edit. 2 vols. 8vo. 78s. cl.

**JEFFREY.—CONTRIBUTIONS TO THE EDINBURGH REVIEW.** By FRANCIS JEFFREY, now One of the Judges of the Court of Session in Scotland. New Edition. 3 vols. 8vo. 42s. cloth.

**JOHNSON.—THE FARMER'S ENCYCLOPÆDIA,** And Dictionary of Rural Affairs: embracing all the recent Discoveries in Agricultural Chemistry; adapted to the comprehension of unscientific readers. By CUTBERT W. JOHNSON, Esq. F.R.S. Barrister-at-Law; Editor of the "Farmer's Almanack," &c. 8vo. illustrated by Wood Engravings, 42s. 10s. cloth.

**KATER AND LARDNER.—A TREATISE ON MECHANICS.** By Captain KATER and Dr. LARDNER. New Edition. Fcp. 8vo. with Vignette Title, and 19 Plates, comprising 224 distinct figures, 6s. cloth.

**KEIGHTLEY.—OUTLINES OF HISTORY.** From the Earliest Period. By THOMAS KEIGHTLEY, Esq. New Edition, corrected and considerably improved. Fcp. 8vo. 6s. cloth; or 6s. 6d. bound.

**KING (COL. J. A.).—TWENTY-FOUR YEARS IN THE ARGENTINE REPUBLIC;** embracing the Author's Personal Adventures, with the Civil and Military History of the Country, and an Account of its Political Condition before and during the Administration of Governor Rosas, his course of Policy, the Causes and Character of his Interference with the Government of Monte Video, and the circumstances which led to the Interposition of England and France. By Col. J. ANTHONY KING, an Officer in the Army of the Republic. 8vo. 14s. cloth.

**KIP.—THE CHRISTMAS HOLYDAYS IN ROME.** By the Rev. W. INGRAHAM KIP, M.A. Edited by the Rev. W. SEWELL, B.D. Fellow and Tutor of Exeter College, Oxford. Fcp. 8vo. 5s. cloth.

**KIRBY & SPENCE.—AN INTRODUCTION TO ENTOMOLOGY;** Or, Elements of the Natural History of Insects: comprising an account of noxious and useful Insects, of their Metamorphoses, Food, Stratagems, Habitations, Societies, Motions, Noises, Hybernation, Instinct, &c. By W. KIRBY, M.A. F.R.S. & L.S. Rector of Barham; and W. SPENCE, Esq. F.R.S. & L.S. 6th Edit. corrected and much enlarged. 2 vols. 8vo. 31s. 6d. cloth.

**KNOX (ALEXANDER).—REMAINS OF ALEXANDER KNOX,** Esq. of Dublin, M.R.I.A. containing Essays, chiefly explanatory of Christian Doctrine, and Confidential Letters, with Private Papers, illustrative of the Writer's Character, Sentiments, and Life. 3d Edition. 4 vols. 8vo. 42s. 8s. cloth.

**LAING.—NOTES ON THE SCHISM FROM THE CHURCH OF ROME,** called the GERMAN-CATHOLIC CHURCH, instituted by J. Ronge and I. Cusacki, in October 1844, on occasion of the Pilgrimage to the Holy Coat at Treves. By S. LAING, Esq. Author of "Notes of a Traveller," &c. 3d Edition. Fcp. 8vo. 5s. cloth.

**LAING.—THE CHRONICLE OF THE KINGS OF NORWAY,** From the Earliest Period of the History of the Northern Sea Kings to the Middle of the Twelfth Century, commonly called *The Heimskringla*. Translated from the Icelandic of Snorro Sturluson, with Notes, and a Preliminary Discourse, by SAMUEL LAING, Author of "Notes of a Traveller," &c. 3 vols. 8vo. 36s. cloth.

**LAING.—A TOUR IN SWEDEN,** In 1838; comprising observations on the Moral, Political, and Economical State of the Swedish Nation. By SAMUEL LAING, Esq. 8vo. 12s. cloth.

**LANE (R. J.).—LIFE AT THE WATER-CURE;** Or, a Month at Malvern. A Diary of Facts and Fancies. To which is added, The Second. By RICHARD W. LANE, A.R.A. Lithographer to Her Majesty and H.R.H. Prince Albert. Post 8vo. with numerous Illustrations, 14s. cloth.



**LANETON PARSONAGE;**

A Tale for Children, on the Practical Use of a portion of the Church Catechism. By the Author of "Amy Herbert," and "Gertrude." Edited by the Rev. W. SAWALL, B.D. Fellow of Exeter College, Oxford. New Edition. Fcp. 8vo. 8s. cloth.

**LANG.—COOKSLAND IN NORTH-EASTERN AUSTRALIA;**

Or, the Future Cotton Field of Great Britain: its Characteristics and Capabilities for European Colonisation; with a Disquisition on the Origin, Manners, and Customs of the Aborigines. By J. P. LANG, D.D. 18mo. with 7 Plates and Map, 7s. 6d. cloth.

**LANG.—PHILLIPSLAND;**

Or, the Country hitherto designated Port Phillip: its Present Condition and Prospects as a highly eligible Field for Emigration. By JOHN DUNMORE LANG, D.D. A.M.; Member of the Legislative Council of New South Wales. 18mo. with 4 Plates and 2 Maps, 7s. 6d. cloth.

**LAPLACE (THE MARQUIS DE).—THE SYSTEM OF THE**

WORLD. By M. LE MARQUIS DE LAPLACE. Translated from the French, and elucidated with Explanatory Notes. By the Rev. HENRY H. HART, F.T.C.D. M.R.I.A. 2 vols. 8vo. 24s. boards.

**LARDNER'S CABINET CYCLOPÆDIA;**

Comprising a Series of Original Works on History, Biography, Literature, the Sciences, Arts, and Manufactures. Conducted and edited by Dr. LARDNER.

The Series, complete, in One Hundred and Thirty-three Volumes, £39. 18s. The works, separately, 6s. per volume.

**LARDNER AND WALKER.—A TREATISE ON ELECTRICITY,**

MAGNETISM, and METEOROLOGY. By D. LARDNER, LL.D. F.R.S., and C. V. WALKER, Secretary of the Electrical Society. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**LARDNER.—A TREATISE ON HEAT.**

By D. LARDNER, LL.D., &c. Fcp. 8vo. with Woodcuts and Vignette Title, 6s. cloth.

**LARDNER.—A TREATISE ON HYDROSTATICS AND PNEU-**

MATICS. By Dr. LARDNER. New Edition. Fcp. 8vo. with Vignette Title, 6s. cloth.

**LARDNER.—A TREATISE ON ARITHMETIC.**

By D. LARDNER, LL.D. F.R.S. Fcp. 8vo. with Vignette Title, 6s. cloth.

**LARDNER.—A TREATISE ON GEOMETRY.**

And its Application to the Arts. By Dr. LARDNER. Fcp. 8vo. Vignette Title, and upwards of 200 figures, 6s. cloth.

**L. E. L.—THE POETICAL WORKS OF LETITIA ELIZABETH**

LONDON. New Edition, 4 vols. fcp. 8vo. with Illustrations by Howard, &c. 28s. cloth lettered; or handsomely bound in morocco, with gilt edges, £2. 4s.

The following Works separately:—

THE IMPROVISATRICE. Fcp. 10s. 6d. cloth. | THE GOLDEN VIOLET. Fcp. 8vo. 10s. 6d. cloth.

THE VENETIAN BRACELET. 10s. 6d. cloth. | THE TROUBADOUR. Fcp. 8vo. 10s. 6d. cloth.

**LEE.—TAXIDERMY;**

Or, the Art of Collecting, Preparing, and Mounting Objects of Natural History. For the use of Museums and Travellers. By Mrs. R. LEE (formerly Mrs. T. E. Bowdich), Author of "Memoirs of Cuvier," &c. 6th Edition, improved, with an account of a Visit to Walton Hall, and Mr. Waterton's Method of Preserving Animals. Fcp. 8vo. with Woodcuts, 7s. cloth.

**LEE.—ELEMENTS OF NATURAL HISTORY.**

For the use of Schools and Young Persons: comprising the Principles of Classification, interspersed with amusing and instructive original Accounts of the most remarkable Animals. By Mrs. R. LEE (formerly Mrs. T. E. Bowdich), Author of "Taxidermy," "Memoirs of Cuvier," &c. 18mo. with Fifty-five Woodcuts, 7s. 6d. bound.

**LEMPRIERE.—A CLASSICAL DICTIONARY;**

Containing a copious Account of all the proper Names mentioned in Ancient Authors; with the Value of Coins, Weights, and Measures, used amongst the Greeks and Romans; and a Chronological Table. By T. LEMPRIERE, D.D. 20th Edition, corrected. 8vo. 9s. cloth.

**LESLIE (C. R.).—MEMOIRS OF THE LIFE OF JOHN CON-**

STABLE, Esq. R.A. Composed chiefly of his Letters. By C. R. LESLIE, R.A. Second Edition, with further Extracts from his Correspondence. Small 4to. with two Portraits (one from a new Sketch by Mr. Leslie) and a Plate of "Spring," engraved by Lucas. 21s. cloth.

**LETTERS TO MY UNKNOWN FRIENDS.**

By A. LADY, Author of "Twelve Years Ago." Fcp. 8vo. 6s. 6d. cloth.

"The author is no commonplace retailer of cat and dog's histories, but a woman of strong understanding and cultivated taste, who has read much and thought more. She would have religion to be the beginning and the end of all human actions, but she is not puritanical in her pious zeal."—SPECTATOR.

**LINDLEY.—INTRODUCTION TO BOTANY.**

By Prof. J. LINDLEY, Ph.D. F.R.S. L.S. &c. 3d Edition with Corrections and considerable Additions. 8vo. with six Plates and numerous Woodcuts, 18s. cloth.

**LINDLEY.—FLORA MEDICA:**

A Botanical Account of all the most important Plants used in Medicine, in different Parts of the World. By JOHN LINDLEY, Ph.D., F.R.S., &c. 8vo. 18s. cloth.

**LINDLEY.—A SYNOPSIS OF THE BRITISH FLORA,**

Arranged according to the Natural Orders. By Professor JOHN LINDLEY, Ph.D., F.R.S., &c. 3d Edition, with numerous additions, corrections, and improvements, 12mo. 10s. 6d. cloth.

**LINDLEY.—THE THEORY OF HORTICULTURE;**

Or, an Attempt to explain the Principal Operations of Gardening upon Physiological Principles. By JOHN LINDLEY, Ph.D., F.R.S. 8vo. with illustrations on Wood, 12s. cloth.

**LINDLEY.—GUIDE TO ORCHARD AND KITCHEN GARDEN;**

Or, an Account of the most valuable Fruits and Vegetables cultivated in Great Britain: with Kalendars of the Work required in the Orchard and Kitchen Garden during every month in the year. By G. LINDLEY, C.M.H.S. Edited by Prof LINDLEY. 8vo. 16s. bds.

**LINWOOD (W.)—ANTHOLOGIA OXONIENSIS,**

Sive Florilegium e lualibus poeticis diversorum Oxoniensium Græcis et Latinis decerptum. Curante GULIELMO LINWOOD, M.A. Edis Christi Alummo. 8vo. 14s. cloth.

**LOUDON (MRS.)—THE AMATEUR GARDENER'S CALENDAR:**

Being a Monthly Guide as to what should be avoided, as well as what should be done, in a Garden in each Month: with plain Rules as to do what is requisite; Directions for Laying Out and Planting Kitchen and Flower Gardens, Pleasure Grounds, and Shrubberies; and a Short Account, in each Month, of the Quadrupeds, Birds, and Insects then most injurious to Gardens. By Mrs. LOUDON. 18mo. with numerous Wood Engravings, 7s. 6d. cloth.

**LOUDON (MRS.)—THE LADY'S COUNTRY COMPANION;**

Or, How to Enjoy a Country Life Rationally. By Mrs. LOUDON, Author of "Gardening for Ladies," &c. New Edition. Fcp. 8vo. with a Steel Plate and Wood Engravings, 7s. 6d. cloth.

**LOUDON.—SELF-INSTRUCTION FOR YOUNG GARDENERS,**

Foresters, Bailiffs, Land Stewards, and Farmers; in Arithmetic, Book-keeping, Geometry, Mensuration, Practical Trigonometry, Mechanics, Land-Surveying, Levelling, Planning and Mapping, Architectural Drawing, and Isometrical Projection and Perspective; with Examples shewing their applications to Horticulture and Agricultural Purposes. By the late J. C. LOUDON, F.L.S. H.S. &c. With a Portrait of Mr. Loudon, and a Memoir by Mrs. Loudon. 8vo. with Wood Engravings, 7s. 6d. cloth.

**LOUDON.—AN ENCYCLOPÆDIA OF GARDENING:**

Presenting, in one systematic view, the History and Present State of Gardening in all Countries, and its Theory and Practice in Great Britain: with the Management of the Kitchen Garden, the Flower Garden, Laying-out Grounds, &c. By J. C. LOUDON, F.L.S. &c. A New Edition, enlarged and improved. 8vo. with nearly 1,000 Engravings on Wood, 50s. cloth.

**LOUDON.—AN ENCYCLOPÆDIA OF TREES AND SHRUBS:**

being the "Arboretum et Fruticetum Britannicum" abridged: containing the Hardy Trees and Shrubs of Great Britain, Native and Foreign, Scientifically and Popularly Described; with their Propagation, Culture, and Uses in the Arts; and with Engravings of nearly all the Species. Adapted for the use of Nurserymen, Gardeners, and Foresters. By J. C. LOUDON, F.L.S. &c. 8vo. with 2,000 Engravings on Wood, £2. 10s. cloth.

A New Edition of the Original Work, in 8 vols. 8vo. with above 400 Octavo Plates of Trees, and upwards of 2,500 Woodcuts, £10, cloth.

**LOUDON.—AN ENCYCLOPÆDIA OF AGRICULTURE:**

Comprising the Theory and Practice of the Valuation, Transfer, Laying-out, Improvement, and Management of Landed Property, and of the Cultivation and Economy of the Animal and Vegetable productions of Agriculture: including all the latest Improvements, a general History of Agriculture in all Countries, a Statistical View of its present State, with Suggestions for its future progress in the British Isles and Supplement, bringing down the work to the year 1844. By J. C. LOUDON, F.L.G.S. and H.S. &c. 8th Edition. 8vo. with upwards of 1,100 Engravings on Wood, £2. 10s. cloth.—The SUPPLEMENT separately, 2s. sewed.

**LOUDON.—AN ENCYCLOPÆDIA OF PLANTS:**

Including all the Plants which are now found in, or have been introduced into, Great Britain; giving their Natural History, accompanied by such descriptions, engraved figures, and elementary details, as may enable a beginner, who is a more English reader, to discover the name of every Plant which he may find in flower, and acquire all the information respecting it which is useful and interesting. By J. C. LOUDON, F.L.S. &c. The Specific Characters by an Eminent Botanist; the Drawings by J. D. C. Sowerby, F.L.S. A New Edition with Supplement, and a new General Index. 8vo. with nearly 10,000 Wood Engravings, £2. 18s. 6d. cloth.—The Supplement, separately, 8vo. 12s. cloth.

**LOUDON.—AN ENCYCLOPÆDIA OF COTTAGE, FARM, AND**

**VILLA ARCHITECTURE and FURNITURE**; containing numerous Designs, from the Villa to the Cottage and the Farm, including Farm Houses, Farmeries, and other Agricultural Buildings; Country Inns, Public Houses, and Parochial Schools; with the requisite Fittings-up, Fixtures, and Furniture, and appropriate Offices, Gardens, and Garden Scenery: each Design accompanied by Analytical and Critical Remarks. By J. C. LOUDON, F.L.S. &c. New Edition, edited by Mrs. LOUDON. 8vo. with more than 2,000 Engravings on Wood, 2s. 3s. cloth.—The Supplement, separately, 8vo. 7s. 6d. sewed.

**LOUDON.—HORTUS BRITANNICUS:**

A Catalogue of all the Plants indigenous to or introduced into Britain. By J. C. LOUDON, F.L.S. &c. 3d Edition, with a New Supplement, prepared, under the direction of Mr. LOUDON, by W. H. BAXTER, and revised by GEORGE DON, F.L.S. 8vo. 31s. 6d. cloth.

The SUPPLEMENT separately, 8vo. 2s. 6d. sewed.  
The LATER SUPPLEMENT separately, 8s.

**LOUDON.—HORTUS LIGNOSIS LONDINENSIS;**

Or, a Catalogue of all the Ligneous Plants cultivated in the neighbourhood of London. To which are added, their usual prices in Nurseries. By J. C. LOUDON, F.L.S. &c. 8vo. 7s. 6d. cl.

**LOUDON.—THE SUBURBAN GARDENER AND VILLA**

**COMPANION**; comprising the Choice of a Villa or Suburban Residence, or of a situation on which to form one; the Arrangement and Furnishing of the House; and the Laying-out, Planting, and general Management of the Garden and Grounds; the whole adapted for grounds from one perch to fifty acres and upwards in extent; intended for the instruction of those who know little of Gardening or Rural Affairs, and more particularly for the use of Ladies. By J. C. LOUDON, F.L.S. &c. 8vo. with above 300 Wood Engravings, 20s. cloth.

**LOW.—ON THE DOMESTICATED ANIMALS OF GREAT**

**BRITAIN**; comprehending the Natural and Economical History of the Species and Breeds; Illustrations of the Properties of External Form; and Observations on the Principles and Practice of Breeding. By DAVID LOW, Esq. F.R.S.E. Professor of Agriculture in the University of Edinburgh, &c.; Author of "Elements of Practical Agriculture," &c. 8vo. with Engravings on Wood, 35s. cloth.

**LOW.—THE BREEDS OF THE DOMESTICATED ANIMALS**

Of Great Britain Described. By DAVID LOW, Esq. F.R.S.E. Professor of Agriculture in the University of Edinburgh, &c. The Plates from Drawings by W. Nicholson, R.S.A. reduced from a Series of Oil Paintings, executed for the Agricultural Museum of the University of Edinburgh, by W. Shiels, R.S.A. 2 vols. atlas quarto, with 56 plates of animals, beautifully coloured after Nature, £16. 16s. half-bound in morocco.—Or in four separate portions, as follows:

The OX. Atlas quarto, with 22 plates, £6. 16s. 6d. half-bound in morocco.

The SHEEP. Atlas quarto, with 21 plates, £6. 16s. 6d. half-bound in morocco.

The HORSE. Atlas quarto, with 6 plates, £3. half-bound in morocco.

The HOG. Atlas quarto, with 5 plates, £2. 2s. half-bound in morocco.

**LOW.—ELEMENTS OF PRACTICAL AGRICULTURE;**

Comprehending the Cultivation of Plants, the Husbandry of the Domestic Animals, and the Economy of the Farm. By D. LOW, Esq. F.R.S.E., Prof. of Agriculture in University of Edinburgh. 5th Edition, with Alterations and Additions, and an entirely new set of above 200 Woodcuts. 8vo. 21s. cloth.

**LOW (PROFESSOR).—ON LANDED PROPERTY**

And the ECONOMY of ESTATES; comprehending the Relation of Landlord and Tenant, and the Principles and Forms of Leases; Farm-Buildings, Enclosures, Drains, Embankments, and other Rural Works; Minerals; and Woods. By DAVID LOW, Esq. F.R.S.E. Professor of Agriculture in the University of Edinburgh, &c.; Author of "Elements of Practical Agriculture," &c. 8vo. with numerous Wood Engravings, 21s. cloth.

**MACAULAY.—CRITICAL AND HISTORICAL ESSAYS CON-**

**TRIBUTED TO THE EDINBURGH REVIEW.** By the Right Hon. THOMAS BABINGTON MACAULAY. 4th Edition. 3 vols. 8vo. 36s. cloth.

**MACAULAY.—LAYS OF ANCIENT ROME.**

By the Right Hon. THOMAS BABINGTON MACAULAY. 9th Edition. Crown 8vo. 10s. 6d. cloth.

**MACAULAY.—MR. MACAULAY'S LAYS OF ANCIENT ROME.**

A New Edition. With numerous Illustrations, Original and from the Antique, drawn on Wood by George Scharf, Jun. and engraved by Samuel Williams. Fcp. 4to. 21s. boards; morocco, 42s. (bound by Hayday.)

**MACKAY (CHARLES)—THE SCENERY AND POETRY OF**

**THE ENGLISH LAKES**; a Summer Ramble. By CHARLES MACKAY, Esq. LL.D. Author of "Legends of the Isles," "The Salamandrine," "The Thames and its Tributaries," &c. 8vo. with beautiful Wood Engravings from Original Sketches, 14s. cloth.

**MACKINTOSH (SIR JAMES).—SIR JAMES MACKINTOSH'S MISCELLANEOUS WORKS;** including his Contributions to The Edinburgh Review. Edited by ROBERT JAMES MACKINTOSH, Esq. 3 vols. 8vo. 42s. cloth.

**MACKINTOSH, &c.—THE HISTORY OF ENGLAND.**

By Sir JAMES MACKINTOSH; W. WALLACE, Esq.; and ROBERT BELL, Esq. 10 vols. fcp. 8vo. with Vignette Titles, &c. cloth.

**MACKINTOSH (SIR JAMES).—THE LIFE OF SIR THOMAS**

MORE. By the Right Hon. Sir JAMES MACKINTOSH. Reprinted from the Cabinet Cyclopaedia; and intended as a Present Book or School Prize. Fcp. 8vo. with Portrait, 5s. cloth; or bound in vellum gilt (old style), 8s.

**M'CULLOCH.—A DICTIONARY, GEOGRAPHICAL, STATISTICAL, AND HISTORICAL,** of the various Countries, Places, and Principal Natural Objects in the WORLD. By J. R. M'CULLOCH, Esq. A New Edition. 2 vols. 8vo. with Six large Maps, &c. cloth.

\*.\* The new Articles have been printed separately, as a Supplement to the former Edition. They comprise a full Account of the Present State of the United Kingdom, the Oregon Territory, &c. 8vo. 5s. sewed.

**M'CULLOCH.—A DICTIONARY, PRACTICAL, THEORETICAL, AND HISTORICAL, OF COMMERCE AND COMMERCIAL NAVIGATION.** Illustrated with Maps and Plans. By J. R. M'CULLOCH, Esq. An entirely New Edition, corrected enlarged, and improved; with a Supplement. 8vo. 50s. cloth; or 55s. half bound-russia.

The SUPPLEMENT to the Editions published in 1844 and 1846, may be had separately, price 4s. 6d. sewed.

**M'CULLOCH (J. R.).—AN ACCOUNT, DESCRIPTIVE AND STATISTICAL,** of the BRITISH EMPIRE; exhibiting its Extent, Physical Capacities, Population, Industry, and Civil and Religious Institutions. By J. R. M'CULLOCH, Esq. 3d Edit. corrected, enlarged, and greatly improved. 2 thick vols. 8vo. &c. 2s. cloth.

**M'CULLOCH.—THE LITERATURE OF POLITICAL ECONOMY;** being a Classified Catalogue of the principal Works in the different departments of Political Economy, with Historical, Critical, and Biographical Notices. By J. R. M'CULLOCH, Esq. 8vo. 14s. cloth.

**M'CULLOCH.—A TREATISE ON THE PRINCIPLES AND PRACTICAL INFLUENCE OF TAXATION and the FUNDING SYSTEM.** By J. R. M'CULLOCH, Esq. 8vo. 15s. cloth.

**MAITLAND (DR. CHARLES).—THE CHURCH IN THE CATACOMBS:** a Description of the Primitive Church of Rome. Illustrated by its Sepulchral Remains. By CHARLES MAITLAND, M.D. New Edition, corrected. 8vo. with numerous Wood Engravings, 14s. cloth.

**MARCET.—CONVERSATIONS ON CHEMISTRY;**

In which the Elements of that Science are familiarly Explained and Illustrated by Experiments. By MRS. MARCET. New Edition, enlarged and improved. 2 vols. fcp. 8vo. 14s. cloth.

**MARCET.—CONVERSATIONS ON NATURAL PHILOSOPHY;**

In which the Elements of that Science are familiarly explained. By MRS. MARCET. New Edition, enlarged and corrected. Fcp. 8vo. with 23 Plates, 10s. 6d. cloth.

**MARCET.—CONVERSATIONS ON POLITICAL ECONOMY;**

In which the Elements of that Science are familiarly explained. By MRS. MARCET. New Edition revised and enlarged. Fcp. 8vo. 7s. 6d. cloth.

**MARCET.—CONVERSATIONS ON VEGETABLE PHYSIO-**

LOGY; comprehending the Elements of Botany, with their application to Agriculture. By MRS. MARCET. New Edition. Fcp. 8vo. with 4 Plates, 2s. cloth.

**MARCET.—CONVERSATIONS ON LAND AND WATER.**

By MRS. MARCET. New Edition, revised and corrected. Fcp. 8vo. with coloured Map, shewing the comparative altitude of Mountains, 5s. 6d. cloth.

**MARGARET PERCIVAL.**

By the Author of "Amy Herbert," "Gertrude," and "Laneton Parsonage." Edited by the Rev. W. SEWELL, B.D. Fellow and Tutor of Exeter College, Oxford. New Edition. 2 vols. fcp. 8vo. 12s. cloth.

**MARRYAT.—BORNEO AND THE INDIAN ARCHIPELAGO.**

By FRANCIS S. MARRYAT, late Midshipman of H.M.S. Samarang. Richly illustrated with numerous Lithographic Drawings and Engravings on Wood, from Original Sketches by Mr. MARRYAT. [In the press.]

**MARRYAT (CAPT.)—MASTERMAN READY;**

Or, the Wreck of the Pacific. Written for Young People. By Captain F. MARRYAT, C.B. Author of "Peter Simple," &c. 3 vols. fcp. 8vo. with Wood Engravings, 22s. 6d. cloth.

**MARRYAT.—THE MISSION;**

Or, Scenes in Africa. Written for Young People. By Captain F. MARRYAT, C.B. Author of "The Settlers in Canada," &c. 2 vols. fcp. 8vo. 12s. cloth.

**MARRYAT.—THE PRIVATEER'S-MAN ONE HUNDRED**

YEARS AGO. By Captain F. MARRYAT, C.B. Author of "Masterman Ready," &c. 2 vols. fcp. 8vo. 12s. cloth.

**MARRYAT.—THE SETTLERS IN CANADA.**

Written for Young People. By Captain F. MARRYAT, C.B. Author of "The Privateers-man One Hundred Years Ago," &c. New Edition. Fcp. 8vo. with 2 Illustrations, 7s. 6d. cloth.

**MAUNDER.—THE TREASURY OF KNOWLEDGE,**

And LIBRARY OF REFERENCE: in Two Parts. New Edition, thoroughly revised and enlarged. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

\*.\* The principal contents of the present new and thoroughly revised edition of "The Treasury of Knowledge are—a new and enlarged English Dictionary, with a Grammar, Verbal Distinctions, and Exercises; a new Universal Gazetteer; a compendious Classical Dictionary; an Analysis of History and Chronology; a Dictionary of Law Terms; a new Synopsis of the British Peerage; and various useful Tabular Addenda.

**MAUNDER.—THE SCIENTIFIC & LITERARY TREASURY;**

A new and popular Encyclopedia of Science and the Belles-Lettres; including all Branches of Science, and every Subject Connected with Literature and Art. The whole written in a familiar style, adapted to the comprehension of all persons desirous of acquiring information on the subjects comprised in the work, and also adapted for a Manual of convenient Reference to the more instructed. By SAMUEL MAUNDER. New Edition. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

**MAUNDER.—THE BIOGRAPHICAL TREASURY;**

Consisting of Memoirs, Sketches, and brief Notices of above 12,000 Eminent Persons of all Age and Nations, from the Earliest Period of History; forming a new and complete Dictionary of Universal Biography. By SAMUEL MAUNDER. New Edition, revised throughout, and containing a copious Supplement, brought down to December, 1844. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

**MAUNDER.—THE TREASURY OF HISTORY;**

Comprising a General Introductory Outline of Universal History, Ancient and Modern, and a Series of separate Histories of every principal Nation that exists; their Rise, Progress, and Present Condition, the Moral and Social Character of their respective inhabitants, their Religion, Manners, and Customs, &c. By SAMUEL MAUNDER. New Edition. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

**MAUNDER.—THE TREASURY OF NATURAL HISTORY;**

Or, a Popular Dictionary of Animated Nature: in which the Zoological Characteristics that distinguish the different Classes, Genera, and Species will be found, combined with a variety of interesting Information illustrative of the Habits, Instincts, and General Economy of the Animal Kingdom. By SAMUEL MAUNDER. Fcp. 8vo. uniform with Mr. Maunder's other Four Treasuries, and embellished with Eight Hundred accurate Engravings on Wood, designed expressly for this work. [In the Autumn.]

\*.\* Mr. Maunder has also in a state of considerable forwardness "The Treasury of Geography," the particulars of which will be shortly announced.

**MEMOIRS OF THE GEOLOGICAL SURVEY OF GREAT**

BRITAIN, and of the Museum of Economic Geology in London. Published by order of the Lords Commissioners of Her Majesty's Treasury. Royal 8vo. with Woodcuts and 9 large Plates (seven coloured), 21s. cloth.

**MICHELET (J.)—PRIESTS, WOMEN, AND FAMILIES.**

By J. MICHELET. Translated from the French (Third Edition, which contains Michelet's Preface, in reply to the attacks of the Jesuits), with the Author's approbation, by C. Cocks, B.L. New Editions. Post 8vo. 9s. cloth; 16mo. 1s. 4d. sewed.

## MICHELET (J.)—THE PEOPLE.

By M. MICHELET, Member of the Institute of France, &c. Translated, with the approbation of the Author, by C. COCKE, B.L. New Edition. Post 8vo. 9s. cloth; 16mo. 1s. 6d. sewed.

\*. Mr. Cocke's authorised translations of Michelet's "Priests, Women, and Families," and "The People," in one vol. 16mo. 3s. 6d. cloth.

## MICHELET AND QUINET.—THE JESUITS, BY MM.

MICHELET and QUINET. Translated from the Seventh Edition, with the approbation of the Authors, by C. COCKE, B.L., Author of "Bordeaux, its Wines, and the Claret Country." New Edition. 16mo. 1s. 6d. sewed.

\*. Mr. Cocke's Authorised Translations of MM. Michelet and Quinet's "The Jesuits," and M. Quinet's "Christianity," in one vol. 16mo. 4s. cloth.

## MILES (WILLIAM).—THE HORSE'S FOOT, AND HOW TO

KEEP IT SOUND. By WILLIAM MILES, Esq. New Edition, with an Appendix on Shoeing in general, and Hunters in particular. Imperial 8vo. with Illustrations, 9s. cloth.—The Appendix separately, price 3s. 6d.

\*. Four Casts or Models of Shoes may be had, displaying the different kinds of Shoeing, price 3s. each; or 10s. 6d. the Set.

No. 1, Shod for General Purposes.

" 2, Shod for Hunting.

No. 3, Shod with Leather.

" 4, Foot prepared for Shoeing.

## MILNER (REV. J. & I.)—THE HISTORY OF THE CHURCH

OF CHRIST. By the Rev. JOSEPH MILNER, A.M. With Additions and Corrections by the late Rev. ISAAC MILNER, D.D. F.R.S. A New Edition, revised and corrected throughout, by the Rev. T. GRANTHAM, B.D. Rector of Bramber, and Chaplain to the Lord Bishop of Kildare. 4 vols. 8vo. £2. 12s. cloth.

*A Continuation of the above.*

THE HISTORY of the CHURCH OF CHRIST, from the Diet of Augsburg, 1530, to the Eighteenth Century; originally designed as a Continuation of Milner's "History of the Church of Christ." By the Rev. HENRY STEBBING, D.D. 3 vols. 8vo. 36s. cloth.

## MIRACLES OF OUR SAVIOUR.

Profusely Illuminated on every page with elaborate Borderings of original and appropriate design, composed from the works of the Old Illuminators. Square fcp. 8vo. uniform in size with "The Sermon on the Mount," and "Parables of Our Lord;" in a binding of novel character, designed and modelled expressly for this work. [*In the Autumn.*]

## MOHAN LAL.—LIFE OF THE AMIR DOST MOHAMMED

KHAN, of CABUL: with his Political Proceedings towards the English, Russian, and Persian Governments, including the Victory and Disasters of the British Army in Afghanistan. By MOHAN LAL, Esq. Knight of the Persian Order of the Lion and Sun; lately attached to the Mission in Kabul. 2 vols. 8vo. with numerous Portraits, 30s. cloth.

## MONTAUBAN.—A YEAR AND A DAY IN THE EAST;

Or, Wanderings over Land and Sea. By Mrs. ELIOT MONTAUBAN. Post 8vo. 7s. cloth.

## MONTGOMERY'S (JAMES) POETICAL WORKS.

New and only Complete Edition. With some additional Poems, and Autobiographical Prefaces. Collected and Edited by Mr. MONTGOMERY. 4 vols. fcp. 8vo. with Portrait, and Seven other Plates, 30s. cloth; or bound in morocco, 36s.

## MOORE'S POETICAL WORKS;

Containing the Author's recent Introduction and Notes. Complete in one volume, uniform with Lord Byron's and Southey's Poems. 8vo. with a New Portrait, by George Richmond, and a View of the Residence of the Poet, 21s. cloth; or 42s. bound in morocco, by Hayday.

\*. Also, an Edition in 10 vols. fcp. 8vo. with Portrait, and 19 Plates, £2. 10s. cloth; bound in morocco, £4. 10s.

## MOORE'S LALLA ROOKH: AN ORIENTAL ROMANCE.

New Edition. 8vo. illustrated with 13 Engravings finished in the highest style of the Art, 21s. cloth; morocco, 35s; or, with India Proof Plates, 42s. cloth.

## MOORE'S LALLA ROOKH: AN ORIENTAL ROMANCE.

New Edition. Fcp. 8vo. with Four Engravings, from Paintings by Westall, 10s. 6d. cloth; or, bound in morocco, 14s.

## MOORE'S IRISH MELODIES.

Illustrated by D. MACLISE, R.A. Imp. 8vo. with 161 Designs engraved on Steel, £2. 3s. bds.; or £4. 14s. 6d. bound in morocco, by Hayday. Proof Impressions (only 300 copies printed, of which a few remain), £6. 6s. boards.

\*. India Proofs before Letters of the 161 Designs, on Quarter Colomblor, in Portfolio (only 25 copies printed, of which a few remain), £31. 10s.

India Proofs before Letters of the 51 Large Designs, on Quarter Colomblor, in Portfolio (only 25 copies printed, of which a few remain), £18. 18s.

**MOORE'S IRISH MELODIES.**

New Edition. Fcp. 8vo. with Engraved Title and Vignette, 10s. cloth ; or, bound in morocco, 12s. 6d.

**MOORE.—THE HISTORY OF IRELAND,**

From the Earliest Kings of that Realm down to its Last Chief. By THOMAS MOORE, Esq. 4 vols. fcp. 8vo., with Vignette Titles, 24s. cloth.

**MOORE.—THE POWER OF THE SOUL OVER THE BODY,**

Considered in relation to Health and Morals. By GEORGE MOORE, M.D. Member of the Royal College of Physicians, London &c. New Edition. Post 8vo. 7s. 6d. cloth.

**MOORE.—THE USE OF THE BODY IN RELATION TO THE**

MIND. By GEORGE MOORE, M.D. Member of the Royal College of Physicians, London, &c. New Edition. Post 8vo. 9s. cloth.

**MORAL OF FLOWERS (THE).**

3d Edition. Royal 8vo. with 24 beautifully-coloured Engravings, £1. 10s. half-bound.

**MOSELEY.—THE MECHANICAL PRINCIPLES OF ENGI-**

NEERING AND ARCHITECTURE By the Rev. H. MOSELEY, M.A. F.R.S., Professor of Natural Philosophy and Astronomy in King's College, London ; and Author of "Illustrations of Practical Mechanics," &c. 8vo. with Woodcuts and Diagrams, 24s. cloth.

**MOSELEY.—ILLUSTRATIONS OF PRACTICAL MECHANICS.**

By the Rev. H. MOSELEY, M.A., Professor of Natural Philosophy and Astronomy in King's College, London, being the First Volume of the Illustrations of Science by the Professors of King's College. New Edition. Fcp. 8vo. with numerous Woodcuts, 8s. cloth.

**MOSHEIM'S ECCLESIASTICAL HISTORY,**

Ancient and Modern. Translated, with copious Notes, by JAMES MURDOCK, D.D. Edited, with Additions, by HENRY SOAMER, M.A. Rector of Stapleford-Tawney, Essex. New Edition, revised, and continued to the present time. 4 vols. 8vo. 48s. cloth.

**MURRAY.—ENCYCLOPÆDIA OF GEOGRAPHY ;**

Comprising a complete Description of the Earth exhibiting its Relation to the Heavenly Bodies, its Physical Structure, the Natural History of each Country, and the Industry, Commerce, Political Institutions, and Civil and Social State of all Nations. By HUGH MURRAY, F.R.S. assisted by other Writers of eminence. New Edition. 8vo. with 82 Maps, and upwards of 1,000 other Woodcuts, £3. cloth.

**MY YOUTHFUL COMPANIONS.**

By the Author of "My School-boy Days." 18mo. with Frontispiece, 2s. 6d. cloth.

**NECKER DE SAUSSURE.—PROGRESSIVE EDUCATION ;**

Or, Considerations on the Course of Life. Translated and abridged from the French of Madame NECKER DE SAUSSURE, by Miss HOLLAND. 3 vols. fcp. 8vo. 19s. 6d. cloth.

\* \* Separately, Vols. I. and II. 12s. ; Vol. III. 7s. 6d.

**NEWELL (REV. R. H.)—THE ZOOLOGY OF THE ENGLISH**

POETS, corrected by the Writings of Modern Naturalists. By the Rev. R. H. NEWELL, Rector of Little Hormead. Fcp. 8vo. with Engravings on Wood, 6s. 6d. cloth.

**NICOLAS.—THE CHRONOLOGY OF HISTORY.**

Containing Tables, Calculations, and Statements indispensable for ascertaining the Dates of Historical Events, and of Public and Private Documents, from the Earliest Period to the Present Time. By Sir HARRIS NICOLAS, K.C.M.G. Second Edition. Fcp. 8vo. 6s. cloth.

**OWEN.—LECTURES ON THE COMPARATIVE ANATOMY**

and PHYSIOLOGY of the INVERTEBRATE ANIMALS, delivered at the Royal College of Surgeons in 1843. By RICHARD OWEN, F.R.S. Hunterian Professor to the College. From Notes taken by William White Cooper, M.R.C.S. and revised by Professor Owen. With Glossary and Index. 8vo. with nearly 140 Illustrations on Wood, 14s. cloth.

**OWEN.—LECTURES ON THE COMPARATIVE ANATOMY**

and PHYSIOLOGY of the VERTEBRATE ANIMALS, delivered at the Royal College of Surgeons in 1844 and 1845. By RICHARD OWEN, F.R.S. Hunterian Professor to the College. In 3 vols. Vol. I. 8vo. with numerous Woodcuts, 14s. cloth.

# **PARABLES OF OUR LORD (ILLUMINATED).**

PARABLES of OUR LORD, richly illuminated, with appropriate Borders, printed in Colours and in Black and Gold; with a Design from one of the early German Engravers. Square fcp. 8vo. uniform in size with the "Sermon on the Mount," 21s. in a massive carved binding in the style of the beginning of the Sixteenth Century; or 30s. bound in morocco in the Missal style, by Hayday.

# **PARKES.—DOMESTIC DUTIES;**

Or, Instructions to Young Married Ladies on the Management of their Households, and the Regulation of their Conduct in the various Relations and Duties of Married Life. By Mrs. W. PARKES. 5th Edition. Fcp. 8vo. 9s. cloth.

# **PARNELL.—A TREATISE ON ROADS,**

Wherein the Principles on which Roads should be made are explained and illustrated by the Plans, Specifications, and Contracts, made use of by Thomas Telford, Esq. on the Holyhead Road. By the Right Hon. SIR HENRY PARNELL, Bart. 2d Edition, greatly enlarged. 8vo. with 9 large Plates, 21s. cloth.

# **PATON (A. A.)—SERVIA, THE YOUNGEST MEMBER OF THE**

EUROPEAN FAMILY; or, a Residence in Belgrade, and Travels through the Highlands and Woodlands of the Interior, during the years 1843 and 1844. By ANDREW ARCHIBALD PATON, Esq. Post 8vo. with Portrait and Plate, 12s. cloth.

# **PATON (A. A.)—THE MODERN SYRIANS;**

Or, Native Society in Damascus, Aleppo, and the Mountains of the Druses. Post 8vo. 10s. 6d. cloth.

# **PEARSON.—PRAYERS FOR FAMILIES:**

Consisting of a short but comprehensive Form for the Morning and Evening of every Day in the Week. Collected by the late EDWARD PEARSON, D.D. With a Biographical Memoir of the Author. New Edition. 18mo. 2s. 6d. cloth.

# **PEARSON.—AN INTRODUCTION TO PRACTICAL ASTRO-**

NOMY. By the Rev. W. PEARSON, LL.D. F.R.S., &c., Rector of South Kilworth, Leicestershire, and Treasurer to the Astronomical Society of London. 2 vols. 4to with Plates, £7. 7s. boards.

# **PEREIRA.—A TREATISE ON FOOD AND DIET:**

With Observations on the Dietetical Regimen suited for Disordered States of the Digestive Organs, and an Account of the Dietaries of some of the principal Metropollitan and other Establishments for Paupers, Lunatics, Criminals, Children, the Sick, &c. By JON. PEREIRA, M.D. F.R.S. & L.S. Author of "Elements of Materia Medica" 8vo. 16s. cloth.

# **PERICLES.**

A Tale of Athens in the 83d Olympiad. By the Author of "A Brief Sketch of Greek Philosophy." 2 vols. post 8vo. 18s. cloth.

# **PESCHEL (C. F.)—ELEMENTS OF PHYSICS.**

By C. F. PESCHEL, Principal of the Royal Military College, Dresden. Translated from the German, with Notes by E. WEST. 3 vols. fcp. 8vo. with Diagrams and Woodcuts, 21s. cloth.

Separately { Part 1. The Physics of Ponderable Bodies. Fcp. 8vo. 7s. 6d. cloth.  
Part 2. Imponderable Bodies (Light, Heat, Magnetism, Electricity, and Electro-dynamics). 2 vols. fcp. 8vo. 13s. 6d. cloth.

# **PHILLIPS.—FIGURES AND DESCRIPTIONS OF THE**

PALÆOZOIC FOSSILS of CORNWALL, DEVON, and WEST SOMERSET, observed in the course of the Ordnance Geological Survey of that District. By JOHN PHILLIPS, F.R.S. F.G.S. &c. Published by Order of the Lords Commissioners of H.M. Treasury. 8vo. with 60 Plates, comprising very numerous figures, 9s. cloth.

# **PHILLIPS.—A GUIDE TO GEOLOGY.**

By JOHN PHILLIPS, F.R.S.G.S., &c. Fcp. 8vo. with Plates, 6s. cloth.

# **PHILLIPS.—A TREATISE ON GEOLOGY.**

By JOHN PHILLIPS, F.R.S.G.S., &c. 3 vols. fcp. 8vo. with Vignette Titles and Woodcuts, 12s. cloth.



**PITMAN (REV. J. R.)—A COURSE OF SERMONS**

On some of the chief Subjects in the Book of Psalms; containing Three or more for each Day of the Month: abridged from Eminent Divines of the Established Church. By the Rev. J. R. PITMAN, A.M. Domestic Chaplain to Her Royal Highness the Duchess of Kent. 8vo. 14s. cl.

**PLUNKETT.—THE PAST AND FUTURE OF THE BRITISH**

NAVY. By Captain the Hon. E. PLUNKETT, R.N. Second Edition, corrected and enlarged; with Notes, and new Information communicated by several Officers of Distinction. Post 8vo. 8s. 6d. cloth.

**PLYMLEY (PETER).—LETTERS ON THE SUBJECT OF THE**

CATHOLICS TO MY BROTHER ABRAHAM, WHO LIVES IN THE COUNTRY. By PETER PLYMLEY. 21st Edition. Post 8vo. 7s. cloth.

**POETS' PLEASANCE (THE);**

Or, Garden of all Sorts of Pleasant Flowers, which our Pleasant Poets have in past time for Pastime planted: with the right ordering of them. By EDEN WARWICK. Square crown 8vo. with numerous Illustrations engraved on Wood. [In October.

**POISSON (S. D.)—A TREATISE ON MECHANICS.**

By S. D. POISSON. 2d Edition. Translated from the French, and illustrated with Explanatory Notes, by the Rev. HENRY H. HART, late Fellow of Trinity College, Dublin. 2 vols. 8vo. £1. 8s. cloth.

**POPE (ALEXANDER).—THE WORKS OF ALEXANDER POPE.**

Edited by THOMAS ROSCOE, Esq. With the Author's Life. A New Edition. 8 vols. 8vo. £4. 4s. cloth.

**PORTER.—A TREATISE ON THE MANUFACTURE OF SILK.**

By G. R. PORTER, Esq. F.R.S. Author of "The Progress of the Nation," &c. Fcp. 8vo. with Vignette Title, and 39 Engravings on Wood, 6s. cloth.

**PORTER.—A TREATISE ON THE MANUFACTURES OF**

PORCELAIN AND GLASS. By G. R. PORTER, Esq. F.R.S. Fcp. 8vo. with Vignette Title and 50 Woodcuts, 6s. cloth.

**PORTLOCK.—REPORT ON THE GEOLOGY OF THE COUNTY**

OF LONDONDERRY, and of Parts of Tyrone and Fermanagh, examined and described under the Authority of the Master-General and Board of Ordnance. By J. E. PORTLOCK, F.R.S. &c. 8vo. with 48 Plates, 24s. cloth.

**POWELL.—THE HISTORY OF NATURAL PHILOSOPHY,**

From the Earliest Periods to the Present Time. By BADEN POWELL, M.A., Savilian Professor of Mathematics in the University of Oxford. Fcp. 8vo. Vignette Title, 6s. cloth.

**PYCROFT (REV. J.)—A COURSE OF ENGLISH READING,**

adapted to every Taste and Capacity: with Anecdotes of Men of Letters. By the Rev. JAMES PYCROFT, B.A. Editor of "Virgil, with Marginal References"; Author of "Latin Grammar Practice," and "Greek Grammar Practice." Fcp. 8vo. 6s. 6d. cloth.

**QUARTERLY JOURNAL OF THE GEOLOGICAL SOCIETY**

OF LONDON. Edited by DAVID THOMAS ANSTED, M.A. F.R.S. Fellow of Jesus College, Cambridge; Professor of Geology in King's College, London; Vice-Secretary of the Geological Society. 8vo. 4s. each number, sewed.

**QUINET.—CHRISTIANITY IN ITS VARIOUS ASPECTS,**

From the Birth of Christ to the French Revolution. By E. QUINET, of the College of France. Translated, with the Author's approbation, by C. COCKE, B.L. 16mo. 2s. sewed.

**RANKE'S HISTORY OF THE REFORMATION.**

Translated by SARAH AUSTIN, Translator of Ranke's "History of the Popes." Vols. I. and II. 8vo. 30s., Vol. III. 18s., cloth.

**READER (THOMAS).—TIME TABLES**

On a New and Simplified Plan; to facilitate the Operation of Discounting Bills, and the Calculation of Interest on Banking and Current Accounts, &c.: shewing, WITHOUT CALCULATION, the Number of Days from every Day in the Year to any other Day, for any period not exceeding 365 Days. By THOMAS READER. Post 8vo. 14s. cloth; or 17s. calf lettered.

**REGISTRAR-GENERAL.—THE SEVENTH ANNUAL REPORT**

OF THE REGISTRAR-GENERAL OF BIRTHS, DEATHS, and MARRIAGES, IN ENGLAND, 1846. 8vo. 5s. cloth.—Also,

First Report (1839), 8vo. 3s. | Third Report (1841), 8vo. 4s. | Fifth Report (1843), 8vo. 5s.  
Second Report (1840), 8vo. 4s. | Fourth Report (1842), 8vo. 4s. | Sixth Report (1844), 8vo. 5s.

**REECE.—THE MEDICAL GUIDE,**

For the use of the Clergy, Heads of Families, Seminaries, and Junior Practitioners in Medicine, comprising a complete Modern Dispensatory, and a Practical Treatise on the Distinguishing Symptoms, Causes, Prevention, Cure and Palliation, of the Diseases incident to the Human Frame. By R. REECE, M.D. 16th Edition. 8vo. 12s. boards.

**REID (DR.)—ILLUSTRATIONS OF THE PRINCIPLES AND**

PRACTICE OF WARMING AND VENTILATING, with Preliminary Remarks on Health and Length of Life. By D. B. REID, M.D. F.R.S.E. 8vo. with Diagrams and Woodcuts, 16s. cloth.

**REPTON.—THE LANDSCAPE GARDENING & LANDSCAPE**

ARCHITECTURE of the late HUMPHRY REPTON, Esq., being his entire works on these subjects. New Edition, with an historical and scientific Introduction, a systematic Analysis, a Biographical Notice, Notes, and a copious alphabetical Index. By J. C. LOUDON, F.L.S. &c. 8vo. with 250 Engravings, and Portrait, 30s. cloth; with coloured plates, £3. 6s. cloth.

**REYNARD THE FOX :**

A renowned Apologue of the Middle Age. Reproduced in Rhyme. Embellished throughout with Scroll Capitals, in Colours, from Wood-block Letters made expressly for this work, after Designs of the 12th and 13th Centuries. With an Introduction, by SAMUEL NAYLOR, late of Queen's College, Oxford. Large square 8vo. 18s. cloth.

**RICH.—AN ILLUSTRATED COMPANION TO THE LATIN**

DICTIONARY, being a Dictionary of all the Words respecting Visible Objects connected with the Arts, Science, and Every-day Life of the Ancients. Illustrated by nearly 2,000 Woodcuts from the Antique. By ANTHONY RICH, Jun. B.A. late of Caius College, Cambridge, and one of the Contributors to Dr. Smith's "Dictionary of Greek and Roman Antiquities." Post 8vo. [In the press.]

**RIDDLE.—A COMPLETE ENGLISH-LATIN AND LATIN-**

ENGLISH DICTIONARY, compiled from the best sources, chiefly German. By the Rev. J. E. RIDDLE, M.A. New Edition. 8vo 31s 6d cloth.

Separately { The English-Latin Dictionary, 10s. 6d. cloth.  
                  { The Latin-English Dictionary, 21s. cloth.

**RIDDLE.—A DIAMOND LATIN-ENGLISH DICTIONARY.**

For the Waistcoat-pocket. A Guide to the Meaning, Quality, and right Accentuation of Latin Classical Words. By the Rev. J. E. RIDDLE, M.A. New Edition. Royal 32mo. 4s. bound.

**RIDDLE.—ECCLESIASTICAL CHRONOLOGY;**

Or, Annals of the Christian Church, from its Foundation to the present Time. Containing a View of General Church History and the Course of Secular Events, the Limits of the Church and its Relations to the State; Controversies, Sects and Parties, Rites, Institutions, and Discipline; Ecclesiastical Writers, &c. By the Rev. J. E. RIDDLE, M.A., Author of "A Complete Latin Dictionary." 8vo. 15s. cloth.

**RIDDLE.—LETTERS FROM AN ABSENT GODFATHER;**

Or, a Compendium of Religious Instruction for Young Persons. By the Rev. J. E. RIDDLE, M.A., Author of "A Complete Latin Dictionary." Fcp 8vo. 6s. cloth.

**RITCHIE (ROBERT.)—RAILWAYS: THEIR RISE AND**

PROGRESS, AND CONSTRUCTION. With Remarks on Railway Accidents, and Proposals for their Prevention. By ROBERT RITCHIE, Esq. F.R.S. S.A. Civil Engineer, Associate of the Institute of Civil Engineers. Fcp. 8vo. with Woodcuts and Diagrams, 9s. cloth.

**RIVERS.—THE ROSE AMATEUR'S GUIDE;**

Containing ample Descriptions of all the fine leading varieties of Roses, regularly classed in their respective Families; their History and mode of Culture. By T. RIVERS, Jun. 4th Edition, corrected and improved. Fcp 8vo. 6s. cloth.

\*. In this edition only the most select varieties are described, both old and new, those of inferior interest have been omitted, and several pages of new matter have been added.

**ROBERTS.—A COMPREHENSIVE VIEW OF THE CULTURE**

of the VINE under GLASS. By JAMES ROBERTS, Gardener to Matthew Wilson, Esq. Eashton Hall, Skipton, Yorkshire. 12mo. 5s. 6d. cloth.

**ROBINSON (JAMES).—THE WHOLE ART OF CURING,**

PICKLING, AND SMOKING MEAT AND FISH, both in the British and Foreign Modes. With many useful Miscellaneous Receipts, and full Directions for the Construction of an economical Drying Chimney and Apparatus, on an entirely New Plan. By JAMES ROBINSON, Eighteen Years a Practical Curer. Fcp. 8vo. 4s. 6d. cloth.

**ROGERS.—THE VEGETABLE CULTIVATOR;**

Containing a plain and accurate Description of all the different Species of Culinary Vegetables, with the most approved Method of Cultivating them by Natural and Artificial Means, and the best Modes of Cooking them. Together with a Description of the Physical Herbs in general Use. By J. ROGERS, Author of "The Fruit Cultivator." 2d Edition. Fcp. 8vo. 7s. cloth.

**ROGET (P. M.)—THE ECONOMIC CHESS-BOARD;**

Being a Chess-Board, provided with a complete set of Chess-Men, for playing Games in Carriages, or Out of Doors, and for folding up, and carrying in the pocket, without disturbing the Game. Invented by P. M. ROGET, M.D. and Registered according to Act of Parliament. New Edition. In a neat foolscap 8vo. case, price 2s. 6d.

**ROME.—THE HISTORY OF ROME.**

(In the Cabinet Cyclopædia.) 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**ROSCOE.—LIVES OF EMINENT BRITISH LAWYERS.**

By HENRY ROSCOE, Esq. Fcp. 8vo. with Vignette Title, 6s. cloth.

**ROWTON (F.)—THE DEBATER;**

Being a Series of complete Debates, Outlines of Debates, and Questions for Discussion; with ample References to the best Sources of Information on each particular Topic. By FREDERIC ROWTON, Lecturer on General Literature. Fcp. 8vo. 6s. cloth.

**SANDFORD (REV. JOHN).—PAROCHIALIA.**

Or, Church, School, and Parish. By JOHN SANDFORD, B.D. Vicar of Dunchurch, Chaplain to the Lord Bishop of Worcester, and Rural Dean. 8vo. with Woodcuts, 16s. cloth.

**SANDFORD.—WOMAN IN HER SOCIAL AND DOMESTIC CHARACTER.**

By Mrs. JOHN SANDFORD. 6th Edition. Fcp. 8vo. 6s. cloth.

**SANDFORD.—FEMALE IMPROVEMENT.**

By Mrs. JOHN SANDFORD. 2d Edition. Fcp. 8vo. 7s. 6d. cloth.

**SCHLEIDEN (PROFESSOR).—PRINCIPLES OF SCIENTIFIC BOTANY.**

By M. J. SCHLEIDEN, Professor of Botany at Jena. Translated by F. LANKES-TER, M.D. F.L.S. 8vo. with numerous Wood Engravings. *[In the press.]*

**SCHOPENHAUER.—YOUTHFUL LIFE AND PICTURES OF**

TRAVEL: being the Autobiography of Madame SCHOPENHAUER. Translated from the German. 2 vols. fcp. 8vo. 12s. boards.

**SCOTT.—THE HISTORY OF SCOTLAND.**

By Sir WALTER SCOTT, Bart. New edition. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**SEAWARD.—SIR EDWARD SEAWARD'S NARRATIVE OF**

HIS SHIPWRECK, and consequent Discovery of certain Islands in the Caribbean Sea: with a detail of many extraordinary and highly interesting Events in his Life, from 1733 to 1749, as written in his own Diary. Edited by Miss JANE PORTER. 3d Edition, with a New Nautical and Geographical Introduction. 2 vols. post 8vo. 21s. cloth.

**SERMON ON THE MOUNT (THE).**

Intended for a Birth-day Present, or Gift Book for all Seasons. Printed in Gold and Colours, in the Missal style, with Ornamental Borders by OWEN JONES, Architect, and an illuminated Frontispiece by W. BOKALL, Esq. A New Edition. Fcp. 4to. in a rich brocaded silk cover, 21s.; or bound in morocco, by Hayday, 25s.

**SELECT WORKS OF THE BRITISH POETS,**

From Ben Jonson to Beattie. With Biographical and Critical Prefaces, by DR. AIKIN. A New Edition, with Supplement, by LUCY AIKIN; consisting of additional Selections from more recent Poets. 8vo. 18s. cloth.

**SELECT WORKS OF THE BRITISH POETS,**

From Chaucer to Withers. With Biographical Sketches, by R. SOUTHEY, LL.D. 8vo. 30s. cloth; with gilt edges, 31s. 6d.

\*- The peculiar feature of these two works is, that the Poems are printed entire, without mutilation or abridgment—a feature not possessed by any similar work, and adding obviously to their interest and utility.

**SHAKSPEARE, BY BOWDLER.**

THE FAMILY SHAKSPEARE; in which nothing is added to the Original Text; but those words and expressions are omitted which cannot with propriety be read aloud. By T. BOWDLER, Esq. F.R.S. 9th Edition. 8vo. with 36 Engravings on Wood, from designs by Smirke, Howard, and other Artists, 21s. cloth; or, in 8 vols. 8vo. without Illustrations, £4. 14s. 6d. boards.

**SHELDON (F.)—THE MINSTRELSY OF THE ENGLISH**  
**BORDERS** being a Collection of Ballads, Ancient, Remodelled, and Original, founded on well known Border-Legends with illustrative Notes By **FREDERICK SHELDON**. Square post 8vo. 15s. cloth, morocco, 30s. (*bound by Hayday*)

**SHELLEY, &c.—LIVES OF THE MOST EMINENT LITERARY**  
**MEN OF ITALY, SPAIN, and PORTUGAL.** By Mrs. SHELLEY, Sir D. BREWSTER, J. MONTGOMERY, &c. 3 vols. fcp. 8vo. with Vignette Titles, 18s. cloth.

**SHELLEY.—LIVES OF MOST EMINENT FRENCH WRITERS.**  
 By Mrs. SHELLEY, and others. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**SHEPHERD (THE REV. W.)—HORÆ APOSTOLICÆ**  
 Or, a Digested Narrative of the Acts and Writings of the Apostles of Jesus Christ. Arranged according to Townsend. By the Rev. WILLIAM SHEPHERD, B.D. Fcp. 8vo. 5s. 6d. cloth.

**SHORT WHIST:**  
 Its Rise, Progress, and Laws; with Observations to make any one a Whist Player; containing also the Laws of Piquet, Cassino, Lcarté, Cribbage, Backgammon. By Major A\*\*\*\*. 9th Edition. To which are added, Precepts for Tyros. By Mrs. B\*\*\*\*. Fcp. 8vo. 3s. cloth.

**SIUNAMMITE.—THE GOOD SIUNAMMITE.**  
 From the Scriptures—2 Kings, chap. IV vv. 8 to 37. With Six Original Designs, and an Ornamental Border to each page, in the Missal style, printed in Colours and Gold. Superintended and printed by L. GRUNFR. Square fcp. 8vo. uniform in size with "The Sermon on the Mount," "Parables of Our Lord," and "Miracles of Our Saviour." [*In the Autumn.*]

**SIBLEY AND RUTHERFORD.—EARTHWORK TABLES,**  
 For Railways and other Public Works. By CHARLES K. SIBLEY, Civil Engineer; and WILLIAM RUTHERFORD, of the R.M. Academy, Woolwich. 4to 12s. 6d. in limp cloth, or 13s. bound in flexible leather.

\* \* \* These Tables are calculated for various slopes, and to central widths, for every foot, from 23 feet to 13 feet. Then object is to furnish at a glance results which require considerable calculations with tables at present in use. They are computed to show the *total* content for one chain in length, with heights at each end from 0 to 60 feet, at intervals of half a foot. No multiplication is necessary.

**SINCLAIR.—THE JOURNEY OF LIFE.**  
 By CATHERINE SINCLAIR, Author of "Modern Accomplishments," "Modern Society," "Jane Bouverie," &c. Fcp. 8vo 5s. cloth

**SINNETT.—BYWAYS OF HISTORY,**  
 From the Twelfth to the Sixteenth Century. By Miss PERCY SINNETT. 2 vols. post 8vo 18s. cloth.

**SMITH (MRS.)—THE FEMALE DISCIPLE OF THE FIRST**  
**THREE CENTURIES OF THE CHRISTIAN ERA** her Trials and her Mission By Mrs. HENRY SMITH. 1cp. 8vo 6s. cloth.

**SMITH.—SACRED ANNALS;**  
 Or, Researches into the History and Religion of Mankind, from the Creation of the World to the Death of Isaac deduced from the Writings of Moses and other Inspired Authors, copiously illustrated and confirmed by the Ancient Records, Traditions, and Mythology of the Heathen World. By GEORGE SMITH, 1 S.A. &c. Author of "The Religion of Ancient Britain," &c. Crown 8vo. 10s. cloth.

**SMITH (GEORGE).—PERILOUS TIMES;**  
 Or, the Aggressions of Antichristian Error on Scriptural Christianity, considered in reference to the Dangers and Duties of Protestants By GEO. SMITH, F.A.S. &c. 1cp. 8vo. 6s. cloth.

**SMITH (GEORGE).—THE RELIGION OF ANCIENT**  
**BRITAIN HISTORICALLY CONSIDERED** or, a Succinct Account of the several Religious Systems which have obtained in this Island from the Earliest Times to the Norman Conquest including an Investigation into the Early Progress of Error in the Christian Church, the Introduction of the Gospel into Britain, and the State of Religion in England till Popery had gained the ascendancy. By GEORGE SMITH, F.A.S. &c. 2d Edition. 8vo. 7s. 6d. cloth.

**SMITH.—THE ENGLISH FLORA.**  
 By Sir JAMES EDWARD SMITH, M.D. F.R.S., late President of the Linnæan Society, &c. 6 vols. 8vo. £3. 12s. boards.  
 Contents.—Vols. I. to IV. The FLOWERING PLANTS and the Ferns, &c. 2s.  
 Vol. V Part 1, 12s.—CRYPTOGAMIA, comprising the Mosses, Hepaticæ, Lichens, Characæ, and Algæ. By Sir W. J. HOOKER.  
 Vol. V. Part 2, 12s.—The FUNGI—completing the work, by Sir J. W. HOOKER, and the Rev. M. J. BERKELEY, F.L.S. &c.

**SMITH.—COMPENDIUM OF THE ENGLISH FLORA.**

By Sir J. E. SMITH. 2d Edit. with Additions, &c. By Sir W. J. HOOKER. 12mo. 7s. 6d. cl.  
THE SAME IN LATIN. 5th Edition, 12mo. 7s. 6d.

**SMITH.—AN INTRODUCTION TO THE STUDY OF BOTANY.**

By Sir J. E. SMITH, late President of the Linnean Society. 7th Edition, corrected; in which the object of Smith's "Grammar of Botany" is combined with that of the "Introduction."  
By Sir WILLIAM JACKSON HOOKER, K.H., LL.D., &c. 8vo. with 36 Steel Plates, 16s. cloth; with the Plates coloured, £2. 12s. 6d. cloth.

**SMITH (SYDNEY).—SERMONS PREACHED AT ST. PAUL'S**

Cathedral, the Foundling Hospital, and several Churches in London; together with others addressed to a Country Congregation. By the late Rev. SYDNEY SMITH, Canon Residentiary of St. Paul's Cathedral. 8vo. 12s. cloth.

**SMITH.—THE WORKS OF THE REV. SYDNEY SMITH.**

3d Edition, with Additions. 3 vols. 8vo. with Portrait, 36s. cloth.

\*. This collection consists of the author's contributions to the Edinburgh Review, Peter Plymley's Letters on the Catholics, and other miscellaneous works.

**SOPHOCLES, BY LINWOOD.**

SOPHOCLES TRAGÆDIÆ SUPERSTITES. Recensuit, et brevi adnotatione instruxit GULIELMUS LINWOOD, A.M. Edis Christi apud Oxonienses Alumnus. 8vo. 16s. cloth.

**SOUTHEY'S (ROBERT) COMPLETE POETICAL WORKS;**

Containing all the Author's last Introductions and Notes. Complete in one volume, with Portrait and View of the Poet's Residence at Keswick, uniform with Byron's and Moore's Poems. 8vo. 21s. cloth; or 42s. bound in morocco, by Hayday.

Also, an Edition in 10 vols. fcp. 8vo. with Portrait and 19 Plates, £2. 10s. cloth; morocco, £4. 10s.

**SOUTHEY (ROBERT).—THE DOCTOR, &c.**

Vol. VI. From the Papers of the late Robert Southey, LL.D. Edited by his Son-in-Law, the Rev. JOHN WOOD WARTER. Post 8vo. 10s. 6d. cloth.

\*. The Seventh Volume, to complete the work, is in the press.

**SOUTHEY (ROBERT).—THE LATE MR. SOUTHEY'S**

COMMON-PLACE BOOK; comprising his Readings and Collections in History, Biography, Manners and Literature, Voyages and Travels, &c. &c.; systematically arranged.

[In the press.]

**SOUTHEY.—THE LIFE OF WESLEY;**

And Rise and Progress of Methodism. By ROBERT SOUTHEY, Esq. LL.D. 3d Edition, with Notes by the late Samuel Taylor Coleridge, Esq., and Remarks on the Life and Character of John Wesley, by the late Alexander Knox, Esq. Edited by the Rev. CHARLES CUTHBERT SOUTHEY, A.M. Curate of Cockermouth. 2 vols. 8vo. with 2 Portraits, 28s. cloth.

**SOUTHEY, &c.—LIVES OF THE BRITISH ADMIRALS:**

With an Introductory View of the Naval History of England. By R. SOUTHEY, Esq. and R. BELL, Esq. 5 vols. fcp. 8vo. with Vignette Titles, £1. 10s. cloth.

**SPIRIT OF THE WOODS (THE).**

By the Author of "The Moral of Flowers." 2d Edition. Royal 8vo. with 23 beautifully-coloured Engravings of the Forest Trees of Great Britain, £1. 11s. 6d. cloth.

**STABLE TALK AND TABLE TALK;**

OR, SPECTACLES for YOUNG SPORTSMEN. By HARRY HIRCOVER. 2 vols. 8vo. with Portrait, 24s. cloth.

"This work will become a great favourite with all persons who are connected with the turf, the chase, and the world of manly sports. It is written in a pleasant, clear, and amusing manner, and contains an immense variety of information and entertaining matter."—WEEKLY DISPATCH.

**STEBBING.—THE HISTORY OF THE CHRISTIAN CHURCH,**

from its Foundation to A.D. 1492. By the Rev. H. STEBBING, M.A. &c. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**STEBBING.—THE HISTORY OF THE REFORMATION.**

By the Rev. H. STEBBING. 2 vols. fcp. 8vo. with Vignette Titles, 12s. cloth.

**STEEL'S SHIPMASTER'S ASSISTANT;**

Compiled for the use of Merchants, Owners and Masters of Ships, Officers of Customs, and all Persons connected with Shipping or Commerce: containing the Law and Local Regulations affecting the Ownership, Charge, and Management of Ships and their Cargoes; together with Notices of other Matters, and all necessary Information for Mariners. New Edition, rewritten throughout. Edited by GRAHAM WILLMORE, Esq. M.A. Barrister-at-Law;—The Customs and Shipping Department, by GEORGE CLEMENTS, of the Customs, London, Compiler of "The Customs Guide";—The Exchanges, &c. and Naval Book-keeping, by WILLIAM TATE, Author of "The Modern Cambist." 8vo. 28s. cloth; or, 29s. bound.

## STEEPLETON ;

Or, High Church and Low Church. Being the present Tendencies of Parties in the Church, exhibited in the History of Frank Faithful. By a CLERGYMAN. Fcp. 8vo. 6s. cloth.

## STEPHENS.—A MANUAL OF BRITISH COLEOPTER

or, BEETLES: containing a Description of all the Species of Beetles hitherto ascertained to inhabit Great Britain and Ireland, &c. With a Complete Index of the Genera. By J. F. STEPHENS, F.L.S. Author of "Illustrations of Entomology." Post 8vo. 14s. cloth.

## SWAINSON.—A PRELIMINARY DISCOURSE ON THE STUDY OF NATURAL HISTORY.

By W. SWAINSON, Esq. Fcp. 8vo. 6s. cloth.

NATURAL HISTORY AND CLASSIFICATION OF FISH, AMPHIBIANS, AND REPTILES. By W. Swainson, Esq. 2 vols. fcp. 8vo. 12s.

A TREATISE ON THE NATURAL HISTORY AND CLASSIFICATION OF ANIMALS. By W. Swainson, Esq. Fcp. 8vo. 6s.

HABITS AND INSTINCTS OF ANIMALS. By W. Swainson, Esq. Fcp. 8vo. with Vignette and numerous Woodcuts, 6s. cloth.

NATURAL HISTORY AND CLASSIFICATION OF QUADRUPEDS. By W. Swainson, Esq. Fcp. 8vo. with Woodcuts, 6s. cloth.

A TREATISE ON MALACOLOGY; or, the Natural Classification of Shells and Shell-fish. By W. Swainson, Esq. Fcp. 8vo. 6s. cloth.

NATURAL HISTORY AND CLASSIFICATION OF BIRDS. By W. Swainson, Esq. 2 vols. fcp. 8vo. with 300 Woodcuts, 12s. cloth.

A TREATISE ON TAXIDERMY; with the Biography of Zoologists, and Notices of their Works. By W. Swainson, Esq. Fcp. 8vo. 6s.

HISTORY AND NATURAL ARRANGEMENT OF INSECTS. By W. Swainson, Esq., and W. E. Shuckard, Esq. Fcp. 8vo. 6s. cloth.

## SWITZERLAND.—THE HISTORY OF SWITZERLAND.

(In the Cabinet Cyclopædia.) Fcp. 8vo. with Vignette Title, 6s. cloth.

## SYMONDS.—THE LAW RELATING TO MERCHANT SEAMEN,

Arranged chiefly for the Use of Masters and Officers in the Merchant Service. With an Appendix, containing the Act 7 and 8 Vic. c. 112; the Regulations under which Lascaris may be employed, and some forms of Proceedings before Magistrates. By K. W. SYMONDS, Esq. Chief Clerk to the Thames Police Court. 3d Edition. 12mo. 5s. cloth.

## TATE.—HORATIUS RESTITUTUS;

Or, the Books of Horace arranged in Chronological Order, according to the Scheme of Dr. Bentley, from the Text of Gesner, corrected and improved. With a Preliminary Dissertation, very much enlarged, on the Chronology of the Works, on the Localities, and on the Life and Character of that Poet. By the Rev. JAMES TATE, M.A. 2d Edition. 8vo. 12s. cloth.

## TATE.—THE CONTINUOUS HISTORY OF THE LIFE AND WRITINGS OF ST. PAUL, on the basis of the Acts; with Intercalary Matter of Sacred Narrative, supplied from the Epistles, and elucidated in occasional Dissertations.

with the Horæ Pauline of Dr. Paley, in a more correct edition, subjoined. By JAMES TATE, M.A. Canon Residentiary of St. Paul's. 8vo. with Map, 13s. cloth.

## TAYLER (REV. CHARLES B.)—MARGARET;

Or, the Pearl. By the Rev. CHARLES B. TAYLER, M.A. Rector of St. Peter's, Chester, Author of "May You Like It," "Records of a Good Man's Life," &c. New Edition. Fcp. 8vo. 6s. cl.

## TAYLER (REV. CHARLES B.)—LADY MARY;

Or, Not of the World. By the Rev. CHARLES B. TAYLER, Rector of St. Peter's, Chester; Author of "Margaret, or the Pearl," &c. New Edition. Fcp. 8vo. 6s. 6d. cloth.

## TAYLER (REV. C. B.)—TRACTARIANISM NOT OF GOD:

Sermons. By the Rev. C. B. TAYLER, M.A. Rector of St. Peter's, and Evening Lecturer of St. Mary's, Chester, Author of "Records of a Good Man's Life," &c. Fcp. 8vo. 6s. cloth.

## TAYLER (REV. C. B.)—DORA MELDER;

A Story of Alsace. By MARY SANDER. A Translation. Edited by the Rev. C. B. Tayler, Author of "Records of a Good Man's Life," &c. Fcp. 8vo. with two Illustrations, 7s. cloth.

## TAYLER (JEREMY).—BISHOP JEREMY TAYLOR'S ENTIRE

WORKS: with the Life by Bishop HEBER. Revised and corrected by the Rev. CHARLES PAGE EDL.N., Fellow of Oriel College, Oxford. The Second Volume (the First in the order of publication) contains the Life of Christ, complete. 8vo. 10s. 6d. cloth.

\* \* \* To be completed in Twelve Volumes. Vol. III. containing the Holy Living and Dying, will be published in October.

## THIRLWALL.—THE HISTORY OF GREECE.

By the Right Rev. the LORD BISHOP OF ST. DAVID'S (the Rev. Connop Thirlwall). A New Edition, revised; with Notes. Vols. I. to III. 8vo. with Maps, 36s. cloth. To be completed in 8 volumes, price 12s. each. [Vol. IV. in October.

\* \* \* Also, an Edition in 8 vols. fcp. 8vo. with Vignette Titles, £2. 8s. cloth.

**THOMSON'S SEASONS.**

With Notes, illustrative of the Natural History, Biography, Classical Allusions, and General Philosophy contained in the Poems. By ANTHONY TODD THOMSON, M.D. F.L.S. &c. &c. 8vo. [In October.]

**THOMSON'S SEASONS.**

Edited by BOLTON CORNEY, Esq. Illustrated with Seventy-seven Designs drawn on Wood, by Members of the Etching Club. Engraved by Thompson and other eminent Engravers. Square-crown 8vo. uniform with "Goldsmith's Poems," 21s. cloth; or, bound in morocco, by Hayday, 36s.

**THOMSON.—THE DOMESTIC MANAGEMENT OF THE SICK**

ROOM, necessary, in Aid of Medical Treatment, for the Cure of Diseases. By ANTHONY TODD THOMSON, M.D. F.L.S. &c. 2d Edition. Post 8vo. 10s. 6d. cloth.

**THOMSON (JOHN).—TABLES OF INTEREST,**

At Three, Four, Four-and-a-Half, and Five per Cent., from One Pound to Ten Thousand, and from One to Three Hundred and Sixty-five Days, in a regular progression of single Days; with Interest at all the above Rates, from One to Twelve Months, and from One to Ten Years. Also, numerous other Tables of Exchanges, Time, and Discounts. By JOHN THOMSON, Accountant in Edinburgh. 12mo. 8s. bound.

**THOMSON.—EXPERIMENTAL RESEARCHES ON THE FOOD**

of ANIMALS and the FATTENING of CATTLE: with Remarks on the Food of Man. By ROBERT DUNDAS THOMSON, M.D. of the University of Glasgow. Fcp. 8vo. 5s. cloth.

**TISCHENDORFF.—TRAVELS IN THE EAST.**

By CONSTANTINE TISCHENDORFF, Editor of the "Codex Ephræmi Rescriptus," "Codex Friderico-Augustanus," &c. Translated from the German by W. E. SHUCKARD. 16mo. 6s. 6d. cloth.

**TOMLINE (BISHOP).—AN INTRODUCTION TO THE STUDY**

of the BIBLE: containing Proofs of the Authenticity and Inspiration of the Holy Scriptures; a Summary of the History of the Jews; an Account of the Jewish Sects; and a brief Statement of the Contents of the several Books of the Old and New Testaments. By GEORGE TOMLINE, D.D. F.R.S. 20th Edition. Fcp. 8vo. 5s. 6d. cloth.

**TOMLINS.—A POPULAR LAW DICTIONARY;**

Familiarly explaining the Terms and Nature of English Law; adapted to the comprehension of persons not educated for the legal profession, and affording information peculiarly useful to Magistrates, Merchants, Parochial Officers, and others. By THOMAS EDLYNE TOMLINS, Attorney and Solicitor. Post 8vo. 18s. cloth.

**TOOKE.—A HISTORY OF PRICES:**

With reference to the Causes of their principal Variations, from 1792 to the Present Time Preceded by a Sketch of the History of the Corn Trade in the last Two Centuries. By THOMAS TOOKE, Esq. F.R.S. 3 vols. 8vo. £2. 8s. cloth.

\* \* \* Separately, Vols. 1 and 2, 36s.; Vol. 3, 12s.

**TOPHAM.—CHEMISTRY MADE EASY,**

For the Use of Agriculturists. By JOHN TOPHAM, A.M. Rector of St. Andrew, St. Mary Witton, and St. Nicholas, Droitwich. 3d Edition. 16mo. 2s. sewed.

**TOWNSEND (CHARLES).—THE LIVES OF TWELVE**

EMINENT JUDGES of the LAST and of the PRESENT CENTURY. By W. CHARLES TOWNSEND, Esq. A.M. Recorder of Macclesfield; Author of "Memoirs of the House of Commons." 2 vols. 8vo. 28s. cloth.

**TREVOR; OR, THE NEW SAINT FRANCIS.**

A Tale for the Times. Fcp. 8vo. 6s. cloth.

**TROLLOPE (REV. W.)—ANALECTA THEOLOGICA:**

A Critical, Philological, and Exegetical Commentary on the New Testament, adapted to the Greek Text: compiled and digested from the most approved sources, British and Foreign, and so arranged as to exhibit the comparative weight of the different Opinions on Disputed Texts. By the Rev. WILLIAM TROLLOPE, M.A. New Edition. 2 vols. 8vo. £1. 12s. cloth.

**TURNER.—THE HISTORY OF ENGLAND,**

From the Earliest Period to the Death of Elizabeth. By SHARON TURNER, Esq. F.A.S. R.A.S.L. New Editions. 12 vols. 8vo. £8. 3s. cloth.—Or, separately,

THE HISTORY of the ANGLO-SAXONS. 3 vols. 8vo. £2. 5s. boards.

THE HISTORY of ENGLAND during the MIDDLE AGES. 5 vols. 8vo. £3. 6s. boards.

THE HISTORY of the REIGN of HENRY VIII. 2 vols. 8vo. 26s. boards.

THE REIGNS of EDWARD VI., MARY, and ELIZABETH. 3 vols. 8vo. 32s. boards.

**TURNER.—THE SACRED HISTORY OF THE WORLD;**

Philosophically considered. By SHARON TURNER, F.S.A. R.A.S.L. New Edit. 3vls. 8vo. 42s. cl.

**TURNER.—A TREATISE ON THE FOOT OF THE HORSE;**

And a New System of Shoeing, by one-sided pailing; and on the Nature, Origin, and Cure of the Navicular Joint Lameness, with Preventive and Curative Treatment. By SHARON TURNER, M.R.V.C. Royal 8vo. 7s. 6d. boards.

**TURTON'S (DR.) MANUAL OF THE LAND AND FRESH-**

WATER SHELLS of the BRITISH ISLANDS. A New Edition, thoroughly revised and with considerable Additions. By JOHN EDWARD GRAY, Keeper of the Zoological Collection in the British Museum. Post 8vo. with Woodcuts, and 12 Coloured Plates 15s. cloth.

**TWELVE YEARS AGO: A TALE.**

By the Author of "Letters to my Unknown Friends." Fcp. 8vo. 6s. 6d. cloth.

**TWISS.—VIEW OF THE PROGRESS OF POLITICAL ECONOMY**

in EUROPE since the SIXTEENTH CENTURY; being a Course of Lectures delivered before the University of Oxford, in Michaelmas Term 1846, and Lent Term 1847. By TRAVERS TWISS, D.C.L. F.R.S. Professor of Political Economy, and Fellow of University College, Oxford. 8vo. 10s. 6d. cloth.

**TYTLER (PROF.) — PROFESSOR TYTLER'S ELEMENTS**

OF GENERAL HISTORY, Ancient and Modern, with Dr. NARES' Continuation. A New Edition, revised and continued to the Death of William IV. 8vo. with 7 Maps, 14s. cloth.

**URE.—DICTIONARY OF ARTS, MANUFACTURES, & MINES;**

Containing a clear Exposition of their Principles and Practice. By ANDREW URE, M.D. F.R.S. M.G.S. M.A.S. Lond.; M. Acad. N.L. Philad.; S. Ph. Soc. N. Germ. Hanov.; Mult. &c. &c. 3d Edition, corrected. 8vo. with 1,240 Engravings on Wood, 50s. cloth. —Also, SUPPLEMENT OF RECENT IMPROVEMENTS. 2d Edition. 8vo. with Woodcuts, 14s. cloth.

**VON ORLICH (CAPT.)—TRAVELS IN INDIA;**

Including Scinde and the Punjab, in 1842 and 1843. By CAPT. LEOPOLD VON ORLICH. Translated from the German, by H. EVANS LLOYD, Esq. 2 vols. 8vo. with coloured Frontispieces, and numerous Illustrations on Wood, 25s. cloth.

**WALFORD (J. E.)—THE LAWS OF THE CUSTOMS,**

Compiled by Direction of the Lords Commissioners of Her Majesty's Treasury, and published under the Sanction of the Commissioners of Her Majesty's Customs, with Notes and a General Index. Edited by J. G. WALFORD, Esq. Solicitor for the Customs. 8vo. 10s. 6d. cloth.

**WALKER'S PRONOUNCING DICTIONARY OF THE ENGLISH**

LANGUAGE, adapted to the present State of Literature and Science. By H. H. SMART, Author of "Theory and Practice of Elocution," &c. 2d Edition. To which are now added, an enlarged Etymological Index; and a Supplement, containing nearly 3000 Words not included in the previous edition of the Dictionary. 8vo. 15s. cloth.

\*.\* The Supplement, with the Etymological Index, may be had separately. 8vo. 3s. 6d. swd.

Ed. Walker's Pronouncing Dictionary Epitomised, by Smart. New Edition. 16mo. 7s. 6d. cl.

**WALKER (GEO.)—CHESS STUDIES;**

Comprising One Thousand Games of Chess, as really played by the first Chess Players; forming a complete Encyclopædia of Reference, and presenting the greatest Collection extant of fine specimens of strategy in every stage of the Game. Selected and arranged by GLOUCESTER WALKER, Author of "Chess made Easy," &c. 8vo. 10s. 6d. sewed.

**WARDLAW.—DISCOURSES ON THE PRINCIPAL POINTS**

OF THE SOCINIAN CONTROVERSY—the Unity of God, and the Trinity of Persons in the Godhead, the Supreme Divinity of Jesus Christ, the Doctrine of the Atonement, the Christian Character, &c. By RALPH WARDLAW, D.D. 5th Edition, 8vo. 15s. cloth.

**WATERTON.—ESSAYS ON NATURAL HISTORY,**

Chiefly Ornithology. By CHARLES WATERTON, Esq., Author of "Wanderings in South America." With an Autobiography of the Author, and a View of Walton Hall. New Edition. Fcp. 8vo. 8s. cloth.

SECOND SERIES. With Continuation of Mr. WATERTON's Autobiography. New Edition, Fcp. 8vo. with Vignette by T. Creswick, A.R.A. 6s. 6d. cloth.



**WEBSTER.—AN ENCYCLOPÆDIA OF DOMESTIC ECONOMY;**

Comprising such subjects as are most immediately connected with Housekeeping as, The Construction of Domestic Edifices, with the modes of Warming, Ventilating, and Lighting a description of the various articles of Furniture, with the nature of their Materials—of Servants, &c. &c. By T. WEBSTER, F.G.S. &c., assisted by the late J. B. Parker, Author of "Domestic Duties." 8vo. with nearly 1,000 Woodcuts, 50s. cloth.

**WEIL (DR. G.)—THE BIBLE, THE KORAN, AND THE**

TALMUD; or, Biblical Legends of the Mussulmans, compiled from Arabic Sources, and compared with Jewish Traditions. By Dr. G. WEIL, Librarian of the University of Heidelberg, Fellow of the Asiatic Society of Paris, &c. Translated from the German, with Occasional Notes. Post 8vo. 7s. 6d. cloth.

**WESTWOOD (J. O.)—AN INTRODUCTION TO THE MODERN**

CLASSIFICATION OF INSECTS; founded on the Natural Habits and compounding Organisation of the different Families. By J. O. WESTWOOD, F.L.S. &c. &c. 2 vols. 8vo. with numerous Illustrations, £2. 7s. cloth.

**WHITLEY.—THE APPLICATION OF GEOLOGY TO AGRICULTURE,**

and to the Improvement and Valuation of Land. with the Nature and Properties of Soils, and the Principles of Cultivation. By NICHOLAS WHITLEY, Land-Surveyor. 8vo. 7s. 6d. cloth.

**WILBERFORCE (W.)—A PRACTICAL VIEW OF THE PRE-**

VAILING RELIGIOUS SYSTEMS OF PROFESSED CHRISTIANS, in the Higher and Middle Classes in this Country, contrasted with Real Christianity. By Wm. WILBERFORCE, Esq. M.P. 17th Edition. 8vo. 8s. boards.—20th Edition. Fcp. 8vo. 4s. 6d. cloth.

**WILKINSON.—A CATECHISM OF CHURCH HISTORY IN**

GENERAL, from the Apostolic Age to the Present Time. To which is added, a Catechism of English Church History; with a Summary of principal Events, in Chronological Order. By the Rev. W. F. WILKINSON, A.M. Theological Tutor of Cheltenham College. Fcp. 8vo. 6s. cloth.

**WILLOUGHBY (LADY).—A DIARY,**

Purporting to be by the LADY WILLOUGHBY, of the Reign of Charles I; embracing some Passages of her Domestic History from 1635 to 1648. Produced in the style of the period to which the Diary refers. 5th Edit. Square fcp. 8vo. 8s. boards, or 18s. in morocco by Hayday

**WILLOUGHBY (LADY).—A FEW REMAINING PASSAGES**

from the DIARY of LADY WILLOUGHBY. Crown 4to uniform with the First Edition of Lady Willoughby's Diary. [In the Autumn.]

**WILSON.—THE LANDS OF THE BIBLE VISITED AND**

DESCRIBED, in an Extensive Journey undertaken with special reference to the promotion of Biblical Research and the advancement of the Cause of Philanthropy. By John Wilson, D.D. F.R.S. Honorary President of the Bombay Branch of the Royal Asiatic Society, Member of the Editorial Committee of the Asiatic section of the Royal Society of Northern Antiquaries at Copenhagen, Missionary of the Free Church of Scotland, &c. 2 vols. 8vo. with Maps and numerous Illustrations, £1. 16s. cloth.

**WINTER (J. W.)—THE HORSE IN HEALTH AND DISEASE:**

Or, Suggestions on his Natural and General History, Varieties, Conformation, Paces, Age, Soundness, Stabling, Condition, Training, and Shoeing. With a Digest of Veterinary Practice. By JAMES W. WINTER, M.R.C.V.S. Member of the Association Littéraire d'Egypte, late Veterinary Surgeon to Mehemet Ali and Ibrahim Pasha. 8vo. 10s. 6d. cloth.

**WOOD.—A PRACTICAL TREATISE ON RAILROADS,**

And Interior Communication in General; containing numerous Experiments on the Powers of the Improved Locomotive Engines, and Tables of the comparative Cost of Conveyance on Canals, Railways, and Turnpike Roads. By NICHOLAS WOOD, Memb. Inst. Civ. Eng. &c. 3d Edition. 8vo. with Plates and Woodcuts, 31s. 6d. cloth.

**ZOOLOGY OF THE VOYAGE OF H.M.S.S. EREBUS AND**

TERROR. Under the Command of Capt. Sir JAMES CLARK ROSS, R.N. F.R.S. during the years 1839, 40, 41, 42, 43. Published by Authority of the Lord's Commissioners of the Admiralty. Edited by JOHN RICHARDSON, M.D. F.R.S. &c.; and JOHN EDWARD GRAY, Esq. F.R.S. Parts I. to XV. royal 4to. with numerous coloured and plain Plates, 10s. each.

**ZUMPT (PROF.)—A GRAMMAR OF THE LATIN LANGUAGE.**

By C. G. ZUMPT, Ph. D. Professor in the University of Berlin, and Member of the Royal Academy of Berlin. Translated from the Ninth Edition of the original, and adapted for the use of English Students, by L. SCHMITZ, Ph. D., Rector of the High School of Edinburgh; with many Additions and Corrections communicated by the Author. New Edition. 8vo. 14s. cloth.





